Giltgrip Bettalay Double Bond Underlay BPIR Declaration

Version: V1.01112023

Designated building product: Class 1

Declaration

Autodec Supplies Limited has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Giltgrip Bettalay Double Bond Underlay
Identifier	RULBETT

Description

Giltgrip Bettalay is a SBR rubber sponge underlay designed for Double Bond installation. It is produced in a continuous sheet with square trimmed edges. Double-stick system means rapid installation with no rucking or stretching of carpet. Up to 50% increase in carpet life compared with conventional & direct-stick methods.

Made from materials:

- Backing Material: Topside Textron re-enforced paper.
- Downside Woven polypropylene (Action Back)

Dimension:

- Roll Width: 1800mm
- Roll Length: 10mtr.
- Roll Weight: 28kg
- Thickness: 6.5mm

Scope of use

Giltgrip Bettalay is a premium grade SBR rubber double bond underlay for use in heavy contract commercial environments and high traffic areas including healthcare, aged care, hospitality, offices, and apartments. Increases thermal insulation for

reduced energy consumption and warmer rooms. Improves Impact Insulation Class Ratings essential in reducing transference of noise. Suitable for all floor types, including heated slabs. Anti-microbial. Recyclable. Meets Australian Standard AS 4288-2003 for underlay durability. Pressure sensitive adhesive (underlay to subfloor adhesion option) for ease release up uplift in the future. All system adhesives and primers are manufactured in Australasia from solvent free, water-based formulations and are certified Low VOC and comply with NZ Green Star Adhesives /Sealants VOC limits.

Conditions of use

Important to follow GiltEdge 3 Step Total Flooring System Installation

- 1. CONCRETE TREATMENT: Concrete Slab Treated with Protect Crete X200 Densi-Proof (at time of pour) to cure, densify, protect and moisture control.
- 2. SUPPORTAPAD GLUED TO SUBFLOOR: Carpet Adhesive: Giltgrip 22 or Roberts 80or Pressure Sensitive Adhesive: Giltgrip 66 or Polymer 999.
- CARPET TILES GLUED TO SUPPORTAPAD Pressure Sensitive Adhesive: Giltgrip 66 or Polymer 999 Or Carpet Adhesive (If required): Giltgrip 22 or Roberts 80

Contributions to compliance

Building Regulations 1992 - Clause 2B-Durability Giltgrip Bettalay Double Bond Underlay, with only normal maintenance, will continue to satisfy the performance requirements of Building Regulations for 10 years or for the life of the installed carpet.

Supporting documentation

The following additional documentation supports the above statements:

Giltgrip Bettalay Double Bond Technic al Data Sheet	Version January 2022	https://giltedge.co.nz/download/tds-rulbett-bettalay?wpdm dl=9033&refresh=656925734907e1701389683
Giltgrip Bettalay Double Bond Acoustic	Version July 2020	https://giltedge.co.nz/download/bettalay-acoustic-testing- data?wpdmdl=10694&refresh=6569257381cdf170138968 3

Testing Result		
Giltgrip Bettalay Double Bond Emissio n Test	Version June 2008	https://giltedge.co.nz/download/voc-rulbett-bettalay?wpdm dl=9034&refresh=65692573656861701389683

For further information supporting Giltgrip Bettalay Double Bond Underlay claims refer to our website.

Contact details

Manufacture location	New Zealand
Legal and trading name of manufacturer	Autodec Supplies Limited
Manufacturer address for service	73 Cryers Road East Tamaki
Manufacturer email	sales@autodec.co.nz
Manufacturer phone number	09 272 2244
Manufacturer NZBN	9429040470405

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that Giltgrip Bettalay Double Bond Underlay is not subject to a warning on ban under <u>s26 of the Building Act</u>.

AUTODEC SUPPLIES LIMITED 73 Cryers Road East Tamaki New Zealand 09 272 2244

BPIR Ready selections

Category: Other (custom)