

CNZ Carpet Gripper

BPIR Declaration

Version: V2.27112024

Designated building product: Class 1

Declaration

Gilt Edge Industries has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	CNZ Carpet Gripper
Identifier	CNZ Gripper

Description

CNZ Carpet Gripper or smoothedge is a pinned timber edging strip that holds the stretched carpet to provide a smooth edge at perimeter walls, for use on both concrete or timber subfloors. Made from plywood.

CNZ Carpet Gripper is available in:

- 25mm mainly use for domestic or 33mm wide mainly use for commercial.
- 7.5mm or 9mm thickness.
- Concrete nail, Wood nail or Plain (no nail).

Scope of use

Carpet grippers are narrow strips of plywood with rows of sharp pins that face upwards. There are two main types of carpet gripper: domestic carpet gripper - which has two rows of pins commercial carpet gripper - which has three rows of pins and provides a more secure hold on stiffer carpets.

The pins are angled at 65 degrees to the horizontal and are designed to grip the carpet quickly and firmly when it is stretched into position and placed on top.

The carpet gripper is installed before you lay the carpet, with the pins facing towards the wall or outside edge of the carpet.

Conditions of use

Below is a review of the installation procedures for grippers.

Fixing to the subfloor:

Most grippers have steel nails positioned at regular intervals along the length of the plywood. When you put the gripper in position on the floor, you can then simply hammer the nails in to secure the strip. In areas where it is too difficult to use the pre-nailed gripper, 'no nail' or 'standard' carpet gripper is used.

In this case, the gripper strip can be fixed to the floor surface using contact or construction adhesive.

For surfaces such as ceramic tiles, it can be fixed using plugs and screws.

If the subfloor is metal, you can use self-tapping screws.

Calculating quantities:

The most obvious way to calculate the amount of gripper strip needed for an installation is to measure around the perimeter walls, not including doorways and other openings (unless the carpet is butting up against a different floor covering).

Contributions to compliance

Building Regulations 1992 - Clause 2B-Durability CNZ Carpet Gripper, with only normal maintenance, will continue to satisfy the performance requirements of Building Regulations for 10 years or for the life of the installed carpet.

Supporting documentation

The following additional documentation supports the above statements:

CNZ Gripper 25mm Technical Data Sheet	Version Nov 2024	https://giltedge.co.nz/download/tds-cnz-gripper
--	-----------------------------	---

CNZ Gripper Tri Tack Technical Data Sheet	Version Nov 2024	https://giltedge.co.nz/download/tds-cnz-tri-tack?wpdmdl=10099&refresh=67463d62357cea1732656482
CNZ Gripper 33mm Technical Data Sheet	Version Nov 2024	https://giltedge.co.nz/download/tds-cnz-gripper-33mm?wpdmdl=11761&refresh=67463cca8837f1732656330

For further information supporting CNZ Carpet Gripper claims refer to our website.

Contact details

Manufacture location	Overseas
Legal and trading name of importer	Gilt Edge Industries
Importer address for service	110 Antigua Street Addington - Christchurch
Importer website	www.giltedge.co.nz
Importer NZBN	9429031908689
Importer email	help@giltedge.co.nz
Importer phone number	0800445833

Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that CNZ Carpet Gripper is not subject to a warning on ban under [s26 of the Building Act](#).

GILT EDGE INDUSTRIES
110 Antigua Street Addington - Christchurch New Zealand
0800445833 | www.giltedge.co.nz