

# CNZ Bonded Foam Underlay

## BPIR Declaration

Version: V2.041223

---

### Designated building product: Class 1

---

### Declaration

Gilt Edge Industries has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

---

### Product/system

<b>Name</b>	CNZ Bonded Foam Underlay
<b>Identifier</b>	CNZ Underlay

---

### Description

CNZ bonded foam underlay provides superior comfort, exceptional durability as well as excellent thermal and acoustic insulation. It is moisture resistant, environmentally friendly and is guaranteed for the life of the carpet. Made from PU foam 100% Recyclable out of 95% recycled materials.

#### Available in different thickness and density:

- Thickness: 10mm or 11mm
  - Density: 95kg /105kg / 120kg /130kg
  - Roll Weight:
    - 20kg (10/95)
    - 22kg (11/105)
    - 25kg (11/120)
    - 28kg (11/130)
  - 5 Broadloom metres per roll
- 

### Scope of use

CNZ bonded foam underlay provides superior comfort, exceptional durability as well as excellent thermal, acoustic insulation and , reducing noise transmission throughout the home and creating a more energy-efficient environment.

---

## Conditions of use

Manufactured for use in residential applications

1. Must be installed in accordance with AS/NZS 2455.1:2007
2. Ensure subfloor is clean , free of moisture and dust.
3. Fix any imperfection to create smooth surface
4. Install carpet gripper - different carpet gripper available to suit your subfloor i.e. concrete , wood.
5. Cut underlay to size and set underlay down with laminated side facing up ( run the underlay the opposite direction to carpet).
6. Secure joints with tapes
7. Roll out carpet

---

## Contributions to compliance

Building Regulations 1992 - Clause 2B-Durability CNZ Underlay, with only normal maintenance, will continue to satisfy the performance requirements of Building Regulations for 15 years or for the life of the installed carpet.

---

## Supporting documentation

The following additional documentation supports the above statements:

<b>CNZ 10/95 Underlay Technical Data Sheet</b>	Version March 2023	<a href="https://giltedge.co.nz/product/cnz-und&lt;br/&gt;erlay-10mm-95kg">https://giltedge.co.nz/product/cnz-und erlay-10mm-95kg</a>
<b>CNZ 11/130 Underlay Technical Data Sheet</b>	Version March 2023	<a href="https://giltedge.co.nz/product/cnz-und&lt;br/&gt;erlay-11mm-130kg">https://giltedge.co.nz/product/cnz-und erlay-11mm-130kg</a>
<b>CNZ 11/105 Underlay Technical Data Sheet</b>	Version March 2023	<a href="https://giltedge.co.nz/product/cnz-und&lt;br/&gt;erlay-11mm-105kg">https://giltedge.co.nz/product/cnz-und erlay-11mm-105kg</a>
<b>CNZ 11/130 - NZWTA Test Result</b>	Version August 2023	<a href="https://giltedge.co.nz/download/nzwta-&lt;br/&gt;test-result-cnz-11-130?wpdmdl=1190&lt;br/&gt;&amp;refresh=656d0e224132d17016458&lt;br/&gt;58">https://giltedge.co.nz/download/nzwta- test-result-cnz-11-130?wpdmdl=1190 &amp;refresh=656d0e224132d17016458 58</a>

<b>CNZ 10/95 - NZWTA Test Result</b>	Version August 2023	<a href="https://giltedge.co.nz/download/nzwta-test-result-cnz-10-95?wpdmdl=11905&amp;refresh=656d0e21363cb1701645857">https://giltedge.co.nz/download/nzwta-test-result-cnz-10-95?wpdmdl=11905&amp;refresh=656d0e21363cb1701645857</a>
<b>CNZ 11/120 Underlay Technical Data Sheet</b>	Version May 2023	<a href="https://giltedge.co.nz/download/tds-cnz-11mm-120kg?wpdmdl=11911&amp;refresh=656d22b239ef11701651122">https://giltedge.co.nz/download/tds-cnz-11mm-120kg?wpdmdl=11911&amp;refresh=656d22b239ef11701651122</a>
<b>CNZ 11/105 - NZWTA Test Result</b>	Version November 2023	<a href="https://giltedge.co.nz/download/nzwta-test-result-cnz-11-105?wpdmdl=11913&amp;refresh=6571e250e7e3c1701962320">https://giltedge.co.nz/download/nzwta-test-result-cnz-11-105?wpdmdl=11913&amp;refresh=6571e250e7e3c1701962320</a>
<b>CNZ 11/120 - NZWTA Test Result</b>	Version August 2023	<a href="https://giltedge.co.nz/download/nzwta-test-result-cnz-11-120-2?wpdmdl=11912&amp;refresh=656d22b25763f1701651122">https://giltedge.co.nz/download/nzwta-test-result-cnz-11-120-2?wpdmdl=11912&amp;refresh=656d22b25763f1701651122</a>

For further information supporting CNZ Bonded Foam Underlay claims refer to our website.

## Contact details

<b>Manufacture location</b>	Overseas
<b>Legal and trading name of manufacturer</b>	Beijing Fubaowanfeng Carpet International Co
<b>Legal and trading name of importer</b>	Gilt Edge Industries
<b>Importer address for service</b>	110 Antigua Street Addington - Christchurch
<b>Importer website</b>	<a href="http://www.giltedge.co.nz">www.giltedge.co.nz</a>
<b>Importer NZBN</b>	9429031908689
<b>Importer email</b>	help@giltedge.co.nz
<b>Importer phone number</b>	0800445833

---

## Responsible person

As the responsible person as set out in Regulation 3, I confirm that the information supplied in this declaration is based on information supplied to the company as well as the company's own processes and is therefore to the best of my knowledge, correct.

I can also confirm that CNZ Bonded Foam Underlay is not subject to a warning or ban under [s26 of the Building Act](#).

---

### GILT EDGE INDUSTRIES

110 Antigua Street Addington - Christchurch New Zealand  
0800445833 | [www.giltedge.co.nz](http://www.giltedge.co.nz)

---

## **BPIR Ready selections**

**Category:** Other (custom)