

LVP for SPEED





This saw comes with a larger 61/2" diameter blade that undercuts doors in place, and a masonry blade to undercut hearths. A diamond blade (No. 822) is available for undercutting tile and stone. Features a more powerful 13 AMP motor, dust control, threaded rod height adjustment that won't slip, and rugged aluminum ratchet handle. Undercuts most

everywhere	including malue comers. voits.	120 - AIVIF 5. 13
Order No.	Description	Weight
835	Heavy-Duty Undercut Saw	21 lb.
821	Carbide-Tipped Blade	11 oz.
836	Carbide-Tipped Blade	11 oz.
837	Dust Cover	7.07



Pivoting Ratchet Handle



HANDLE TILTS BACK AND LOCKS SOLID

Replacement Blades for Crain No. 835 Saws:



TOP KNOB - SET HEIGHT

SIDE KNOB - LOCK HEIGHT

DUST COVER SOLD SEPARATELY







INCLUDES CASE, CARBIDE

AND MASONRY BLADES

No. 556





No. 575 Multi-Undercut Saw

This versatile saw undercuts along walls, door jambs, under toe spaces, and will also undercut inside corners.

The height of cut is easily adjustable from flush to one inch above the floor. The large, flat base prevents tipping and assures accurate, level cutting. The dual-angle depth gauge allows undercutting at a "straight-on" or a 45° angle. The visual scale provides precision depth control at 1/8" increments.

Each saw comes with a 36-tooth No. 556 Carbide Blade. The blade is bell-shaped for added rigidity and should not be used on any other saw. Also comes with custom molded carrying case, a hex key for blade removal, and detailed instructions.

Order No. Description 575 Multi-Undercut Saw 556 Carbide Blade (36 tooth)

Volts Amps. Weight

6 oz.



Corners

Toe-Spaces

No. 777 Toe-Kick Saw

This improved saw has a hinged depth adjustment plate and adjustment arm with five settings for common underlayment thicknesses including 1/4", 3/8", 1/2", 5/8", or 3/4". Cuts flush to the inner wall of the cabinet to remove old underlayment. The saw includes a clutch mechanism that may disengage to reduce kickback. Comes with No. 787 3 3/8" Carbide-Tipped Blade for wood cutting. The No. 789 Toe-kick Saw Diamond Blade is sold separately for cutting tile or grout to a fixed depth of 3/8". Do not use any other blades with the saw.

Order No. Description Volts Amps. Weight Toe-Kick Saw 120 13.7 lb. Carbide-Tipped Blade - -2 oz. 2 5/8" Diamond Blade





Depth Control





CRAIN Power Stretchers

No. 520 Swivel-Lock Stretcher 60° of swivel with 5 lock points!

The Swivel-Lock Stretcher gives you the benefits of both straight and swivel heads. The head has 60° of free swivel for patterned carpet. Depress the built-in lock pin, and you can lock the swivel in 5 convenient positions. Lock in the straight position for square stretching, or at 15° for most angle stretching. There's even a 30° setting for extreme angles found in "L" shaped living/dining rooms. Also features a stretch lock button for partial stretches. Pin depth adjustment bar allows variable pin depth penetration for different carpet thicknesses. Adjusts with two screws in the pin plate. Comes with Lever Extension Tube and Folding Tail Block. Sold in double case model only. Order No. Description Swivel-Lock Stretcher 59 lbs.

Swivel-Lock Head ONLY

el-Lock Head

1520-Z



Swivels parallel to wall on angle stretches.

Nos. 499 and 500 Power Stretchers


Our fixed head stretcher has the features that you

would expect in a more expensive power stretcher. Comes complete with push-button stretch lock, Auto-

Lok tube, 3 extension tube sections, 1 transfer tube

Swivel-Lock Head

12 lbs.



Stretch

Folding

Tail Block



Smooth

Extension

- Folds for corners
- Locks for posts
- Spans 20" flat



Hand lever adjustment

Folding Tail Block

 Unlocks when lifted off floor for fast adjustment

Stretch Lock

section, folding tail block, and your choice of cases (see next page). Adjusts from 37" to 23 ft. and can be No. 499 lengthened by adding additional extension tubes (No. 502). The No. 500 has an adjusting knob on the top of the driving head with a visual pin depth setting gauge. No. 500 Just set the dial to the desired pin depth and you're ready to stretch. No screws or screwdrivers required. 59 lbs. 53 lbs.



Description

Double Case Stretcher

Single Case Stretcher

Visual Pin **Depth Knob** (Nos. 499 & 500 ONLY!)

Cases

Smooth

Sidekicking Platform







No. 500Z

Page 4

separately



CARRY



No. 510

No. 502

No. 516 - 3'

No. 517 - 5'

No. 1500-23

U.S. PAT. NO. 7,451,961 B2

& 7.722.012 B2

No. 520Z

No. 501

Description **Lever Extension Tube**

Extra extension tubes give you extra length for big jobs. Available in steel and aluminum models.

502	3' Extension Tube	6.00 lbs
516	3' Aluminum Stretcher Tube	3.26 lbs
517	5' Aluminum Stretcher Tube	6.00 lbs

mercial carpets. For Stretcher Weight Order No. Description Cotton Head 499-500 4 lbs. **Cotton Head** 4 lbs.

No. 1500-23 Folding Tail Block

This tail block folds for stretching off outside corners in "L"-shaped rooms, and posts. The tube locks for stretching off posts. Spans 20" flat. Also has wheels to move it down the wall fast. Works with all Crain Stretchers, and other junior stretchers with standard poles. Order No. Weight Description

No. 499 Double Case Stretcher

Our double case design includes a head case with wheels and a tube case that hooks onto the head case for easy transport. The cases are easily split apart for carrying. Both cases are durably constructed and feature recessed latches and handles. The double case set holds all the stretcher components for the No. 499 or 520 shown on the previous page.

Cases and components also sold separately. No. 498E Empty Tube Case holds an Auto-Lok Tube and 3 Extension Tubes. No. 499E Empty Combo Cases hold a Crain Power Stretcher, Auto-Lok Tube, transfer tube, and up to 5 Extension Tubes. Also hold Roberts #10-239.

Order No.	Description	Weight
499	Double Case Stretcher	59 lbs.
497	Case w/Driving Head, Transfer	
	Tube, & Folding Tail Block	32 lbs.
498	Tube Case w/3 Extension Tubes	
	& Auto-Lok	27 lbs.
498E	Empty Tube Case	7 lbs.
499E	Empty Combo Cases (Head & Tube)	18 lbs.

No. 500 Single Case Stretcher

Our single case design comes with wheels for easy transport. The No. 500 case holds a Driving Head, Folding Tail Block, Transfer Tube, 3 Extension Tubes, and one Auto-Lok Tube. The single case design saves money.

No. 503 Empty Single Case holds the Stretcher components listed above for the No. 500, or up to 6 Extension Tubes. (Note: you must have new style narrow lifting handle to hold all of these stretcher components.)

rder No.	Description	Weight
500	Single Case Stretcher	53 lbs.
503	Stretcher Carrying Case	11 lbs.
1500-U	Driving Head ÓNLY	12 lbs.

Stretcher Accessories

No. 501 Auto-Lok Tube

Adjust the length of stretcher tubes fast with the Auto-Lok Tube. Just push back on your tubes to extend, push buttons and pull back to shorten. Works with other Junior Power Stretchers with standard size poles. Order No. Description Weight **Auto-Lok Tube** 7 lbs.

No. 510 Lever Extension Tube The top hand lever permits fast extension or retraction

of the tail. The bottom floor lever unlocks when the stretcher head is lifted off the floor, allowing the head to be extended or retracted. Reduces back twisting necessary to activate the buttons of an Auto-Lok tube. Order No. Weight 7.82 lbs. 510

Extension Tube Sections

NO. OU	JUZ an	Ia 5202	2 Cotto	n Grip i	1eaus
Helps	protec	t Berb	er and l	ow-leve	I com

Stretches off posts

> 1500-23 Folding Tail Block

Order No.

500



Used for stretching in close quarters, restretching, or in rooms where the tail block can't be braced against an opposite wall. It pulls with the tail blade off the tack strip. Now comes with seam repair attachment and stretch lock which is also helpful for pattern matching. Comes with plastic carrying

DescriptionMini-Stretcher w/ Seam Att.

When attached to a Mini Stretcher, it becomes a versatile seam repair stretcher for quick carpet repairs. Features adjustable pin depth and durable construction. Also may be used in pattern

Description Seam Repair Attachment

Our notched carpet spreader is made from flexible brushed stainless steel. The blade is flexible enough to be used in tight spaces as a glue spreading trowel tool. The blue plastic handle is ergonomically contoured. Blade width: 12 inches.

Order No. Description Weight

161 Notched Carpet Spreader 8 oz.

Our plain spreader is made with thicker 16 gauge plated steel without notches. This creates a better tuck-



ing tool that won't bend under load and easily slides at the gully, because it won't catch yarns. The black plastic handle is ergonomically contoured. Blade width: 10

Description Plain Carpet Spreader

Working from the top of the stairway down, it stretches the carpet fully – with gravity working with you, it's easier! Gives a tighter uniform stretch, without the

DescriptionStairway Stretcher



FROM TOP STAIR -STRETCH



TUCK









lo. 605 Deluxe Knee Kieker

Our deluxe kicker features a high profile body that more easily spans stretcher tubes, a soft synthetic rubber grip, a recessed trigger for length adjust-ment, a thicker seamless bumper pad, and internal power rods to support the pin plate.

Length is adjustable with 5 settings from 181/2 to 221/2. Head includes 8 nap grips and pin plate with 16 hardened steel pins. Pin dial provides 9 pin depths for various carpets. Comes with cap cover. Bumper, nap grips and pin plate are

alege elale	Q05/50/06/60/06/6		
der No.	Description	Parts per	Wt. Ea
605	Knee Kicker	1	5.89 lbs
505-K	Gripper Inserts	3	2 oz.
601-B	Pin Plate	1	3 oz.
			20000000



Protection and comfort for kneeling and knee kicking in one great pad. More infor-mation on page 30.

No. 445 Knee Kicker

This classic kicker has a recessed trigger for length adjustment in five settings from 17%" to 21%". Gripping head includes 3 nap grips, and pin plate with 16 hardened steel pins. Pin dial provides 9 pin depth adjustments for various carpets. Seamless bumper cushion, nap grips and pin plate are replaceable. Comes with cap cover.

elb concern		
Description	Parts per	Wt Ea
Knee Kicker	1	3 lbs.
Gripper Inserts	3	2 oz.
Pin Plate	1	3 oz.
	Description Knee Kicker Gripper Inserts	Description Parts per Knee Kicker 1 Gripper Inserts 3

This family of kickers with telescoping tube construction are some of the most durable available. The No. 505 and No. 525 have four length adjustments (approx. 21" min. to 25" max.)

The popular No. 505 has 3 nap grips, and 4 rows of 16 total hardened steel pins. Pins are adjustable to 9 different depth settings for various carpets. Internal power rods support the pin plate.

The No. 525 is a wider kicker with a fifth row of pins (19 total pins) and a fourth nap grip that moves a wider section of carpet on every kick. Also features the thick bumper found on our deluxe kicker (No. 1600-C), and internal power rods supporting the

			2000
Order No.	Description	Parts per	Wt. Ea.
505	Knee Kicker		5.88 lbs.
525	Wide Knee Kicker	1	7 lbs.
1601-B*	Pin Plate	-1	3 oz.
1505-K*	Gripper Inserts	3	2 oz.
1525-12**	Pin Plate	1	0.39 lbs.
1525-14**	Gripper Inserts	4	0.33 lbs.
GRENOTED CHARGED SHOULD	NORTH DESIGNATION OF THE PERSON OF THE PERSO	この日本中の日本である	

*Parts for No. 505 and No. 506. **Parts for No. 525

CRAIN Seaming Cutters Straight Edges CRAIN





E TIGHT . NO.

SELF-CLEANING





Designed especially for trimming and cutting superdense ⁵/₆₄" gauge foam or sponge-backed carpets. Double 30° angle blades cut either side of the row close and clean to help produce better seams. The long, slender front guide is beveled at the bottom, making it easy to stay in a row. Made from nickel-plated steel.

Trims close to the carpet pile on the right (Figure 1). On the left side, use the opposite blade (Figure 2). Close cuts on both seam edges produce better seams.

Order No. Description Weight Blades
301 Cushion Back Cutter 8 oz. 306C, 308C, 309C

This cutter has a notched row guide that follows rows better, particularly on hydrashift and Berber carpets. The off-set blade clamp allows fast blade changes without removal of the fastener. The 30° blade angle cuts cleanly.

Trims close to the carpet pile on the right (Figure 1). On the left side, use the opposite blade (Figure 2). Close cuts on both seam edges produce better seams.

Order No. Description Weight Blades
302 Cushion Lock Cutter 8 oz. 306C, 308C, 309C

This cutter has a base for cutting over pad or other carpet, and an adjustable throat that locks down on the row. Its 30° blade angle exposes more blade surface for smoother cutting. Now features three thumb screws that hold rigidly, and self-cleaning blade holders.


Order No. Description 303 Loop Pile Cutter 8 oz. 306C, 308C, 309C

This cutter excels on zigzag ("hydra-shift") carpets including commercial loop pile and Berbers! The blade runs directly behind the center row guide. This keeps the blade away from the offset yarns, preventing yarns from being sheared, which causes unsightly seams. The wide base keeps the blade perpendicular to the yarns, further reducing nap shear. The row guide can be retracted fully into the base for top cutting. The tool can also be used as a trimmer to precisely trim carpet up to Z-bar or vinyl molding.

Order No. Description Weight Blades
290 Seam Cutter Plus 1.2 lb. 295C, 308C, 309C







These cold drawn steel straight edges are accurately ground and tested before shipment. Guaranteed to be straight within ± .005" at the time of sale. Both models have a 45° angle end

and red painted surfaces to protect against rust. Order No. Dims. Weight Order No. Dims. Weight 113 $6' \times 3'' \times 1/8''$ 7'/2 lbs. 113S $4' \times 3'' \times 1/8''$ 4'/2 lb.

Now, the installer has the advantage of two tools in one. With one side of the tool straight and the other side a Serpent Edge, it is usable for both resilient and carpet purposes.

Order No. Length Weight Order No. Length Weight 119 75" 81/2 lbs. 119S 36" 41/3 lbs.

Absolutely accurate and guaranteed to stay straight. These precision ground straight edges are made of special spring steel that will take the rough daily use that flooring tools get.
Order No. Dims. Weight Order No. Dims. Weight 334 6' x 3" x $^{1}/_{8}$ " 6'/ $_{2}$ lbs. 334S 4' x 3" x $^{1}/_{8}$ " 4 lbs.

These straight edges are made from hard extruded anodized

aluminum, and have a hole at one end for hanging.

Order No. Dims. Weight Order No. Dims. Weight

535 36" x 21/2" x 3/16" 11/4 lbs. 536 72" x 21/2" x 3/16" 21/2 lbs.

These handy spring steel straight edges are great for working in corners, doorways, and tight areas. The 45° angle end

Order No.	Dimensions	Weight
116	18" x 2" x ¹ / ₃₂ "	4 oz.
117	32" x 2" x ¹ / ₃₂ "	6 oz.
118	39" x 2" x ¹ / ₃₂ "	7 oz.

The 912 has 1/16" graduations. The 915 has 1/8" graduations. Markings are permanently impressed in the steel. These squares are perfect for patterned sheet goods layout.

Order No. Description Body Tongue Width Steel Square Steel Square 8 oz.

CIRAJIN



No. 627 Edge Sealing Tip

Convenient pulling action

Works in line of sight

◆IDER.A.HE

8" NAPPING

Seaming Tools







No. 190



No. 204 Glue Gun, Nozzles & Sticks

This 100 watt glue gun comes with both a carpet edge sealing tip and a conventional 1/8" nozzle. Carpet edges pre-sealed with hot melt dry quickly and resist fraying. During the seaming process, the hot iron reactivates the hot melt, allowing the edges to bond together to reduce seam peaking

Order N	No. Description	Watts	Weight
204		100	1 ¹ / ₄ lbs.
201	10" Glue Sticks - 19 Stick Pk.		1 lbs.
202	4" Glue Sticks - 24 Stick Pk.		8 oz.
627	Carpet Edge Sealing Tip		1 oz.
629	1/8" Nozzle		1 oz.

No. 180 Seam Squeezers

These powerful squeezing springs force cushion-back carpets together, producing an improved seam. The gripper pins hold in the nap and maintain an inward squeezing force. The inward pressure can be perfectly regulated as desired. Sold in pairs

Description Order No. Weight Seam Squeezers 1 lb./set

No. 365 Row Separator

This double-ended tool has a pointed end for cut pile with a wider conical surface behind the point. On tall cut pile, the narrow point penetrates deep within the row, while the wider conical surface spreads the tufts. The opposite end is beveled and rounded for spreading loops on loop pile and Berber carpets without snagging. This tool will effectively open and spread rows for reduced shearing of carpet nap. Machined from solid steel, and nickel plated.

Weight Order No. Description **Row Separator**

No. 366 Commercial Row Finder No. 367 Residential Row Finder

The smooth, rounded notches of these ultra-straight spring steel row finders open rows in difficult carpets. The No. 366 has rounded ends that can easily enter the rows of Berber and loop pile commercial carpets without catching loops. The No. 367 has pointed ends that can more easily enter the rows of dense cut pile or plush carpets. Once these tools find a row, they can be moved back and forth in a sawing action to open the row. After use, a seam cutter is able to follow the row with reduced shearing of yarns.

Order No. Description Weight Commercial Row Finder 11/4 oz. Residential Row Finder 11/2 OZ.



Carpet Shears

No. 187 Big Loop Nap Shears No. 190 Duckbill Napping Shears No. 496 8" Carpet Shears

No. 187 - These nap shears feature offset handles for level cutting, with big, vinyl-coated loops for ease of grip. The flat duckbill blade won't gouge in use. Made of forged and plated steel with coated handles.

No. 190 - Lightweight with smaller loops and duckbill for precise napping. Offset handles for level cutting. Flat duckbill won't gouge in use. Plated steel with vinyl coated handles. No. 496 - An 8" long nap shear with longer blades. Nickel-

Order No.	Description	Length	Weight
187	Big Loop Nap Shears	7"	6 oz.
190	Duckbill Napping Shears	6"	5 oz.
496	8" Carpet Shears	8"	6 oz.



No. 905 Heat Bond Iron

The super low profile and ultra-narrow handle of this iron make it easier to get the seam together near the back of the iron. Dual indicator lights show both power-on and heating status. Self-cleaning base and 12' long HSJO cord are standard. The heavy-duty handle and riveted tray are highly durable. Available in grooved models only. Approximate heat range is 220° - 425°F. Runs at 800 watts. The No. 906 Kits comes with a steel case that can also hold a roll of tape, and a 25' 3-prong extension cord.

> Weight **Description** 110 volt Iron 220 volt Iron 110 volt Kit Universal Tray 8 oz.

Order

905

903

905V

Each $3^{1}/_{3}$ lbs. $3^{1}/_{3}$ lbs.

15.3 lbs.

No. 905 ADVANTAGES: **DURABLE ROTATING CORD AND LOW PROFILE**

No. 906

No. 946



No. 945 Electronic Heat Bond Iron

This iron's precision thermostat maintains set temperatures +/- 15°F ranging from 240 to 420°F for consistent heat and uniform melting. Initial overshoot and temperature swings are reduced. Also features a rotating 12 ft. HSJO cord for durability, and an ultra low profile base which makes it easier to bring the seam together.

Order No. Desc. Weight 110 volt Iron 3.7 lbs. 15.2 lbs. 110 volt Kit Universal Tray 8 oz.



Precision Electronic **Thermostat**

Maintains tempratures +/- 15°l

No. 435 Flex Axle Roller No. 436 Straight Axle Roller No. 437 Bigfoot Roller No. 438 Pro Roller

The pivoting axle of the Flex Roller pulls seams together, while mixing the fibers for less visible seams. Nos. 435. 436, and 438 have spiked wheels that press through the pile to seal the carpet's back into the hot melt adhesives.

The No. 437 Bigfoot Roller is made with ribbed rollers, making it especially good for fine-denier saxony, plush, and velvet carpets, as it will not snag or untwist varns

and volvot our poto, do it will hot only of different yarrior			
Order No.	Description	Width	Weigh
435	Flex Axle Roller	4"	10 oz.
436	Straight Axle Roller	4"	14 oz.
437	Bigfoot Roller	55/8"	15 oz.
438	Pro Roller	6"	14 oz.

No. 476 Carpet Tractor

Made with 3 rows of spaced 11/4" dia. spike wheels which flatten seams, reduce seam-peaking, and mix fibers for less visible seams. Durably constructed and made in the U.S.A. Order No. Description Weight 6" x 3" x 2" Carpet Tractor



EASY BLADE

CHANGE

Trimmers

Carpet Trimmers

No. 245 Crain Deluxe Carpet Trimmer

Features top-loading blade carriers, so blade changes are faster and easier. Wide open throat area provides smooth cutting action. Comes with six shims for height adjustment, and visual throat adjustment from the base for all kinds of carpet. Wall runner is treated with a non-skid material, and is angled outward for minimum wall contact. Description Weight Blades

Deluxe Carpet Trimmer 1245-U New Runner Pad, 245, 246 1/10 OZ.

OPEN THROAT FOR **SMOOTH CUTTING**

U.S. PAT. NO. 6,421,923 B1



This new trimmer is similar to other popular models but with faster blade change and throat adjustment. When the wall runner is removed, the blades are easily accessible. The wall runner is easily reinserted by inserting a pointed edge into a relief in the shim and lifting. Throat adjustment sockets are stamped in every shim, eliminating the need for a separate part.

Order No. Description Weight Blades Carpet Trimmer 2 lb.

EASY TO INSERT BLADE HOLDER

No. 247 Multi-Purpose Wall Trimmer

A real time-saver when used to trim vinyl or carpet to fit walls! Slotted blades are used for carpet or vinyl trimming. while hook blades work best for carpet tiles. Comes with an anti-friction boot for use on vinyl.

Order No. Description Weight Blades Wall Trimmer 2 lb. 306C, 308C, 996X

No. 247 **MULTI Trims** both carpet and vinvl

No. 145

U.S. PAT. NO.

7,356,932 B1

7,788,812 B2

No. 145 Seam Adhesive Bottle

Used to seal the edges of carpets before seaming for stretched or gluedown jobs. Supplied with an applicator nozzle and snap-on cap for storage. Sealer not included. Description Capacity Weight Seam Adhesive Bottle 8 oz. 11/4 OZ.



Tucking Tools





No. 950 Kit includes: No. 157 Molding Lifter No. 354 Tool Pouch No. 187 Big Loop Nap Shears No. 450 Deluxe Strip Cutter No. 024 24" Tool Box No. 189 Hook Utility Knife No. 505 Knee Kicker No. 245 Deluxe Wall Trimmer No. 726 Pivoting Carpet Knife No. 080 White Chalk Refill No. 135 Chalk Box No. 145 Seam Sealer Bottle No. 301 Cushion Back Cutter No. 152B Stair Tool No. 332 20 oz. Hammer

Nos. 152B, 154 & 155 Stair Tools

Constructed of tough, durable, alloy steel to withstand hammering. The blades are ground to a perfect taper and won't cut the carpet. Nickel plated.

Order No.	Description	Width	Length	Weight
152B	Cushion Stair Tool	4"	8"	1 lb.
154	Narrow Stair Tool	27/8"	8"	1 lb.
155	Bent Stair Tool	31/2"	6"	1 lb.

No. 192 Turning Tool & No. 195 Carpet Awl

The bent-leg Turning Tool is used to turn carpet under "Z" Bar and to roll carpet into edge gully. The straight Carpet Awl has a heavy-duty high-carbon steel pointer that extends through the plastic handle for hammering.

rder No.	Description	Length	Weight
192	Turning Tool	6"	3 oz.
195	Carpet Awl	61/4"	3 oz.

Nos. 125, 135 Chalk Lines & Chalk

No. 125 Irwin features easy sliding chalk door and tough aluminum construction. No. 135 Keson features 3-way gearing for fast retrieval. Refill with 080 (add "B" for blue) or 085 (white only) chalk.

Order No.	Description	Line Length	Weight
125	Irwin Chalk Line	100'	8 oz.
135	Keson Chalk Box	100'	8 oz.
080	Chalk Bottle		8 oz.
085	Chalk Bottle		5 lb.
AND DESCRIPTION OF THE PARTY OF	THE RESERVE OF THE PARTY OF THE	THE PARTY OF THE P	

No. 151 White Rubber Mallet

This non-marking white natural rubber mallet is perfect for malleting metal moldings. Durable hardwood handle.

Order No.	Description	Weight
151	White Rubber Mallet	20 oz.

No. 950 Professional Installers Tool Kit

This kit has the basic tools needed for carpet installation by the professional. The kit saves you money! The tools included in the kit are listed at the bottom of this page. Order No. Description Weight 950 Professional Installers Tool Kit 29 lb.

Sewing Thread, Needles & Thimbles



NOTE: Polyester thread is less expensive; but can stretch, showing more of the seam.


Order

rder No.	Description	Weight
769	Economy Polyester Thread	$4^{1}/_{2}$ oz.
771	Natural Waxed Linen Thread	$4^{1}/_{2}$ oz.
761	2 ¹ / ₈ " Long Needles (25 pack)	.05 lb.
762	3" Long Needles (25 pack)	.07 lb.
765	4" Curved Needles (12 pack)	.05 lb.
712	Thimble, Finger, Small #12	.01 lb
713	Thimble, Finger, Medium #13	.01 lb.
714	Thimble, Finger, Large #14	.01 lb.
715	Thimble, Thumb, #00	.01 lb.
760	Sewing Palm (right hand only)	3.07

Tucking Tools



Tackless Tools





LIFT PIN - Nos.

No. 363

For solid carbide drill bits see page 30.

No. 209

Extra Open

Time Sticks -

Starter boards

LONG OVAL

362 and 363



The new blade stabilizers on the No. 450 minimize deflection and provide increased cutting force. The extra long blades will cut a diagonal in regular strip or a straight cut in architectural. The handle features a blade storage area and comes complete with extra blades. Constructed of steel and nickel-plated to last a lifetime. Guaranteed 12 months. Order No. Description
450 Deluxe Strip Cutter

Order	No.		Des	scrip	otion					
332	ECOI	YMON	HAMMI	ER -	Forged	steel	head	is	securely	fas
	tenec	to a fil	berglass	s han	dle. We	ight 2	0 oz.	4		

296 VAUGHAN HALF-HATCHET - A multipurpose tool for cutting and hammering down tack strip. Features hardwood handle and sharpenable alloy steel blade. Weight 22 oz.

No. 172 Magnetic Tack Holder

This tool has a magnetic tip that holds the nail when it is difficult for fingers to do the job, particularly when nailing tackstrip with stubby nails. Made 51/2" long.

Description Weight Magnetic Tack Holder 8 oz.

Nos. 362 & 363 Door

Both tools have a solid steel push pin on one end for pushing up the head of the door pin. The opposite forked end then fits under the head to lift it out. Forked end is tapered for insertion. The No. 363 also has a capture spring to keep the greasy pin from falling on the carpet.

order No.	Description	Weight
362	Door Pin Tool	8 oz.
363	Deluxe Door Pin Tool	9 oz.

No. 166 Crain Magnetic Driving Bar

Features a forged alloy steel body with tapered nose and magnetic tip for nailing under toe-kicks and heaters. The vulcanized rubber handle absorbs vibration.

Order No.	Description	Weight
166	Magnetic Driving Bar	5 lb.

Crain Aluminum Drives

CAPTURE

These fasteners are ideal for securing all types of tackless and metal mouldings to concrete, terrazzo, marble, slate, or ceramic floors. The semi-square body squeezes tight when hammered into a $^{1}/_{8}$ " drilled hole. The No. 078 oval head is for metal with counter-sunk screw holes

Order No.	Description	Hole Size	Weight
078	1/8" x 7/8" Drives	$^{1}/_{8}$ " \times $^{7}/_{8}$ "	1 lb.
580	1/8" x 5/8" Drives	$^{1}/_{8}$ " $\times ^{3}/_{4}$ "	1 lb.
780	1/8" x 7/8" Drives	¹ / ₈ " x 1"	1 lb.
783	3/16" x 7/8" Drives	³ / ₁₆ " x 1"	1 lb.

No. 207 High Temp. Glue Gun 220W No. 208 Acrylic 10" Glue Sticks No. 209 Extra Open Time Glue Sticks

Acrylic glue sticks quickly bond tack strip, wood, metal trims and vinyl moldings to concrete, tile, stone or wood floors. They are a fast alternative to aluminum drives or contact cement. Extra open time glue sticks provide more time to position materials (approx. 3 min.) for gluing starter boards or long trim pieces. Use a high temperature glue gun such as the 220W Crain No. 207. The No. 207 has variable temperature control and includes carrying case.

Orger No	. Description	weignt
207	High Temp. Glue Gun 220W	4 lb.
208	Acrylic 10" Glue Sticks (19 Pack)	1 lb.
209	Extra Open Time Glue Sticks (20 Pack)	1 lb.

No. 635 Opto Power Tacker

The Opto Power Tacker has a ruggedized electronic control board with an optical sensor that fires in response to a tough sliding trigger. Eliminates delicate mechanical microswitches, which frequently required replacement. The long, slender nose parts yarns and gets down to the carpet's backing. The short height, narrow profile, and rounded cap allow stapling in tight areas. Powerful 11 AMP solenoid drives staples even into hardwoods. Precision jam-resistant magazine is rigidly mounted and opens with a release button. Once open, the staple channel is accessible to clear jams. Takes DuoFast® Nos. 5418 or 5415 staples, Shur-Fast (No. 619), or generics. DuoFast® is a registered trademark of the DuoFast® corporation.

Order No.	Description	Amps/Volts	Weight
635	Opto Power Tacker	11/115	5.9 lbs.
619	9/16" Shur-Fast Staple	es	1 ¹ / ₈ lbs.
486	Safety Glasses		2 oz.

This tool provides a simple means of stretching stairs and forming carpet around the stair nosing. Hook the claw on the stair and pull the handle down. The pulling action of the gripper teeth stretches the carpet across the stair, while the bottom side tucks it up under the stair nose. Recesses in the bottom edge make for easy stapling. The stair claw makes a tough job easi

Order No.	Description	Weight
518	Stair Claw	11 oz.

No. 130 Staple Hammer and Staples

This proven tool is perfectly balanced for pad stapling. The rear-loading staple magazine holds 160 staples. Cleverly constructed, with only four moving parts. Built

Order No.	Description	Weight
130	Staple Hammer	2 lbs.
141C	3/8" Chisel Point (5000 pack)	1 lb.
142D	3/8" Divergent Point (5000 pack)	1 lb.

No. 140 Heavy-Duty Hammer

Improved with a steel front cover that prevents strik ming, this tacker has a heavy head and longer handle to drive staples in the pad. Takes Duo-Fast® 7512 3/8" and 7516 1/2" staples or generics. Driving mechanism is simple and durable. Jams are easily cleared without disassembly. Description Weight Order No. Heavy-Duty Hammer Tacker

No. 147 Edge Binding Stapler

Ideal for binding area rugs or carpet samples. The staple guide adjusts the throat opening or can be removed altogether. The rear-loading magazine holds 150 staples. A

Order No.	Description	Weight
147	Edge Binding Stapler	1 lb.
148	⁵ / ₁₆ Staples (5000)	1 lb.

No. 126 Staple Remover

The pinching action of this tool clamps the crown of staple as the lever pulls it from the floor. Both stapl

Order No.	Description	Weight
126	Staple Remover	8 oz.

Staple Saver Boxes

These durable protective boxes for staple boxes are made from telescoping ratchet tubes. The No. 614 holds 7" row pad staples for the Crain No. 130 Staple Hammer and other similar brands. The No. 617 holds Duo-Fast® No. 5418 Electric Tacker Staples. The No. 618 holds Duo-Fast® No. 7512 Hammer Tacker Staples.

Order No.	Description	Weight
614	7" Pad Staple Saver Box	2 oz.
617	Staple Saver Box (5418)	2 oz.
618	Staple Saver Box (7512)	2 oz.
Duo-Fast® is a	a registered trademark of the Duo-Fast	® corporation.



No. 126

No. 617



No. 635





No. 518



No. 130















Carpet Tackers

MAGNETIC

No. 362

No. 208

Acrylic

Sticks -

Tack strip

CRAIN













Carpet Knives

Features a rear-loading blade magazine for quick access to extra blades. Dull blades are easily removed without dismantling, and new blades slide into place and lock down tight. Cast of aluminum, with a bright polished surface.

Order No. Description Weight Blades
725 Deluxe Carpet Knife 4 oz. 306C, 308C, 309C



This new knife features a thumb knob for quick opening and closing without a screwdriver. Pivots open for easy access to blade storage or replacement. Diecast in aluminum. No blades are included along with this knife.

Order No. Description Weight Blades
726 Pivoting Carpet Knife 4 oz. 306C, 308C, 309C

This carpet knife has a slim profile and heavy knurling on the body and up front for better grip and precision cutting. With a turn of the folding thumbscrew, it pivots open for blade storage. Blades are easily removed with a teeter-totter action. Blade clamp is magnetized for easy blade changes. Takes standard slotted razor blades.

Order No. Description Weight Blades
733 Extra-Grip Razor Knife 4 oz. 306C, 308C, 309C

No. 217 Hook Handle Res

at the back creates comfort and permits a stronger grip. Pivots open for blade storage. Takes standard slot-

ted razor blades.

Order No. Description
217 Razor Knife

6 oz. 306C, 308C, 309C

This knife uses standard slotted razor blades and features a slim profile, permitting closer cuts. The body is hinged for easy access to 5 extra blades stored in the

handle.
Order No. Description **Weight Blades** 6 oz. 306C, 308C, 309C Hinged Knife

The fast-opening design of this knife requires only the press of a button! Full-size handle is knurled for sure grip. Takes standard slotted razor blades, with blade storage in the handle. Attractive red enamel finish.

Order No. Description Weight Blades
330 Push-Button Carpet Knife 7 oz. 306C, 308C, 309C

The unique blade angle of this knife shear-cuts cleanly, without shredding pad. Features

a quick-opening thumb-knob and extra blade storage in the handle. Sturdily constructed, with a bright aluminum fin-ish and a knurled anti-slip



handle.
Order No. Description Weight Blades
735 Carpet Pad Knife 4 oz. 306C, 308C, 309C

Carpet Knives

Takes any utility blade and has a durable blade holder that snaps closed and holds tight. The handle is contoured for comfort and has a special compartment for blade storage. Opens easily and locks rigidly for fast, forceful, and precise cutting.

Order No. Description Weight Blades 728 Pocket Utility Knife 8 oz. 295C

This knife has a multi-purpose steel blade to tuck carpet near fragile tiles or toilets, hook edge for heavy cutting, front scraper edge with a notch to remove door pins, and a flat head screwdriver for Crain scraper screws. Other end has steel tapping insert. Blades are replaceable.

Order No. Description Weight Blades

175 Tuck Knife 5 oz. 177

A better knife in every way! The 3" long blade is absolutely sharp and holds its edge after others would be dull. Also features a truly comfortable contoured handle.

Order No.

Description

Long Hook Knife

4 oz.

These silicone carbide sharpening stones are especially designed for curved carpet and linoleum knives. The No. 930 Laminated Stone is two kinds in one – laminated 50/50 with fine on one side, medium on the other.

Order No.	Description	Weight
910	Sharpening Stone	8 oz.
930	Laminated Sharpening Stone	1 lb.

An inexpensive tool for removing stains in carpeting. It has four blades and a pivot pin that cuts a 3" diameter hole. Made of durable aluminum.

Order No. Description Weight Blades
174 Instant Repair Tool 2 oz. 1174-A

Now takes utility, slotted razor, or Crain No. 300Y blades. With utility or 300Y blades, it cuts from the backing and prevents shearing of yarns. Metal springs keep carpet

from raising up.

Order No. Description Weight Blades
300 Loop Pile Cutter 8 oz. 295C, 300Y, 308C

Our most durable and versatile cutter takes utility blades, slotted razor blades, or Crain 300Y Loop Pile Blades. When used with utility or Crain 300Y blades, this cutter cuts smoothly from the carpet's backing, and will not shear yarns. Also features a steel foot plate for use on concrete.

Order No. Description We

Versa-Cutter

STEEL FOOT TONGUE DEPRESSORS Weight Blades 8 oz. 295C, 300Y, 308C

STEEL ROW GUIDI


◆ CRAIN





















No. 735

CRAIN Power Stripper















No. 710 Power Stripper

The Crain Power Stripper features new "Power Channel" construction designed to force the blade forward with more focused energy. The oscillating cam action of the one horsepower motor is channeled straight ahead using steel channels and ball bearings. The blade carrier forms an ultra-low blade angle allowing the blade to get beneath the material to be removed. Comes with a new heavy-duty $5\frac{1}{2}$ " long x $3\frac{1}{8}$ " wide x $\frac{1}{4}$ " thick "Spud-Blade" (No. 711) for light tile and wood removal. Also includes No. 701 4" x 6" Vinyl Blade, No. 705 3" x 10" Multi-Purpose Blade, and 35 lb. weight. A variety of blades are available for different jobsite conditions and taking up different types of flooring. See the table below of Stripper Machine Blades. Description Order No.

710 **Power Stripper**

Fast Blade





58 lbs.

No. 718 Power Scraper

This lighter machine has a 1/2 horsepower motor and power channel construction enabling it to take up heavy adhesive residue, vinyl or VCT. Front-mounted 40° angled telescoping handle puts extra force behind, and extra pressure down on the stripper blade. The machine is highly maneuverable and collapses quickly for easy carrying. Comes with a No. 701 4" x 6" Vinyl Blade, No. 705 3" x 10" Multi-Purpose Blade and the narrow No. 719 31/2" x 33/4" Thin Spud Blade for tough take ups. Power channel construction forces the blade forward with more focused energy. The all-steel frame and handle provides rigidity and durability. A variety of blades are available for different jobsite conditions. See table below of Stripper Machine Blades. Weight Order No. Description

Stripper Machine Blades

These blades are for use with the discontinued Crain No. 700 Bearcat Stripper, No. 710 Power Stripper and

Power Scraper

b. The Fower Schaper. Designifies double-edge.					
rder No.	Description	Weight			
701	4" x 6" Vinyl Blade	6 oz.			
702D	4" x 6" D. E. Vinyl Blade	6 oz.			
703	5" x 6" Carpet Blade	8 oz.			
704D	5" x 6" D. E. Carpet Blade	8 oz.			
705	3" x 10" Multi-Purpose Blade	8 oz.			
706D	3" x 10" D. E. Multi-Purp. Blade	8 oz.			
707	3" x 16" Wide Cleaner Blade	13 oz.			
708	5" x 16" Wide Cleaner Blade	1 lb.			
711	5½" x 3½" Thick Spud Blade	1.1 lbs.			
719	3½" x 3¾" Thin Spud Blade	5 oz.			



Tear-out Tools

No. 265 Stand-Up Cutter

Used to slice glue-down carpet into strips, or for rough cutting of carpet off the roll. Features a sharp, hardened point that lifts the carpet into the blade. The point rides on the subfloor, pre-cutting the carpet and extending blade life. The handle is adjustable in length and double-locks for safety. Uses hook or utility blades. Description Weight Blades Stand-Up Cutter 3 lbs. 295C, 996X Replacement Point 2 oz.

Nos. 375 & 375S Big Scraper & Blades

These tools feature a wide, heavy-duty replaceable blade, and a twist-lock adjustable telescoping handle. Two models are available, for standing or kneeling. The stand-up model saves a lot of crawling. Great for stand-up floor scraping, but not for heavy-duty prying. Handle Length

Min. 39" Max. Wt. 59" 4 lbs. Description **Big Scraper** 4 lbs. 376, 377 Short Big Scraper 19" 26" 2 lbs. 376, 377

No. 350 & 360 Pro Strippers

These top quality hand strippers have heavy-duty 3 screw blade holders, hardened blade screws, and thick round-ended handle grips that fit the palm. The No. 350 has a 12" handle, and No. 360 has a 20" handle for more reach and room for gripping on the handle.

Order No.	Description	Length	Weight
350	Floor Stripper	12"	8 oz.
360	Pro Stripper	20"	12 oz.
351	Blades, vial of 10		1 oz.
351C	Blades, disp. box of 100	0	1 lb.

No. 390 Inertial Scraper

This new scraper helps you plow through the toughest removal jobs with less effort. Its metal handle is weighted to produce inertia, and has rounded edges to prevent sore palms. Comes with one 5" blade.

order No.	Description	Weight
390	Inertial Scraper	13/4 lbs.
391	Inertial Scraper Blades (10)	10 oz.

No. 844 Pulling Claw

Grab an edge of some glued down carpet and pull away with this compound leverage tool! The springloaded jaw opens automatically for insertion of carpet. The harder you pull, the harder the roller-activated upper jaw clamps down on the lower jaw. The large contoured handle provides a good gripping surface.

Order No. Description Weight **Pulling Claw** 2 lbs.

No. 230 Deluxe Floor Scraper

Our best hand floor scraper, this tool features a 2" wide sharp tool steel blade that shaves-up all types of floor coverings on concrete or wood subfloors.

Order No.	Description	Weight
230	Deluxe Floor Scraper	13 lbs.
231	Replacement Blade	6 ¹ / ₂ oz.
232	3" Replacement Blade	10 oz.
232	3 Replacement blade	10

No. 666 Dust Pan

Made from one piece of rugged 20 gauge steel with corrugated ribs for stiffness. Lip is 12" wide with a beveled edge. Description **Dust Pan** 11/4 lbs.

No. 337 Duster Brush

This quality wood-handle brush is made from long-lasting blended horsehair. Size 21/2" x 14" overall, 8" blade. Order No. Description **Duster Brush**



CRAIN





No. 337





No. 230






No. 001 Model "A" Tile Cutter

The Crain 12" cutter provides the accuracy demanded by professionals. The straightness of cut is factory-calibrated to +/-.005" prior to shipment, which is essential for precisely matching edges in pattern work. The cutter also has a locating stop for repeat cuts at the wall. When the tile

the wall. When the tile to be cut is placed in the cutter, dim. A equals dim. B. The built-in low-profile blade height ad-justment knobs are fastactivating. Comes with compact carrying case and instructions.



No. 008 18" Vinyl Special Tile Cutter

This cutter is built to cut up to 18" resilient tiles straight, or 12" tiles diagonally. Comes with both diagonal and straight tile guides. Features a locating stop for repeat cuts at the wall (see No. 001 above), and built-in low-profile blade height adjustment knobs. The steel reinforced blade holder and heavy-duty base ensure straight and accurate cutting.

Order No.

Description

Weight

008

18" Vinyl Special Cutter

31 lbs.

No. 310 Dividers

This popular double-needle design features a rounded radius arm and oversized thumb knob for smooth and secure adjustment. Pins are replaceable (No. 311). This is a simple design that many vinyl installers

Order No. Description Rep. Needle Weight 310

lo. 382 Double-Needle Dividers

This tool features a smaller, 4" overall size that fits into the palm of the user's hand, and double needles for completely versatile scribing. It has a fixed bent leg and a dismountable straight leg for pencil scribing. The locking knob is easily tightened or loosened

without a screwdriver. Spans 6".

Order No. Description Rep. Needle Weight
382 Double-Needle Dividers No. 129 2 oz.

Styled similar to the Wilkee, these dividers are the industry standard. Constructed of forged steel and plated. Features a bent leg and a removable pin vise with a knurled tightening cap. The 6" legs expand to scribe up to 14" circles.

Order No. Description Rep. Needle Weight 380 Deluxe Dividers No. 129 4 oz.

One multi-purpose nozzle for sealing all cushioned vinyls, with the manufacturer's specified adhesives. Directions on each bottle.

DescriptionVinyl Sealer Bottle Order No. Weight

CRAIN STREET AVE

No. 460

Trim Line corners cover up problems at coved inside or outside corners. Great for repairs. Available in silver or gold. Sold by each corner. Standard pack 25

orners. Order No.	Description	Weight
70	Outside Silver Corner, Each	0.14 oz.
271	Inside Silver Corner, Each	0.14 oz.
72	Outside Gold Corner, Each	0.14 oz.
273	Inside Gold Corner, Each	0.14 oz.

No. 310



BLADE HEIGHT ADJUSTMENT KNOBS





COMPLETE INSIDE CORNER

Vinyl Rollers

Crain Seam Rollers

These resilient seam rollers have a single-arm design that lets you work close to the wall. The 2" diameter polished steel roller rides on a ball bearing race. The heavy-duty ferrule and arm bracket are plated to prevent rust.

The rollers come in two different handle lengths to suit your preference. The No. 348 & No. 349 rollers feature 9" wood handles. The No. 348S & 349S rollers have 6" wood handles.

No.	Description	Wt.	Width	Dia.	Handle
348	Square Edge Ro	ller 2 lbs.	2"	2"	9"
348\$	Square Edge Ro	ller 2 lbs.	2"	2"	6"
349	Round Edge Rol	ler 2 lbs.	2"	2"	9"
3498	Round Edge Rol	ler 2 lbs	2"	2"	6"
		Ad		de	







No. 333 Crain Extension Wall Roller

A newly redesigned roller, much improved to make the work easier. The raised handle allows firm control with less effort. The tri-sectional rollers total 7½" wide. The new twist-lock adjustable handle telescopes from 17" to 27". The bright nickel-plated parts won't rust.

Order No.

Description

Weight

333

Extension Wall Roller

3 lbs

This hand roller is designed especially for use by plastic laminate installers. The 14" aluminum handle is designed to place the necessary pressure over the roller, with minimum effort. The 3" wide, solid, non-marking roller is recessed on the end to permit rolling

near walls or back splashes.

Order No.

346

"J" Roller 8 oz.

Crain No. 075 (75 lb.) and No. 076 (100 lb.) rollers now have zinc plated roller sections to help prevent rust, and come with a protective wheelie case (No. 074 - sold separately). Constructed of solid steel to provide a lifetime of trouble-free service. All models have rollers with smooth surfaces and rounded corners to protect flooring materials from indentations. Each roller section "floats" independently on the axle to automatically compensate for subfloor irregularities. The end roller sections are recessed to inset the axle, preventing wall scuffing. The yoke has a detachable handle so that both may be carried a detachable handle so that both ma separately.

Order No.	Desc.	Wt.	Dia.	Width	Height
075	Vinyl Roller	75 lbs.	41/211	16"	38"
076	Vinyl Roller	100 lbs.	5 ¹ / ₂ "	16"	38"
074	Roller Case	8 lbs.			

Solve air bubble problems fast with this disposable adhesive syringe and needle. The 2" hollow point tapered needle delivers adhesive right to the problem spot with an invisible puncture. State law prohibits

sale in these states: Connecticut, Maryland, New Jersey, Delaware, Massachusetts, New York, Maine, New Hampshire, Rhode Island.

Description 143 Adhesive Syringe & Needle 4 07.






ROBERTS AND GUNDLACH U.S. PATENT #7,188,724 B1 #7,571,806

> No. 075 - 075 lb. No. 076 - 100 lb.

No. 188

Vinyl Scribers


















No. 188 Crain Hinge Scriber

At last - an improved seam scriber for linoleum, sheet vinyl, and cushion flooring materials. The tool features a heavy-duty hinged-guide, with a threaded adjustment relative to the needle. The 3-arm knob clamps tightly after the adjustment. The tool is comfortable to the grip, giving the user good control. Uses No. 129 Scriber Needles. Weight Order No. Description Hinge Scriber

No. 111 & 112 Scribers

These versatile tools feature the original famous Airway quality design and construction — a heavy die-cast housing, with a sturdy precision-fitting plated steel bar. No. 111 features a 6" bar. No. 112 features an 8" bar with an extra needle hole in the housing for circle scribing. Both come with one needle, and use No. 129 Scriber Needles.

rder No.	Description	Length	Weight
111	Scriber	6"	4 oz.
112	Scriber	8"	8 oz.

No. 370 Recess Scriber

This scriber has a two part brass thumb knob. The top portion adjusts pin height for material thickness, while the bottom sets the scribing depth in the slot. No screwdrivers needed! Pins are replaceable (No. 371).

Description Weight Recess Scriber 3 oz.

No. 372 18" Scribing Tool

This tool accurately scribes widths from 2" to 16". The round tip on the nose guides against the edge of the vinyl or along walls when needed. Replacement pin: No. 371 Weight Order No. Description 18" Scribing Tool

No. 340 Selvage Trimmer

Trims the factory selvage, so the sheet can be accurately scribed and seamed. Insert the selvage in the slot and pull. The replaceable "V-shaped" blades ensure accuracy. (For blades, order No. 341 - 1 pack or No. 342 - 3 pack.) Order No. Description Weight Selvage Trimmer

No. 320 Vinyl Wall Trimmer

This tool accurately trims sheetgoods net to the wall. Adjustable front and rear guides provide precise control. The front bar holds that material in position against the wall. The rear guide keeps the trimmer running parallel with the wall for smooth trimming action. Comes with one hook blade. Blades: No. 321 Vinyl Wall Trimmer Blades (3). Order No. Description Weight 8 oz. Vinyl Wall Trimmer

No. 194 Crain Outside Corner Scriber

Designed for easy and accurate scribing of outside cove corners. Polished metal construction. Comes with one needle. Uses No. 128 Needles. Order No. Weight

Description **Outside Corner Scriber**

No. 110 Inside Cove Corner Kit

This 3-piece tool kit really simplifies inside cove corner installations. The kit consists of a cove template, a pin vise, a special cove scriber, and detailed instructions. The system is foolproof, once mastered.

Weight Order No. Description Inside Cove Corner Kit 8 oz.

Vinyl Knives

No. 102 Crain Combination Knife

This fine knife combines both pointed and hook blades, making it two tools in one. The handy hook cuts both carpet and sheet goods, and is easily sharpened. The contoured handle fits perfectly in your hand.

Order No. Description Weight Crain Combination Knife 4 oz.

No. 732 Extra-Grip Utility Knife

Added knurling and contours up front provide better grip for precise cutting. With a turn of a thumbscrew, it pivots open for blade storage. Blades are easily removed with teetertotter action. Blade clamp is magnetized for easy changes. Order No. Description Weight Blades 295C, 996X Utility Knife 3 oz.

No. 189 Hook Handle Utility Knife

Wider contoured body and hook at the back allows your fingers to pull with increased power. Great on vinyl when used with hook blades, and takes all utility blades as well. Order No. Description Weight Blades 189 Hook Handle Utility Knife 4 oz. 295C, 996X

No. 727 Delphin Knife

Features a unique hinged body joint and a large tightening thumb knob for easy opening and blade changing of both hook and utility-type blades. The contoured body shape enhances gripping. Extra blades are stored in the handle. Description Weight Order No. Blades Delphin Knife 295C, 996X 4 oz.

Dexter Knives and Rep. Blades

The Dexter linoleum knives are the industry standard for quality. Blades are especially ground for vinyl and linoleum cutting. No. 060 Linoleum Knife and No. 063 Vinyl Knife are permanent riveted blade and handle combinations. The No. 066 10-D Handle holds the No. 064 high-carbon steel tang threaded replacement blades. See page 33 for more information on the No. 066 10-D Handle.

Order No.	Dexter No. & Description	Weight
060	X752 ½ Linoleum Knife	3 oz.
063	VX752 ½ Vinyl Knife	3 oz.
064	VX752 ½ D Rep. Vinyl Blade	1 oz.
066	10-D Handle	3 oz.

No. 070 Dexter Custom Handle & Blades

Excellent sheetgoods knife! Takes utility and hook blades. No. 072 Hook Blades cleanly cut felt-back vinyl. Unscrew the end cap, and the knife opens. Stores 5 blades inside.

Order No.	Description	Package
070	Custom Handle	1
072	"V" Sharp Hook Blade	5

No. 005 Ward Handle

This knife for vinvl installation takes specialty blades that can adjust to a wide array of angles for difficult materials. With the No. 026A hook blade, it cleanly cuts felt back vinyl,

Order No.	Description	Package
005	Ward Handle	1
012	Standard Blade	12
013	Heavy Blade	12

No. 006 Airway Knife

This knife is specially contoured for comfort. Made of smooth die-cast aluminum with close-fitting tolerances. One screw loosens the case for easy blade changing.

Order No. Description Wei	gnt
006 Airway Knife 6	oz.
025A Airway St. Blades, 12/pkg. 1	oz.
026A Airway Hook Blades,12/pkg. 1	oz.





No. 006 Vinyl Knives **Resilient Scribers**

CIRALINI **Vinyl Welding Tools**





FLOOR FOLLOWING Or WHEEL

No. 969

No. 986

No. 972

No. 968 Floor Following Groover No. 971 12 Tooth Carbide Blade No. 972 Diamond Groover Blade

This tool tracks in the seamline to cut a trapezoidal groove for welding. It maintains consistent grooving depth even when floors are not level, up to 1/8" of variation over one foot of seamline. The floor following wheel rides on the floor to raise or lower the blade in response to variation. A spring-loaded floor following dust shroud improves dust control. Includes a 12 tooth 130mm carbide-tipped blade (No. 971), and carrying case. Diamond grit blade for metalimpregnated safety floors is available (No. 972). 110VAC 9A No load RPM 12.000. Max. groove depth 3.5mm.

der No.	Description	Weight
968	Floor Following Power Groover	20½ lbs.
971	12 Tooth Carbide Blade	8 oz.
972	Diamond Groover Blade	1 lb. 1 oz

No. 969 Heat Weld Gun No. 962 Round Welding Tip No. 963 Pencil-Tip Nozzle No. 979 Universal Welding Tip

This electronic gun features precise heat, and comes with a pencil-tip nozzle (No. 963), round tip (No. 962) and carrying case. The nozzle and tip are standard size to fit other common guns, and are sold separately. The No. 979 is a universal tip for Crain No. 960, 969 or No. 980 heat guns. and adjusts for welding 3mm or 5mm round threads.

Order No.	Description	weight
969	Heat Weld Gun	6½ lbs.
962	Round Welding Tip	1 oz.
963	Pencil-Tip Nozzle	3 oz.
979	Universal Welding Tip	4 oz.

No. 985 Quarter Moon Knife No. 986 Trim Guide

Used for trimming the excess vinyl weld thread flush to the floor's surface, after the weld has cooled. The knife's flexible top edge is razor-sharp. Pushed against the weld excess, this curved edge shaves the weld flush. This may be done in steps, first using the trim guide, and then making a final pass over the seam with the knife only.

Order No.	Description	Weight
985	Quarter Moon Knife	2 oz.
986	Trim Guide	1 oz.

No. 987 Pressure Roller

Used to roll the vinyl welding thread tightly into the groove in awkward areas, such as up coved walls. The handle is drilled through, so the welding thread passes through it

instead of the v	veider tip for this usage.	Market Control
Order No.	Description	Weight
987	Pressure Roller	2 oz.

No. 988 Vinyl Welding Kit

Order No.

Comes with No. 968 Floor Following Power Groover, No. 969 Heat Weld Gun (with No. 963 Pencil-Tip Nozzle and No. 962 Round Welding Tip), No. 340 Selvage Trimmer, No. 370 Scriber, No. 965 Skiving Knife, No. 955 Hand Groover, No. 189 Utility Knife, No. 349 Round Edge Seam Roller, cleaning brushes with stainless steel bristles, metal case, and instructions.

Description Weight Vinyl Welding Kit 35 lbs.

Other Vinyl Tools



No. 965 Skiving Knife

This knife for trimming heat weld rod flush at the seams has a sharp blade that's replaceable. Eliminates difficult resharpening of quarter moon knives. Cuts in two passes with the built-in trim guide. Take the first pass with the guide under the blade, then pivot out on the second pass. The flexible blade and trim guide won't gouge high spots.

Order No.	Description	Weight	
965	Skiving Knife w/Replaceable Blade	7 oz.	
966	Replacement Blade Only	1/4 OZ.	
967	Replacement Blades (5) pack	1¼ oz.	

No. 955 Pull Hand Groover

A pull hand groover improves control and permits faster work. Adjustable fin tracks in the seam to control grooving depth. Useful for starter cuts for a power groover, in tight areas, or when floors aren't level. Comes with 3 blades.

Order No.	Description	Weight
955	Pull Hand Groover	6 oz.
956	Pull Hand Groover Blades (3)	½ oz.

No. 745 & 995 Deluxe Heat Guns

These flameless heat guns come in 750° or 1000° models. The high-speed fan blows hot air, while the adjustable intake shuttle adjusts temperature. A 3-way switch provides hot, cold, or off. Elements are easily replaceable. Both models come with an adjustable stand and carrying case.

No. Description Amps Max°F Weight Element Deluxe Heat Gun 14 750° 4.5 lbs. 1745-030 Deluxe Heat Gun 14 1000° 4.5 lbs. 1995-450 745K Multi-Purpose Case 4.0 lbs.

No. 751 Thriftline Heat Blo Gun

This economy gun heats material with temperatures adjustable from 300° to 1000°F. Features a 6' heat-resistant cord and a switch for hot or cold air. Stands upright to avoid burning the floor. The element is controlled by thermocouple for precise heat control.

Order No. Description Volts Watts Max°F Weight

Thriftline Heat Gun 110 1200 1,000°F 2 lbs.

No. 730 Utility Knife

This classic knife features an easy-to-grasp thumb knob for quick opening without a screwdriver, and ample leverage for tightening securely. It is die cast of lightweight aluminum, with a knurled, anti-slip, brightly polished surface. The knife pivots open to store extra blades inside the knife body. Takes standard heavy-duty utility and hook blades. Weight Description Blades 295C, 996X

No. 128 & 129 Scriber Needles

These sharp, high carbon steel needles are for common scribers and dividers. Come packaged 50 per pack

No.	Size	For use in Tool
128	.058 X ⁹ / ₁₆ "	194 Outside Corner Scriber ONLY!
129	.063 X ⁷ / ₈ "	109 110 111 112 188 240 355 380 382

No. 109 Pin Vise

Features a hexagonal chuck that holds No. 129 needles. Perfect for scoring tile or linoleum pattern layouts. Description Order No. Weight Pin Vise

Blades for Discontinued Crain Saws


No. 803 & 804 for use on discontinued Nos. 800 & 810 Super Saws. No. 803 is best used for wood that splinters. No. 804 is best for general undercutting. The No. 788 is for use with Crain No. 785 & 795 Toe-Kick Saws only.

Order No.	Description	Weight	Teeth
788	23/4" Toe-Kick Saw Blade	2 oz.	16
803	Combination Blade	10 oz.	100
804	Carbide Blade	10 oz.	40

FLEXIBLE BLADE AND TRIM GUIDE WON'T GOUGE HIGH SPOTS! No. 965 **BUILT-IN PIVOTING** TRIM **GUIDE** FIRST PASS SECOND PASS **GUIDE UNDER GUIDE PIVOTED**









Nos. 785 & 795

Saws ONLY:





No. 803 For Nos. 800 and 810 ONLY:

No. 985

No. 987

No. 988





No. 565 18' Strap Clamp No. 566 Bullnose Adaptor

Clamps and holds plank flooring across widths up to 18 feet. Strap coils inside the housing, out of the way of the work. Long base works under toe spaces. Available Bullnose Adaptor clamps across stair treads.



Description 18' Strap Clamp 2.2 lbs. **Bullnose Adaptor** 4 oz.

No. 564 Variable Wall Spacer

Improved with wider, heavier base and larger, ergonomic twist-knob that will accept an Allen wrench on the back side. Use to space planks from the wall or clamp and press the butt joints.



Order No.

566

Description Variable Wall Spacer Weight

Close to Wall Stapling Tools

No. 553 Engineered Wood Stapling Tool

This adjustable tool staples engineered hardwood planks close to walls, generally as close as the width of one board. This reduces top nailing and puttying work. Adjusts to board thicknesses from 3/8" to 5/8" in two easy steps: Place the tool's back foot on the subfloor and the stapling nose on top of the tongue. Drop the adjustable front foot plate onto the top surface of the plank and tighten. Includes built-in staple separator.

Description Order No. Weight Engineered Wood Stapling Tool

No. 559 Close to Wall Staple Tool

This tool staples 3/4" thick solid hardwood planks close to walls, generally as close as the width of one board. This reduces top nailing and puttying work. Insert a staple in the slot and hammer with the unique offset driver. Includes built-in staple separator.

Weight Order No. Description Close to Wall Staple Tool

No. 673 13" Wood Cutter

Cuts plank flooring up to 3/4" thick, including a variety of solid hardwood, engineered wood, laminate, and LVP planks. Built-in wheels allow it to be easily moved from a kneeling position. The movable fence allows straight or 45° diagonal cuts at different areas under the 13" blade for extra blade life. Max. plank hardness: 1290 Janka scale. Max. plank width: 13"

Order No. Description Weight 13" Wood Cutter 25.7 lbs. 13" Wood Cutter Blade 0.35 lb.

lo. 679 9" Wood Cutter

Cuts plank flooring up to 3/4" thick, including a variety of solid hardwood, engineered wood, laminate, and LVP planks. Features a movable fence to position the material on either side of the blade for more blade life. Max. plank hardness: 1290 Janka scale. Max. plank width: 9"

Order No. Description Weight 9" Wood Cutter 9" Wood Cutter Blade 0.25 lb.

Plank Floor Tools CRAIN

No. 562 Plastic Spacers (10)

These spacers maintain a proper size gap even when the adjacent wall is undercut. The V-shape rests against the face of the plank to prevent the spacer from tipping. The two ends have different thicknesses, one at 3/161 and the other at 1/4", for various manufacturer's specifications.

Order No. Description Plastic Spacers

Weight 5.28 oz.

Crain Tapping Blocks

Made in two sizes from 3/4" thick solid plastic blocks. Both have relieved edges on a side and an end. Used to tap the side of the plank to fit the tongue and groove.

Order No. Description Weight Tapping Block 9 oz. 4" Tapping Block 1 lb.

No. 576 LVP Angle Tapping Block

Lifts the LVP plank to the angle where it can be tapped and locked tight. Large upper plastic block contacts just below the face of the plank, while a lower plastic contact plate slides to contact the core. Comes with three 1mm shims and two 3mm shims. Works on planks and tiles up to 10mm thick. Shims sold separately for thicker LVP/LVT.

order No.	Description weight	
576	LVP Angle Tapping Block	1 lb. 13 oz.
577	1mm Shim for LVP Block	1 oz.
578	3mm Shim for LVP Block	2 oz.
579	Contact Plate for LVP Block	1 oz.

No. 560 "Knuckle Head" Pull Bar

This pull bar features a boxed "knuckle" hammering head that is welded to the body. The width has been increased to reduce body bending, and the length is increased for more working room at the wall.

Order No. Description Weight "Knuckle Head" Pull Bar

No. 285 LVP Scoring Knife

The 45° blade angle of this knife is optimal for scoring and breaking rigid core LVP/LVT. The wide beveled edge on the blades score the plank smoothly and reduce resistance. The elevated handle provides knuckle clearance. Extra blades are stored in the handle. Replacement blades: Crain No. 286C (100 pack) or No. 287 (10 pack).

Order No. Description Weight Blades LVP Scoring Knife 9.3 oz. 286C, 287

No. 288 Hook Handle LVP Scoring Knife

The 45° blade angle of this knife is optimal for scoring and breaking rigid core LVP and LVT. The wide beveled edge on the blades score the plank smoothly and reduce resistance. The elevated handle provides knuckle clearance. Blades can be stored in the handle.

Order No. Description Weight Hook Handle LVP Knife 5.8 oz. 286C, 287

No. 557 Hardwood Pry Bar

The sharp point and curved end of this bar create a wedging action to close joint gaps caused by bowed boards. When hammered into the subfloor, the sharp point punctures cleanly. Long handle gives good leverage. Weight

Order No. Description Hardwood Pry Bar 0.90 lb.





LVP TAPPING BLOCK



BOXED & WELDED HAMMERING HEAD



WEDGE AND PRY

SCORE LVP



No. 576





SCORING BLADES:

No. 286C (100) No. 287 (10)



Other Tools

No. 336 Undercut Saw & Blades

This saw has a trapezoid-shaped high-carbon replaceable steel blade, with a 12" row of 10-point teeth on both sides. Perfect for undercutting door jambs and obstacles. Description Weight Blade / Wt. Undercut Saw 335 / 8 oz.

No. 157 Crain Moulding Lifter

The slim ends of this tool are smooth and broad to fit notched to pull nails. Forged, hardened and nickel-plated Order No. Description Weight Crain Moulding Lifter 157 8 oz.

No. 159 Vaughan Superbar

power. Ends and nail slots are ground for easy insertion. Order No. Description Vaughan Superbar

No. 356 Carbide Hole Saw

This tungsten carbide hole saw cuts clean 13/8" holes for pipe clearance. The replaceable 1/4" masonry bit holds a center. An internal spring ejects the piece cut out. Works well on ceramic and soft-bodied quarry tile.

Order No. Description Weight Crain Ceramic Hole Saw 10 oz.

No. 684 Extension Cord

This 25 foot long 16 gauge 3 conductor grounded extenor outdoors. Plug and receptacle are molded on the cord. Order No. Description
684 25 ft. Extension Cord Max. Amp.

No. 353 Carbide Grout Saw

The carbide-coated blade removes old grout in a hurry. Order No. Description Weight 353 Grout Saw (w/2 blades) 4 oz. 353Y / 1/2 oz.

No. 081 "GritEdge" Rod Saw Blades

Remington tungsten-carbide rod saw blades have a fine grit edge that is perfect for cutting ceramic and laminates. Makes cutting angles and curves easy.

Order No. Description Length Rod Saw Blade

Economically but durably produced in red plastic, this knife uses standard slotted razor blades. Contoured perfectly to provide a better grip. Blades are replaced easily by loosening a single knurled thumb nut, removing a blade clamp, then replacing the clamp and tightening.

Order No. Description Weight Blades

191 D.I.Y. Razor Knife 2 oz. 306C, 308C, 309C

behind base and moldings without damage. Both ends

Description

.135" Punch Die Set & Handle

.090" Punch Die Set & Handle

.050" Punch Die Set & Handle

Description

Deluxe Hacksaw Frame 12" Blade, 32T (Card of 2)

Description

Description

Wood Miter

Wood Miter Replacement Blade

Description

Description

Aviation Snips

Replacement Blades (3)

Vinvl Miter

Carpet Laver's Miter Box

11/2 lbs.

8 oz.

2 lbs.

8 oz.

2 lbs.

8 oz.

2 lbs.

2 lbs.

Weight

1 oz.

Weight

14 oz.

1 oz.

Weight

1 oz.

Weight

Metal Mitre Handle Only

.135" Punch Die Set Only

.090" Punch Die Set Only

.050" Punch Die Set Only

.156" Punch Vinyl Notcher

Features a "shephard's crook" prying end for more prying Length Weight

sion cord is constructed for use with power tools indoors Weight

Weight 0.5 oz.

No. 191 D.I.Y. Razor Knife







Material Handling



No. 280 H.D. Air Lifter

The Air Lifter system speeds-up appliance removal and installation, saving time and reducing risks of damaging new floors or back injuries. Slide the wide footplates under the load, turn on the blower, and the load is lifted. You can move the load literally with the touch of a fingertip! Includes: 2 appliance movers. T-Connector, 3 hoses & strap. carrying bags, 2 H.P. blower, and carpet slider adapter kit. Order No. Capacity Motor H.P. Amps Volts Wt. Up to 800 lbs. 2

No. 015 & 016 Vinyl Dollies

These dollies are great for in-store and job uses. Sturdily constructed, with double ball bearing, heavy-gauge rollers, cast aluminum frames, and non-marking rubber wheels. Accepts rolls to 16" diameter. Available in two sizes Order No. Size Weight Order No. Size 015 18" Dolly 13 lbs. 016 36" Dolly 21 lbs.

No. 017 Metal Skat Skates

These dollies have steel adjustment arms and load plates. Rotating urethane wheels turn very easily and won't scratch floors. Load pads have thick vinyl covers. Great for moving furniture and appliances!

Order No. Pad Size Closed Open Capacity Set Wt. 1,000 lbs. 20 lbs.

No. 018 Tile Dolly

This tile dolly has a rugged 11" x 16" deck, five heavy-duty casters, and an ergonomic handle. Rolls and turns easily with up to five boxes of tile or approx. 300 lbs. The solid plastic wheels are attached to hardened swivel bracketry. **Deck Size** Capacity Order No.

No. 124 60" Carpet Cart

This cart has a full-sized 20" wide x 60" long bed that provides extra support for long and heavy rolls up to 1000 lbs. The tubular steel frame is reinforced with central steel plates. Four eyelets are provided for tying down the load. The large diameter 16" pneumatic tubed tires are tall and wide enough to roll up curbs, steps, or across gravel. Description Weight Capacity 60" Carpet Cart

1,000 lbs.

42 lbs.

No. 354 Tool Pouch & No. 407 Square Tool Pouch

No. 354 - primarily a pocket pouch that can also hang on a belt. Knives wedge tightly inside. Made of durable leather

No. 407 - wider and deeper for greater storage capacity. Hangs on belts. Constructed of durable leather.

Order No. Description Pocket Tool Pouch 43/8" x 71/2" 8 oz. Square Leather Pouch 41/2" x 71/2"

No. 898 Iron Combo Case Only

This all steel case is designed for carrying carpet seaming irons. Features a hinged platform that adapts to hold 3 or 6" irons. Besides room for an iron there's a partition for holding a roll of tape, plus space to loosely lay the iron's cord and an extension cord. Heavy-duty latch is lockable. Description **Weight Each** Iron Combo Case Only

No. 024 Rolling 24" Tool Box

This fully featured yet lightweight 24" toolbox is made from advanced "structural foam" materials. The thick walls are very durable but without all the weight. Rolls level with the floor thanks to a top mounted pull handle. The tray has a series of angled recesses which allow steam to escape, while also keeping even pressure on the seam. Order No. Length Width Height Weight

Crain Knee Pads

Comfort Knees Knee Pads

These knee-pads have protection for both kneeling and knee-kicking, so they stay on at all times. The extra-wide hook-and-loop straps won't pinch your legs, even when wearing shorts. All models are made from flexible yet durable neoprene. The black No. 199 has a thin bonded polyurethane skin on the kneeling surfaces for durability, and the brown No. 196 has extra thick polyurethane skin. The best available knee pad for carpet installers.

Order No.	Description	Weight
196	Heavy-Duty Comfort Knees	1 lb/set
197	Comfort Knees Knee Pads	1 lb/set
199	Polyurethane Skin Comfort Knees	1 lb/set

No. 198 Buckle Strap Knee Pads

Made of highly durable sponge rubber with 1/2" straps and buckles. Cushion feel is comfortable kneeling or standing. Order No. Description Weight Buckle Strap Knee Pads 1 lb/set

No. 200 Elastic Strap Knee Pads

Made of 1/2" thick sponge rubber with heavy-duty 11/2" wide elastic hook-and-loop straps that flex as you move.

Description Weight Elastic Strap Knee Pads 1 lb/set

No. 206 Leather Knee Pads

These heavy-duty leather pads are durably constructed to last and last. Lined with a thick felt pad that's riveted to the leather, they come with heavy-duty straps and buckles. Order No. Description Leather Knee Pads 13/4 lbs./set

Troxell Knee Pads

Troxell knee pads are ultra-soft and have wide straps to reduce pinching. Nos. 250 and 251 have polyurethane protective covering while No. 252 has synthetic leather.

Order N	o. Description	Troxell No. \	Weight
250	Troxell Soft R Knee Pads	17-209SOFT	0.68
251	Troxell Soft L Knee Pads	17-209SOFTL	0.75
252	Troxell XL Leather Head Pads	17-209SOFTX	L 1.00

No. 223 & 224 Solid Carbide Drill Bits No. 225 & 226 Adaptors

These solid carbide drill bits are available in 1/8" and 3/16" sizes with adaptors available to fit your 1700 to 3500 r.p.m. electric drill. Both have two usable tips.

Order No.	Description	weign
223	1/8" Solid Carbide Drill, Each	1 oz.
224	³ / ₁₆ " Solid Carbide Drill, Each	2 oz.
225	1/8" Hexagon Adaptor	2 oz.
226	3/16" Hexagon Adaptor	2 oz.

No. 455 Strip Saver Bag

This heavy-duty cloth bag slips over standard 4 ft. long strip boxes. It prevents bursting of boxes and looks professional on the job. Reinforced end panel, heavy-duty zipper, and double-stitched handle for a long, useful life.

Description Order No. Weight Strip Saver Bag

No. 570 Clear Can

At last, there is a better nail dispenser! Just squeeze it and the top opens to quickly dispense nails. Release it and it closes tight and won't spill. Sized at 2" in diameter and 6" in length, it easily holds 250 stubby nails. A real time saver! Order No. Description Weight Clear Can

No. 196 Heavy-Duty

Polyurethane Skin

DON'T PINCH

SOLID

CARBIDE

DRILL BITS

No. 197

Plain Neoprene No. 199

Kneeling and knee kicker protection:







MORE DURABLE PROTECTION



No. 225





TAPE & IRON

RECESSED TRAY BOTTOM

VENTS HEAT AND STEAM

CRAIN Trowels & Spreaders



1/16 1/16 	1/16 	1/32 1/16
1/16 1/8 1/8 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4	3/32 3/32 - 3/32 + 424	1/4 3/16 + 425
1/4 1/4 1/4 1/4 1/4 1/4 1/4	1/2	428
1/2 1/2 1/2 + 429 -	1/8 1/16 1/8 430	1/16 1/16
3/16 1/2 1/4 → ← → ← ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	1/8 1/16 1/8 → ← → ← ↓ 433	



Nos. 420-433 Notched Trowels No. 434 4" x 14" Finishing Trowel No. 439 4" x 16" Finishing Trowel


Grain Professional Trowels are made with curved wooden handles and hardened spring steel blade. Nos. 420, 421, 422, 424, 450, 451 and 453 have an angled back front edge for clearance when spreading close to walls. Nos. 426, 425, 426, 427, 423, 429 and 452 have a square front edge. Nos. 420, 422 and 423 only are available in left hand models - add "L" after the Order No. for left. The No. 454 4" x 14" Finishing Trowel (square corners), and No. 459 4" x 16" Rounded Corner Finishing Trowel (rounded corners) do not have notches for use in spreading patch.

) [2 <u>a</u>				
Order Ne)	FLEGG.		Depth	Shape	Weight	}
420	1 <u>//</u> 10 ^{II}	\mathbb{X}	1/19	\mathbb{X}	1// ₁₀ m	Square	1 ኬ	
421	1// ₁₀ II	X	1//40	\mathbf{X}	1//16		1 Ib-	
422	¹ / ₁₆ "	X	1/3211	X	1/3211	U	1 lb.	
423	1/811	X	¹ / ₁₆ ^{II}	X	1/8 ^{II}	V	1 lb.	
424	3/ ₃₂ 11	$\overline{\mathbf{X}}$	3/3211	X	3/3211	V	1 lb.	
425	1/411	$\overline{\mathbf{X}}$		X	³ / ₁₆ ^{II}	V	1 lb.	
426	1/4"	X	1/4"	X X X X	1/411	Square	1 lb.	
427	1/211	X		X	1/211	v	1 lb.	
428	1/411	X	1/4	X	3/ ₈ II	Square	1 lb.	
429	1/211	X	1/211	X	1/2	Square	1 lb.	Į.
430	1/811	X X X	¹ / ₁₆ ^{II}	X	1/811	U	1 lb.	ä
431	1/16	X	¹ / ₁₆ ^{II}	X	¹ / ₁₆ ^{II}	V	1 lb.	笺
432	³ / ₁₆ ^{II}	X	1/211	X	1/411	V	1 lb.	É
433	1/811	X	1/1611	X	1/811	V	1 lb.	E
434		FIN	shing	Tro	wel	THE REAL	14 oz.	3
439						nish Twl.	15 oz.	1
And the second	CONTRACTOR OF STATE	100	All the sales	ALC: UNIO	ALC: UNKNOWN	Table 10 Persons	THE PERSON NAMED IN	

No. 093 / 099 Econo Notched Spreaders No. 040 / 041 Notched Spreaders

The Nos. 038 and 039 spreaders have polished spring

steel blades and black plastic handles. The Nos. 040 and 041 spreaders have stainless steel blades and wood handles. Both have V-shaped notches 1/8" wide by 1/8" deep for spreading base adhesive.



rder No.	Description	Notch	Weigh
038	3" Economy Spreader	1/8" X 1/8"	3 oz.
039	4" Economy Spreader	1/8" X 1/8"	3 oz.
040	3" Notched Spreader	1/8" X 1/8"	2 oz.
041	4" Notched Spreader	1/8 X 1/8 II	2 oz.

No. 203 Clue Cun, Nozzles & Sticks

No. 203 is a heavy-duty, trigger-fed, glue gun with 80 watts of heating power, complete with an '/e" extension nozzle. Users are cautioned to avoid contact with hot melted glue as it can cause severe burns, and to keep out of the reach of children.

Order	No. Description	Watts	Weight
203	Glue Gun	80	10 oz.
	10" Glue Sticks - 19 Stick F		1 lb.
202	4" Glue Sticks - 24 Stick P	k	8 oz.
628	1/4" Nozzle	PARENTS.	1 oz.
629	1/8" Nozzle	Parada	1 oz.
	The state of the s		Annual Property Con-

b. 470 Glue Bottle

This 16 oz. bottle is made from high-impact plastic and features an adjustable depth brush that goes to the bottom. Seals tight to prevent hardening in storage.


Order No.

Description
Weight
470
Glue Bottle
21/3 lbs.

Cove Base Tools

No. 235 6" Disposable Cove Nozzle No. 236 3" Disposable Cove Nozzle

These low-priced throwaway cove base nozzles evenly spread adhesive. They affach quickly onto the plastic tip of cartridges. No. 265 lays down 5 beads for 6" base. No. 266 lays down 6 beads for 6" base. Both fit most popular cartridge guns.



		TO SECURE OF THE PERSON OF THE	TO SUBMITTED TO
rder No. 265 266	6 ¹¹ Dispos	eerilpilon able Gove Nozzle able Gove Nozzle	Wa 1 1

No. 237 & 233 Cove Base Guns

Primarily used for applying cove base adhesive, they are designed for the job. They feature all-steel construction, and a smooth rod push mechanism.

Order No. Description Capacity Weight

Order No. Description Capacity Weight
237 Cove Base Glue Gun 1 qt. 2.5 lbs.
238 Cove Base Glue Gun 1/10 gal. 1 lb.



No. 532 Topset Couge

This tool gouges the back of vinyl or rubber cove base to produce tight-wrapped corners. The 5/32" wide blade adjusts for depth and can be sharpened.

Order No.

Description

Weight

532

Topset Gouge

1 oz.
533

Replacement Blade

1 oz.

No. 401 Gin-il Sarewdriver

This screwdriver converts between the four most needed Phillips and slotted screwdriving tips, and provides two nutdriver sockets as well. Includes #1 and #2 Phillips tips, 3/16" and 5/16" slotted tips, and 1/4" and 5/16" nutdrivers. Made with a high-impact plastic ribbed handle for sure grip, and a heat-treated alloy steel socketed drives shaft.

Order No. Description Weigh 401 6-in-1 Screwdriver 5 oz.

No. 675 24" Carpet Tille Cutter

Cuts carpet tiles, vinyl tiles, LVT planks, and rubber tiles 24" straight or 18" on a diagonal. Handles materials up to 3/4" thick per cut. Built-in wheels allow it to be moved easily from a kneeling position. The movable fence and tile guide can be set for repetitive straight or diagonal cuts


Order No.	Description	Weight
675	24" Carpet Tile Cutter	38 lbs.
676	Carnet Tile Cutter Blade	0 7 lb





		불		DEXTER TAN	3 THREADED	DEXTER CUSTOM	TOOL NO. BLADE NO.
012 WARD STANDARD 013	013 WARD HEAVY	025A AIRWAY	026A AIRWAY HOOK	064 VX752 1/2 D	066 10-D HANDLE	072 V-HOOK BLADES	005 012 013 026A
2.35	L 2.68	d	L 2.110	L 4.33		L 1.94	006 025A 026A
.480	W .736	8	M	W 2.20	W 1.25	W .745	066 064
.025	T .025	T .025	T .025	990. T	T 1.25	T .025	070 072 295C 996X 997
WT 1.1 oz.		LM.			WT 3 oz.	WT .06 lb.	174 1174-A
5]				SOLD BY EACH BLADE	TAKES NO. 064 BLADES		189 295C 996X 997
TRIM	TRIIMMER		SCRAPER	PERSONN	A LVT / LVP	UTILITY BLADES	191 3060 3080 3090
UNIVERSAL TRIMMER BI ADE	184C UNIVERSAL TRIMMER BLADE	231 DELUXE SCRAPER 232 DELU	232 DELUXE SCRAPER	286C PERSONNA	287 PERSONNA	295C HEAVY DUTY	217 306c 308c 309c
2.18	L 2.18	-	L 7.50	L 1.625	L 1.625	L 2.40	245 184184C
W .75	W .75	≯ I	W 3.00	W .750	W .750	W .75	246 184184C
T :017	PK 100	DK 12	T .091	T .025	T .025	- 025 - NA 100	247 306C 308C 309C 996X 997
. !	. 1	M I	اچ ک	Ċ			265 295C 996X
		SOLD BY FACH BI ADF	SOLD BY FACH BI ADF				285 286C , 287
TOP CUTTER	LOOP PILE CUTTER	SLOT		\	VINYL TRIMMER	STRIPPER BLADES	288 286C, 287, 295C, 341, 342, 996X,
TOP CUTTER	300Y LOOP PILE	306C SLOTTED	308C H.D. ROUND	309C H.D. SQUARE	321 VINYL WALL	351 FLOOR STRIPPER	290 295c 306c 308c 309c
L 3.0	L 2.31		L 2.25	LDGL BLABLS	L 2.34	BLADES	297 300Y
W .745	300r W .75	W Transportation	W .75	75. W	321 W .500	W .560	298 299Y
T .025 PK 10	- 0Z5 - 0Z5 - DK 10	PK 100	T .017	T .017	T .025	T .020	300 300Y 306C 308C 309C
	WT 2 oz.	TW	TM	WT 12 oz.			301 3060 3080
}						•	302 3060 3080 3090
STRIPPER BLADES			SCRAPER BLADES		CRAIN STRIP CUTTER	SEAMMATE	303 3060 3080 3090
FLOOR STRIPPER BI ADES	353Y GROUT SAW	376 BIG SCRAPER BIADES	377 BIG SCRAPER BI ADES	391 5" SCRAPER	451 STRIP CUTTER RIADES	523Y 23" SEAMMATE	304 295C 300Y 308C
4.00	L 2.00		L 8.00	L 5.00	nf.	L 23.27	305 30ec
W .560	750 T	≥ H	W .750	W .750	W .48	W .560	320 321
PK 100	PK 2	- AA	03/ PK 9	PK 10	- AA	PK 3	340 341 342
WT 1.2 lb.	WT 1/2 oz.	TW					350 351 3510
°	0 0						360 351 3510
	>		HOOK	₩.	REPAIR TOOL		375 376377
REPLACEMENT PIN	881 REPLACEMENT RIADES	- 956 PULL HAND GROOVER BEPLINS	S HOOK BLADE	997 PERSONNA DEEP HOOK	11/4-A INSTANT REPAIR BLADES		375S 376 377
L 5.00	L 2.4	Ч) 	L 2.0	L 1.035		390 391
W .375	881 W .75	956 W	735 W .735	W .750 T	≥ ⊦		450 451
1 .375 PK 1	PK 3	DK 3	- UZ3	PK 10	PK 4		523 523 Y
WT 2 oz.		LM OC	WT 2 oz.	WT 2 oz.	WT .2 oz.		720 306c 308c 309c
	100						725 306c 308c 309c
	REPLACEMENT WHE	BEDI ACEMENT WHEELS FOR CRAIN CERAMIC TILE CLITTE	THECHTERS	IGEO	BEDI BLANE FOR No. 338 FLEY LINDERCLIT SAM	EX LINDERCIT SAW	700

Floor Covering Tools Catalog - Table of Contents



Drives, Aluminum13 Driving Bar13
Dust Pan & Duster18
_
E
Electric Staplers14
Extension Cords18
F
-
Floor Scrapers, Hand18
Floor Stripper, Power17
G
Goggles, Safety14
Glue:
Acrylic Hot Melt Sticks13
Bottle11, 31
Hot Melt Gun & Stick 9, 13, 31
Spreaders31
Groovers, Vinyl23, 24
Grout Saw & Blades28
н
Hacksaw & Blades27
Half Hatchet13
Hammers & Mallets12, 13
Hardwood Tools25, 26
Heat Bond Irons & Kits10, 29
Heat Guns24
Heat Weld Gun23
Hole Saw, Ceramic28
Hot Air Guns24
Hot Melt Glue Guns9, 13, 31
1
Inside Corner Saw1, 2
Inside Corner Saw1, 2
Irons, Carpet Seaming10, 29
J
Jamb Saws:
Power Undercut Saws1, 2
Hand Undercut Saw28
K
Kit, Carpet Installers12
Kit, Vinyl Welding23
Knee Kickers6
Knee Pads30
Knives:
Knives: Airway22
Knives: Airway22 Carpet15, 16, 28
Knives: Airway22 Carpet15, 16, 28 Dexter22
Knives: Airway22 Carpet15, 16, 28 Dexter22 Hyde16
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15 Utility 16, 22, 31
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15 Utility 16, 22, 31 Vinyl 22
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15 Utility 16, 22, 31
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15 Utility 16, 22, 31 Vinyl 22
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15 Utility 16, 22, 31 Vinyl 22 Ward 22
Knives: Airway
Knives: 22 Airway 22 Carpet 15, 16, 28 Dexter 22 Hyde 16 LVP/LVT Scoring 26 Pad 15 Utility 16, 22, 31 Vinyl 22 Ward 22
Knives: Airway
Knives: Airway
Knives:

3		
	Mini Carpet Stretcher5	
3	Miter Box27	9
3	Miter, Wood27	
,	•	``
	Mitering Tools27	Ì
4	Moulding Lifter28	;
3	Multi-Undercut Saw2	,
)	N	,
3	Needles:	
5 7	Carpet Sewing12	
1	Scriber24	
	Notcher:	
4	Vinyl27	
4	•	
	Р	9
3	Pin Vise24	
1	Plastic Laminate Roller20	,
		;
-	Pouches, Leather Tool29	,
1	Power Groover, Vinyl23	,
4	Power Stretchers3, 4, 5	9
3	Power Stripper17	;
	Pull Bar, Laminate & Hardwood26	•
	i dii bai, Laminate a narawood20	
7	R	-
3	Repair Tools, Carpet5, 16	
3		
	Replacement Razor Blades33	
3	Resilient:	-
9	Knives22	-
4	Rollers20	-
3	Scribers21	
3		
	Trimmers, Selvage & Wall21	
4	Rod Saws28	
1	Rollers:	-
	Carpet Seaming10	
_	Linoleum (Vinyl, Resilient)20	
2	Plastic Laminate20	
1		
9	Row Separator9	-
	Rubber Mallet12	-
	S	
	•	
,	Safety Glasses14	-
2	Safety Glasses14	
2	Safety Glasses14 Safety Floor, Diamond Blade23	
2	Safety Glasses14 Safety Floor, Diamond Blade23 Saws:	
3	Safety Glasses14 Safety Floor, Diamond Blade23 Saws: Discontinued Saw Blades24	-
3 2	Safety Glasses14 Safety Floor, Diamond Blade23 Saws: Discontinued Saw Blades24 Inside Corner	-
2	Safety Glasses	-
3 2	Safety Glasses14 Safety Floor, Diamond Blade23 Saws: Discontinued Saw Blades24 Inside Corner	
2	Safety Glasses	
3 2 3 6	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2	
2 3 6 0	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28	
2 3 6 0	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26	
3 3 3 5 0 2 3	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32	-
3 3 6 0 2 3 3	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26	
3 3 3 5 0 2 3	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21	
3 3 3 3 5 0 2 3 3 2 6	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18	
3 3 3 6 0 2 3 6 6 7 2 6 6 6 6 7 6 7 6 7 6 7 6 7 6 7 6	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam:	
3 3 3 3 5 5 5 5 5	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: Cutters	
3 3 3 6 7 2 3 3 6 6 7 7 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11	
3 3 3 6 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10	
3 3 3 6 7 2 3 3 6 6 7 7 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10	
3 3 3 6 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5	
3 3 3 6 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10	
3 3 3 6 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19	
3 3 3 3 3 3 3 3 3 5 5 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11	
3 2 3 6 6 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19	
3 2 3 3 5 5 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9	
3 2 3 6 6 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9	
3 2 3 3 6 5 6 7 7 8 8 8 6 8 7 8 7 8 7 8 7 8 7 8 7 8	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 29	
3 2 3 3 5 5 7 2 8 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 11 11 12 12 13 14 14 15 14 16 15 17 16 17 17 18 18 19 19 <td></td>	
3 2 3 3 6 5 1 2 2 6 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 Vinyl Sealer Bottle 19	
3 2 3 3 6 5 6 7 7 8 8 8 6 8 7 8 7 8 7 8 7 8 7 8 7 8	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 Vinyl Sealer Bottle 19 Sharpening Stones 16	
3 2 3 3 6 5 1 2 2 6 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Sealer Bottle 9 Vinyl Sealer Bottle 19 Sharpening Stones 16 Shears, Carpet 9	
3 2 3 3 6 5 1 2 2 3 6 6 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Sealer Bottle 9 Vinyl Sealer Bottle 19 Sharpening Stones 16 Shears, Carpet 9	
3 2 3 3 6 5 6 7 2 3 3 6 6 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 Yinyl Sealer Bottle 19 Sharpening Stones 16 Shears, Carpet 9 Skiving Knives, Vinyl 23, 24	
3 2 3 3 6 6 7 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 Yinyl Sealer Bottle 19 Sharpening Stones 16 Shears, Carpet 9 Skiving Knives, Vinyl 23, 24 Snips 27	
3 2 3 6 0 2 3 2 6 6 6 1 2 2 6 8 6 9 2 0 3 3	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 Yinyl Sealer Bottle 19 Sharpening Stones 16 Shears, Carpet 9 Skiving Knives, Vinyl 23, 24 Snips 27 Spacers, Laminate Floor 25, 26	
3 2 3 3 6 6 7 7 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Safety Glasses 14 Safety Floor, Diamond Blade 23 Saws: Discontinued Saw Blades 24 Inside Corner 1, 2 Jamb 1, 2, 28 Rod 28 Toe-Kick 2 Undercut 1, 2, 28 Scoring Knife, LVP 26 Screwdriver, 6-in-1 32 Scribers & Needles 21 Scrapers, Floor 18 Seam: 7 Edge Sealer Bottle, Carpet 11 Irons 10 Repair Stretcher 5 Rollers, Carpet Seam 10 Sealer Bottles, Vinyl 19 Sealer, Carpet Seam (Latex) 11 Squeezer 9 Sealer 9 Carpet Seam Edge 9 Yinyl Sealer Bottle 19 Sharpening Stones 16 Shears, Carpet 9 Skiving Knives, Vinyl 23, 24 Snips 27	



5	Stair Claw14
27	Stair Tools12
27	Staple Remover14
27	Staple Saver Boxes14
28	Staplers & Staples14
2	Straight Edges & Squares8
	Stretchers:
	Accessories4, 5
12	Cases4
24	Power Stretchers3, 4, 5
24	Seam Repair5
07	Stairway5
27	Stretcher Tubes 4
	Strip Cutter, Tackless13
24	Strip Glue Guns32
20	Strip Saver Bag30
29	Strippers, Floor, Hand18
23	Strippers, Machine17
.3, 4, 5	Superbar28
17	Syringe, Adhesive20
od26	
0	Т
	Tack Strip
5, 16	Tools13
33	Hot Melt13
	Tacker, Electric14
22	Tapping Blocks26
20	Thread & Thimbles12
21	Tile Cutters:
21	Carpet32
28	Resilient/Vinyl19
	Tile, Ceramic:
10	Tools28
)20	Repl. Wheels for Cutters33
20	Toe-Kick Saw Blades2, 24
9	Tool Boxes29
12	Tool Kit, Carpet12
	Tool Kit, Vinyl Welding23
	Tool Pouches29
14	Topset Base Tools32
e23	Trim Line Vinyl Corners19
	Trimmers, Carpet7, 11
324	Trimmers, Vinyl11, 21
1, 2	Trowels31
, 2, 28	Tubes, Stretcher4
28	Tuck Knife16
2	Turning Tool12
, 2, 28	•
26	U
32	Undercut Saws1, 2, 28, 31
21	Utility Knives16, 22, 31
18	V - Z
-	Vinyl:
7	Knives22
et11	Miter27
10	Rollers19
5	Seam Sealer Bottle19
10	Tile Cutters19
19	Trimmers, Selvage & Wall .11, 21
ex)11	Welding Tools23, 24
9	Wood Cutter25
	Wood Miter25
9, 11	"Z" Bar Trimmer7
9	∠ Dai IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
19	
16	

◆CRAIN NEW FOR 2021

NO.288HOOKHANDLE LVP SCORING KNIFE

The 45° blade angle of this knife is optimal for scoring and breaking rigid core LVP and LVT. The wide beveled edge on the blades score the plank smoothly and reduce resistance. The elevated handle provides knuckle clearance. Blades can be stored in the handle.

TAKES LVP & UTILITY BLADES!





Nos. 286C & 287 LVT/LVP No. 295C UTILITY

> Nos. 996X & 997 **HOOK**












NO. 777 TOE KICK SAW NOW HAS DEPTH CONTROL!

Improved with depth adjustment at five settings for common underlayment thicknesses, including: 1/4", 3/8", 1/2", 5/8", or 3/4". Cuts flush to the inner wall of the cabinet to remove old underlayment. The saw includes a clutch that may disengage to reduce kickback. Comes with No. 787 3-3/8" Carbide-Tipped Blade for wood cutting. The No. 789 Toe-Kick Saw Diamond Blade is sold separately to cut out tile or grout to a depth of 3/8". Do not use any other blades with the saw.











DEPTH CONTROL

DISTRIBUTED BY



www.giltedge.co.nz EMAIL: help@giltedge.co.nz FREE PHONE: 0800 445 833