



**GILT EDGE
INDUSTRIES LIMITED**

FLOORING PREPARATION AND INSTALLATION SPECIALISTS

FLOORING ADHESIVE CATALOGUE

**EVERY FLOORING INSTALLATION
DESERVES THE "GILT EDGE" FINISH**

MARCH 2022

COMPANY PROFILE



GILT EDGE INDUSTRIES LIMITED

FLOORING PREPARATION AND INSTALLATION SPECIALISTS

Welcome to Gilt Edge Industries Flooring Adhesive Catalogue.

Gilt Edge Industries Limited is a solutions driven trade based distribution company providing the highest levels of support and service to the New Zealand Flooring and Construction sector.

Established in 1969, Gilt Edge Industries Limited specialises in supplying an extensive range of flooring preparation and installation accessory products to the New Zealand Flooring and Construction sectors.

With a comprehensive New Zealand wide distribution network comprising of nine trade depots/storage facilities, Gilt Edge Industries has a significant and expanding distribution footprint throughout New Zealand from which it stocks an extensive range of premium quality flooring adhesives, concrete moisture products, engineered levelling cements, transition trims, stair nosings, underlayments and associated products.

We hope you find this Flooring Adhesive Catalogue useful in selecting the flooring adhesive for your requirements.

For further information please contact your local Gilt Edge Industries representative or visit us at www.giltedge.co.nz.

CARPET ADHESIVES

CARPET DIRECT & DOUBLE STICK



Giltgrip 22 (GG22) is a water-based Latex adhesive with low VOC and has been specifically formulated to provide extra open time for positioning of long runs of commercial carpet before it develops its “leggy” grab and holding power for jute & action backed tufted carpets, woven wilton & axminster carpets and most needle-punched carpets.

Available in 15 Litre

*** Approx. Coverage = 3-5 m²/Litre**



Roberts 80 (R80) A high solids, fast tack latex based formulation for adhering jute (hessian), latex, action Bactm backed carpets and woven/axminster carpets in both direct stick and double-bond installations.

Available in 20 Litre

*** Approx. Coverage = 3-4 m²/Litre**



Uzin 57 (UZ5714) Very low emission dispersion adhesive with strong thread formation, excellent grab and high final strength. Suitable for almost any type of textile floor covering including materials that are stiff and difficult to bond – for interior use.

Available in 14kg

*** Approx. Coverage = 1.75 -3.5 m²/kg**

CARPET ADHESIVES

SISAL



Polymer 160 (R160) A latex based pressure sensitive adhesive offering economy prolonged open time and excellent adhesive properties. For multiple application including but not limited to: double-stick underlay installation, direct stick carpets seagrass and coir installations and commercial vinyl tiles. It is particularly suited to lower temperature installation (between 3-10°) where acrylic type products are very slow to tack up.

Available in 20 Litre

*** Approx. Coverage = 2-6 m²/Litre**

CARPET TILE



Giltgrip 66 (GG66) Giltgrip 66 Pressure Sensitive adhesive is low in VOC and has been developed for the installation of vinyl composition tiles. It is also suitable for the installation of carpet tiles and slab underlay's used in the double bond carpet installation. It has good plasticiser resistance.

Available in 15 Litre

*** Approx. Coverage = 5-7 m²/Litre**



Polymer 999 (R999) Polymer 999 Pressure Sensitive is a pure acrylic solvent free, non staining co-polymer adhesive designed to provide a permanent tacky pressure sensitive film. For bonding carpet and vinyl floor tiles where a re-peelable job is required. Also used in double stick installations.

Available in 20 Litre

*** Approx. Coverage = 6-8 m²/Litre**



Intertac (IFITAC15) Intertac is a solvent free, low odour, low VOC pressure sensitive adhesive specially formulated for installing glass back carpet tiles. (**Specifically Interface Carpet Tiles**)

Available in 15 Litre

*** Approx. Coverage = 5-14 m²/Litre**

CARPET ADHESIVES

NEEDLE PUNCH (Garage Carpet)



Giltgrip 777 (GG777) Giltgrip 777 is a solvent based trowel applied adhesive for bonding synthetic backed carpet on to concrete or timber. Giltgrip 777 has an exceptionally strong initial grab and gap filling to ensure the best possible bond to most interior surfaces. It exhibits good water resistant bonds and water damage even after 5 hours will not affect the bond even if the adhesive becomes flooded.

Available in 20 Litre

* Approx. Coverage = 2 m²/Litre



Uzin 57 (UZ5714) Very low emission dispersion adhesive with strong thread formation, excellent grab and high final strength. Suitable for almost any type of textile floor covering including materials that are stiff and difficult to bond – for interior use.

Available in 14kg

* Approx. Coverage = 1.75 - 3.5 m²/kg



Roberts 6037 (R6037) Roberts 6037 Synthetic Carpet Adhesive is an all-weather solvent based (flammable) adhesive specifically formulated for the indoor, or outdoor installation of non-stretch open weave polypropylene or rubber backed synthetic carpets. It will bond securely to cured concrete, timber, asphalt, exterior grade wood and other clean paved surfaces.

Available in 20 Litre

* Approx. Coverage = 2-4 m²/Litre



Bostik Synthetic Carpet Bond (BOSGGSCB20) Bostik Synthetic Carpet Bond SCB is a strong, tacky flooring adhesive developed for bonding synthetic carpet on most common flooring materials, such as plywood, concrete etc. It is also designed as one way wet stick and exhibit good wetting and penetration on difficult surfaces such as polyolefin carpet backing.

Available in 20 Litre

* Approx. Coverage = 3-5 m²/Litre

RESILIENT FLOORING ADHESIVES

SHEET VINYL



Giltgrip 88 (GG88) Giltgrip 88 PVC Tile & Vinyl Adhesive is a high performance, low VOC, acrylic based adhesive specifically designed for the installation of PVC planks and tiles. It is also ideal for the installation of commercial and domestic sheet vinyl. This low VOC formulation exhibits excellent plasticiser resistance and is formulated to provide quick initial grab. It is **not** recommended for the installation of linoleum.



Giltgrip Universal Premium (GGUP15) Giltgrip Universal Premium vinyl adhesive is a water based trowelable adhesive for bonding most types of soft floor coverings - vinyls and carpets. It is formulated on special polymer emulsions and tackifiers which enables the widest options in usage. Giltgrip Universal Premium vinyl adhesive offers a tough cured bond and displays high early bond strength. It is especially formulated to be highly resistant to plasticizer migration from vinyls, and will not show migration staining.

Available in 15 Litre * Approx. Coverage = 3-5 m²/Litre



Polymer 265 (R265) Polymer 265 Vinyl Adhesive is a co-polymer acrylic emulsion with excellent plasticiser resistance and non-staining properties. It is protected against biodegradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.

Available in 500ml, 1, 2, 4, 15 & 20 Litre * Approx. Coverage = 3-5 m²/Litre

RESILIENT FLOORING ADHESIVES

SHEET VINYL



Uzin 2000s (UZKE2000S) Strong dispersion-based adhesive with latest raw material technology with shortest open time and nonetheless long installation time for application a pressure sensitive, a wet set adhesive and double-drop bonding method. Special adhesive for PVC and rubber flooring in commercial projects as well as universal adhesive for all common floor covering types. For use on floors and walls. For interior applications.

Available in 14kg
* Approx. Coverage = 2-4.5 m²/kg



Uzin WK222 (UZWK2226) Powerful contact adhesive with short open time and immediate load-bearing. For skirting as well as all common types of floor covering on absorbent and non-absorbent substrates. UZIN WK 222 allows processing **without solvent** involvement. Handling, technical options and applications correspond to a solvent-based neoprene adhesive. For interior areas only.

Available in 6kg
* Approx. Coverage = 2.5 m²/kg



Uzin KE66 (UZKE66) Resin-free wet-bed dispersion adhesive for PVC and rubber floorings on absorbent surfaces. With very low open time, easy application and excellent suction, e.g. when installing design boards. Reduces the residual indentation of elastic flooring to a minimum. For interior use.

Available in 14kg
* Approx. Coverage = 2.5-4 m²/kg



Uzin KR430 (UZKR430) 2 Part flexible polyurethane adhesive for rubber floor coverings, linoleum and HD sports flooring systems. Can be use as adhesive for floor coverings with goods handling trolleys. Adhesive for Normament and Regupol rubber flooring. Very high final bond strength. Hot and cold resistant. Prime substrates with PE460 for wet area installations.

Available in 3 & 8 kg
* Approx. Coverage = 1.75 - 3 m²/kg



Uzin KE68 (UZKE68) Uzin KE 68 is a single component high performance “urethane type” adhesive that is suited to a large range of installations requiring high dimensional stability in extreme conditions such as sun drenched areas, high point loading and areas requiring water resistance from the top of the floorcoverings (wet areas/internal).

8.5kg
* Approx. Coverage = 250-450 g/m²

RESILIENT FLOORING ADHESIVES

(LVT) LUXURY VINYL TILE



Giltgrip 88 (GG88) Giltgrip 88 PVC Tile & Vinyl Adhesive is a high performance, low VOC, acrylic based adhesive specifically designed for the installation of PVC planks and tiles. It is also ideal for the installation of commercial and domestic sheet vinyl. This low VOC formulation exhibits excellent plasticiser resistance and is formulated to provide quick initial grab. It is **not** recommended for the installation of linoleum.

Available in 15 Litre

*** Approx. Coverage = 5 m²/Litre**



Giltgrip Universal Premium (GGUP15) - Giltgrip Universal Premium Vinyl Adhesive is a water based trowel able adhesive for bonding most types of soft floor coverings - vinyl's and carpets. It is formulated on special polymer emulsions and tackifiers which enables the widest options in usage. Giltgrip Universal Premium Vinyl Adhesive offers a tough cured bond and displays high early bond strength. It is specially formulated to be highly resistant to plasticizer migration from vinyl's, and will not show migration staining.

Available in 15 Litre

*** Approx. Coverage = 3-5 m²/Litre**



Uzin KE66 (UZKE66) Resin-free wet-bed dispersion adhesive for PVC and rubber floorings on absorbent surfaces. With very low open time, easy application and excellent suction, e.g. when installing design boards. Reduces the residual indentation of elastic flooring to a minimum. For interior use.

Available in 14kg

*** Approx. Coverage = 2.5-4 m²/kg**



Uzin KR430 (UZKR430) 2 Part flexible polyurethane adhesive for rubber floor coverings, linoleum and HD sports flooring systems. Can be use as adhesive for floor coverings with goods handling trolleys. Adhesive for Normament and Regupol rubber flooring. Very high final bond strength. Hot and cold resistant. Prime substrates with PE460 for wet area installations.

Available in 3 & 8 kg

*** Approx. Coverage = 1.75 - 3 m²/kg**



Uzin KE68 (UZKE68) Uzin KE 68 is a single component high performance "urethane type" adhesive that is suited to a large range of installations requiring high dimensional stability in extreme conditions such as sun drenched areas, high point loading and areas requiring water resistance from the top of the floorcoverings (wet areas/internal).

8.5kg

*** Approx. Coverage = 250-450 g/m²**

** N.B The above information is a guideline for coverage rates. Please refer to technical data sheet for specific details or call Gilt Edge Industries on 0800 445 833 for further details.*

RESILIENT FLOORING ADHESIVES

SHEET VINYL ANTISTATIC



Uzin KE2000SL (UZKE2000SL) Very low emission, electrically conductive wet and adhesion bed dispersion based adhesive for the installation of conductive PVC, rubber, linoleum and textile flooring on absorbent and non absorbent substrates. With short open times and heavy duty use.

Available in 14kg

*** Approx. Coverage = 2-4.5 m²/kg**

LINOLEUM/MAMOLEUM



Giltgrip Universal Premium GGUP15 - Giltgrip Universal Premium vinyl adhesive is a water based trowel able adhesive for bonding most types of soft floor coverings - vinyl's and carpets. It is formulated on special polymer emulsions and tackifiers which enables the widest options in usage. Giltgrip Universal Premium vinyl adhesive offers a tough cured bond and displays high early bond strength. It is specially formulated to be highly resistant to plasticizer migration from vinyl's, and will not show migration staining.

Available in 15 Litre

*** Approx. Coverage = 3-5 m²/Litre**



Uzin 2000S (UZKE2000S) Strong dispersion-based adhesive with latest raw material technology with shortest open time and nonetheless long installation time for application a pressure sensitive, a wet set adhesive and double-drop bonding method. Special adhesive for PVC and rubber flooring in commercial projects as well as universal adhesive for all common floor covering types. For use on floors and walls. For interior applications. **Up to 3.2mm thick.**

Available in 14kg

*** Approx. Coverage = 2-4.5 m²/kg**

RESILIENT FLOORING ADHESIVES

(LVT) LUXURY VINYL TILE



Giltgrip 88 (GG88) Giltgrip 88 PVC Tile & Vinyl Adhesive is a high performance, low VOC, acrylic based adhesive specifically designed for the installation of PVC planks and tiles. It is also ideal for the installation of commercial and domestic sheet vinyl. This low VOC formulation exhibits excellent plasticiser resistance and is formulated to provide quick initial grab. It is **not** recommended for the installation of linoleum.

Available in 15 Litre

* **Approx. Coverage = 5 m²/Litre**



Giltgrip Universal Premium (GGUP15) - Giltgrip Universal Premium Vinyl Adhesive is a water based trowel able adhesive for bonding most types of soft floor coverings - vinyl's and carpets. It is formulated on special polymer emulsions and tackifiers which enables the widest options in usage. Giltgrip Universal Premium Vinyl Adhesive offers a tough cured bond and displays high early bond strength. It is specially formulated to be highly resistant to plasticizer migration from vinyl's, and will not show migration staining.

Available in 15 Litre

* **Approx. Coverage = 3-5 m²/Litre**



Uzin KE66 (UZKE66) Resin-free wet-bed dispersion adhesive for PVC and rubber floorings on absorbent surfaces. With very low open time, easy application and excellent suction, e.g. when installing design boards. Reduces the residual indentation of elastic flooring to a minimum. For interior use.

Available in 14kg

* **Approx. Coverage = 2.5-4 m²/kg**



Uzin KR430 (UZKR430) 2 Part flexible polyurethane adhesive for rubber floor coverings, linoleum and HD sports flooring systems. Can be use as adhesive for floor coverings with goods handling trolleys. Adhesive for Normament and Regupol rubber flooring. Very high final bond strength. Hot and cold resistant. Prime substrates with PE460 for wet area installations.

Available in 3 & 8 kg

* **Approx. Coverage = 1.75 - 3 m²/kg**



Polymer 8001 (R8001) Is a brown coloured 2 part polyurethane adhesive. Used to bond vinyl, synthetic rubber, timber and various outdoor floorings. Most common building substrates including concrete, timber and steel providing a bond highly resistant to water and most common chemicals.

Available 2.5, 5 & 10kg

* **Approx. Coverage = 2-2.50 m²/kg**

RESILIENT FLOORING ADHESIVES

(VCT) VINYL COMPOSITE TILE



Giltgrip 66 (GG66) - Giltgrip 66 Pressure Sensitive adhesive is Low in VOC and has been developed for the installation of vinyl composition tiles. It is also suitable for the installation of carpet tiles and slab underlay's used in the double bond carpet installation. It has good plasticiser resistance.

Available in 15 Litre

*** Approx. Coverage = 5-7 m²/Litre**



Polymer 999 (R999) Polymer 999 Pressure Sensitive is a pure acrylic solvent free, non staining co-polymer adhesive designed to provide a permanent tacky pressure sensitive film. For bonding carpet and vinyl floor tiles where a re-peelable job is required. Also used for the installation of slab rubber carpet underlay used in the double stick installation system.

Available in 20 Litre

*** Approx. Coverage = 6-8 m²/Litre**



VCT Tile Adhesive (FSPS820) Water based acrylic adhesive for indoor applications. For installation of VCT - Excelon vinyl composition tile. Bonds to clean, dry, smooth and hard concrete, masonite, plywood and fibre cement underlay.

*** For Armstrong VCT's only**

Available in 20 Litre

*** Approx. Coverage = 8-10 m²/Litre**



Uzin KR430 (UZKR430) 2 Part flexible polyurethane adhesive for rubber floor coverings, linoleum and HD sports flooring systems. Can be use as adhesive for floor coverings with goods handling trolleys. Adhesive for Normament and Regupol rubber flooring. Very high final bond strength. Hot and cold resistant. Prime substrates with PE460 for wet area installations.

Available in 3 or 8 kg

*** Approx. Coverage = 1.75 - 3 m²/kg**

** N.B The above information is a guideline for coverage rates. Please refer to technical data sheet for specific details or call Gilt Edge Industries on 0800 445 833 for further details.*

WALL PANELLING ADHESIVE

COMPOSITION BOARD - Acoustic/Wall Panelling



Giltgrip Tensor Grip X40 Acoustic (GGTXG40) Developed in conjunction with the acoustic industry for all acoustic panel bonding applications. Tensor Grip X40 Acoustic Adhesive is a fast drying contact adhesive, suitable for all types of acoustic panel installation and applications including in house and on site bonding processes.

Available in 17.5kg (22 Litre)

*** Approx. Coverage = 230m² per canister**



Giltgrip Tensor Grip X41 (GGSGS41C) TENSOR GRIP X41 was formulated to provide a non-chlorinated adhesive for high-strength applications in the acoustic lining industry. X41 has extreme tack performance, a long open time and highly controllable spray pattern enabling fast acoustic panel installations with the advantage of low adhesive odour.

Available in 17.5kg (22 Litre)

*** Approx. Coverage = 230m² per canister**

COVINGS AND SKIRTINGS

CONTACT ADHESIVES



Giltgrip 500 (AFGG500) - Giltgrip 500 is a multi purpose high strength contact adhesive, with a wide range of applications. It has been specially developed for commercial contractors. Its versatile application methods and long working time make it ideal for bonding large areas. Giltgrip 500 gives a heavy glue line which results in exceptional performance and superior bond strength.

Available in 20 Litre

*** Approx. Coverage = 4-6 m²/Litre**



Ados F22 Long Tack (AF22) ADOS F22 is an outstanding high-performance contact adhesive that has been optimised for brushing. Its long tack allows more working time and its high viscosity makes it suitable for coverage of porous surfaces. The high bond strength, versatility, durability and ease of application make it ideal for a wide range of installation, manufacture or repair applications.

Available in 1, 4 & 20 Litre

*** Approx. Coverage = 4-6 m²/Litre**



Ados F86 Vinyl Flooring Spray (AF86) - ADOS F86 is a multi purpose spray grade contact adhesive, with a wide range of applications. It has been specially formulated for spraying and is very low misting when used with either air driven or airless spray equipment. Convenient and economical spraying, combined with its long working time, make it ideal for bonding large areas.

Available in 20 Litre

*** Approx. Coverage = 4-6 m²/Litre**



Bostik 1222 Contact Brushable (BOS122220L) Bostik 1222 Brushable or Sprayable Contact Adhesive. A general purpose contact adhesive formulated to give high bond strength and high heat resistance. It is recommended for the bonding of plastic laminates & is an excellent choice for the adhesion of roofing butyl membrane. It can be used for the bonding of carpet, cotton backed sheet vinyls & stair nosings. It is an excellent sole CEM attaching cement and is recommended for use on leather, resin rubber and E.V.A.

Available in 1, 4 & 20 Litre

*** Approx. Coverage = 4-9 m²/Litre**



Uzin WK222 (UZWK2226) Powerful contact adhesive with short open time and immediate load-bearing. For skirting as well as all common types of floor covering on absorbent & non-absorbent substrates. UZIN WK 222 allows processing **without solvent** involvement. Handling, technical options & applications correspond to a solvent-based neoprene adhesive. Interior only.

Available in 6kg

*** Approx. Coverage = 2.5 m²/kg**

** N.B The above information is a guideline for coverage rates. Please refer to technical data sheet for specific details or call Gilt Edge Industries on 0800 445 833 for further details.*

RUBBER FLOORING ADHESIVES

RUBBER



Giltgrip Super C (UGGSUPC600) - A single pack high strength low foaming moisture curing polyurethane based adhesive. Bonding most types of resilient and rubber flooring/underlay/acoustic products to concrete and timber substrates. Due to the highly variable nature of rubber and resilient products in the market, contractors should test lay a typical sample and do a destructive pull test to confirm adequate adhesion to a given substrate.

Available in 600gm

*** Approx. Coverage = 2-3 m²/600gm**



Uzin KE66 (UZKE66) Resin-free wet-bed dispersion adhesive for PVC and rubber floorings on absorbent surfaces. With very low open time, easy application and excellent suction, e.g. when installing design boards. Reduces the residual indentation of elastic flooring to a minimum. Rubber flooring up to 4mm thick. For interior use.

Available in 14kg

*** Approx. Coverage = 2.5-4 m²/kg**



Uzin 2000s (UZKE2000S) Strong dispersion-based adhesive with latest raw material technology with shortest open time and nonetheless long installation time for application a pressure sensitive, a wet set adhesive and double-drop bonding method. Special adhesive for PVC and rubber flooring in commercial projects as well as universal adhesive for all common floor covering types. For use on floors and walls. Rubber flooring up to 4mm thick. For interior applications.

Available in 14KG

*** Approx. Coverage = 2-4.5 m²/kg**



Uzin KR430 (UZKR430) 2 Part flexible polyurethane adhesive for rubber floor coverings, linoleum and HD sports flooring systems. Can be use as adhesive for floor coverings with goods handling trolleys. Adhesive for Normament and Regupol rubber flooring. Very high final bond strength. Hot and cold resistant. Rubber Flooring up to 12mm thick. Prime substrates with PE460 for wet area installations.

Available in 3 or 8 kg

*** Approx. Coverage = 1.75-3 m²/kg**

** N.B The above information is a guideline for coverage rates. Please refer to technical data sheet for specific details or call Gilt Edge Industries on 0800 445 833 for further details.*

TIMBER FLOORING ADHESIVES

TIMBER



Bostik Ultraset (BOSULT) is a one part, solvent free, polyurethane elastomeric adhesive, formulated to adhere to most types of wood, parquet, strip and sheet timber flooring systems to concrete, timber or over existing floors. Solvent free, no mixing, ready to use, one component, flexible, easy to spread and excellent acoustic properties.

Available in 600ml or 15 Litre

* Approx. Coverage = 1.3-1.4 m²/Litre



Selleys Liquid Nails Direct (SLNDS14) - Bonding timber overlay, parquet and composite flooring, timber, MDF particle board and concrete. Ideal for use in multi level dwellings to limit impact noise transmission through timber overlay flooring.

Available in 14kg

* Approx. Coverage = 1.5-2 m²/kg



Uzin MK 95 (UZMK95) is a one component PUR wood flooring adhesive with hard elastic adhesive ridge and foaming properties. Specifically for the installation of large format wood flooring types and wood block flooring.

* Indent only

Available in 16kg - * Indent Only

* Approx. Coverage = 1.0-1.2 m²/kg

CORK FLOORING ADHESIVES

CORK



Polymer 1000 (R100010) Polymer 1000 Cork/Carpet Adhesive is a water-based natural rubber latex adhesive. It is protected against bio-degradation, withstands normal wet cleaning practices and is suitable for use over underfloor heating installations.

Available in 10 Litre

*** Approx. Coverage = 3-4 m²/Litre**



Giltgrip Universal Premium Vinyl (GGUP15) Giltgrip Universal Premium vinyl adhesive is a water based trowelable adhesive for bonding most types of soft floor coverings - vinyls and carpets. It is formulated on special polymer emulsions and tackifiers which enables the widest options in usage. Giltgrip Universal Premium vinyl adhesive offers a tough cured bond and displays high early bond strength. It is especially formulated to be highly resistant to plasticizer migration from vinyls, and will not show migration staining.

Available in 15 Litre

*** Approx. Coverage = 3-5 m²/Litre**

CONSTRUCTION ADHESIVES

CONSTRUCTION



Bostik Safe Tech Safe Fix (BOSSF430) is a general purpose, nil odour, solvent free construction adhesive. It is suitable for bonding all wall panels to vertical studs or overhead joints. It is virtually a universal adhesive for any general construction purpose. The VOC level of 9 gms/L means it can confidently be specified for any building compliant to NZGBC requirements. The final cured polymer is a tough, elastic material resulting in exceptionally high bond strength and excellent adhesion and movement capability of various substrates, indoor and outdoor, wet or dry.

Available in 430gm

Coverage = 5mm bead - 15LM per cartridge



Bostik Simson ISR70-08 (BOSSIMMAR290) is a high quality permanent elastic adhesive based on Silyl Modified Polymer (SMP), suitable for bonding windows in e.g buses and trains. This product exhibits a very good adhesion performance on a wide variety of substrates and are paint compatible with common industrial paints.

Available in 290ml

Coverage = 5mm bead - 9LM per cartridge



Bostik Tuf as Nails (BOSTUF) - Perfect for bonding steel, aluminium and other materials to hardboard, plasterboard, cement sheet, timber and concrete. Excellent for bonding solvent sensitive surfaces such as mirror backings, adhesive of choice for acrylic shower linings.

Available in 385ml

Coverage = 5mm bead - 22-24LM per cartridge



Bostik Wallboard Gold (BOSWBG) - The original Bostik Gold Strength adhesive for fixing wallboard, floor panels directly to joists, framing and joists and multiple fixing jobs indoor and outdoor. Adheres to a wide range of substrates including timber, metal, gypsum, masonry, steel, aluminium, formica, particle board, plaster board and floorboard.

Available in 375ml & 600ml

Coverage = 5mm bead - 22-24LM per 375ml Cartridge or 30-32LM per 600ml sausage



Giltgrip 60 (GG60) is ideal for bonding carpet gripper, woods, metal trims, metal nosings, aluminium and many other types of products where a quick bond is required to concrete, timber and most other common building substrates. Giltgrip 60 has excellent resistance to high temperatures and water.

Available in 500ml

MISCELLANEOUS/OTHER

POLYURETHANES



Uzin KR430 (UZKR430) 2 Part flexible polyurethane adhesive for rubber floor coverings, linoleum and HD sports flooring systems. Can be use as adhesive for floor coverings with goods handling trolleys. Adhesive for Normament and Regupol rubber flooring. Very high final bond strength. Hot and cold resistant. Prime substrates with PE460 for wet area installations.

Available in 3 & 8 kg

* Approx. Coverage = 1.75-3 m²/kg

EPOXIES



Gilt Grip Repair Epoxy Kit 13kg (GGEPOXY13) - is an epoxy system formulated to provide damage repair to concrete, wood and other common building materials. Structural adhesive-repair and refill of cracks in concrete and common building products. High impact strength areas, ramps, joint nosing;s. Fills voids in damaged or spalled concrete. Grouting starter bars, load bearing bolts and base plates.

Kit includes: Resin, Hardener, Sand, Gloves & spread rate chart.

* N.B The above information is a guideline for coverage rates. Please refer to technical data sheet for specific details or call Gilt Edge Industries on 0800 445 833 for further details.,



www.giltedge.co.nz

EMAIL: help@giltedge.co.nz

FREE PHONE: 0800 445 833

FREE FAX: 0800 103 649