NZ POISONS CENTRE 0800 764 766 | NZ EMERGENCY SERVICES: 111 - THIS IS A SUMMARY ONLY - FULL REPORT

CRC 8200, 8202, 8204, 8206, 8208 Solvent N (NZ)

INGREDIENTS	CAS NO	%	TWA
naphtha petroleum, light aliphatic solvent	64742-89-8.	30-60	5 mg/m3
toluene	108-88-3	10-30	188 mg/m3
acetone	67-64-1	10-30	1185 mg/m3

GHS

DG







UN No: 1993 Hazchem Code: •3YE DG Class: 3 Subsidiary Risk: Not **Applicable** Packing Group: II

HEALTH HAZARD INFORMATION















Determined by Chemwatch using CHS/HSNO criteriaGazetted by EPA New Zealand

3.1B, 6.1D (oral), 6.1E (aspiration), 6.1E (dermal), 6.3A, 6.4A, 6.8B, 6.9B, 9.1D, 9.3C

Signal word:

statement(s):

Danger

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H313 May be harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation. Hazard

H361 Suspected of damaging fertility or the unborn child.

H371 May cause damage to organs

May cause damage to organs through prolonged or H373 repeated exposure.

H401 Toxic to aquatic life.

H413 May cause long lasting harmful effects to aquatic life.

H433 Harmful to terrestrial vertebrates

PRECAUTIONS FOR USE















Appropriate engineering controls

Local Exhaust Ventilation recommended

Consider chemical goggles. 1.PE/EVAL/PE 2.TEFLON 3.VITON

Respirator:

Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition. No smoking.

Fire/Explosion

HIGHLY FLAMMABLE. Toxic smoke/fumes in a fire. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES







EMERGENCY









FIRST AID

Give water (if conscious). Seek medical advice. Do NOT give milk Swallowed:

or oil. Do NOT give alcohol.

Eye: Wash with running water.

Skin: Remove contaminated clothing. Wash with soap & water.

Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Inhaled:

Advice To No antidote. Supportive care. Evaluate for respiratory distress.

Doctor: Consider lavage with cuffed tube. NO adrenalin.

Fire Fighting: Keep containers cool. Foam.

> Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed

of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS





Spills and

Disposal:











x — Must not be stored together

0 - May be stored together with specific preventions

- May be stored together

Note: Depending on other risk factors, compatibility assessment based on the table above may not be relevant to storage situations, particularly where large volumes of dangerous goods are stored and handled. Reference should be made to the Safety Data Sheets for each substance or article and risks assessed accordingly.

> Chemwatch: 4586-1 24/05/2021 Print Date: 01/11/2019 Issue Date: