

**BOSTIK NO 3 SOLVENT**  
 Revision Number 1.01

Revision Date 27-May-2018  
 Supersedes Date: 02-Jun-2017

## Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product Identifier

**Product Name** BOSTIK NO 3 SOLVENT  
**Pure substance/mixture** Mixture

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended use** Cleaning agent. Solvent mixture.  
**Uses advised against** This article contains hazardous substances or mixtures intended to be released under normal or reasonably foreseeable conditions of use.

### 1.3. Details of the supplier of the safety data sheet

#### Company Name

Bostik New Zealand Limited  
 19 Eastern Hutt Road Wingate,  
 Lower Hutt, New Zealand  
 Tel: 04-567 5119  
 Fax: 04-567 5412

### 1.4. Emergency telephone number

**Emergency Telephone** 24 Hr: 0800 243 622  
 +64 4 917 9888  
 Poison Centre : 0800 764 766

**E-mail address** SDS.AP@Bostik.com

## Section 2: HAZARD IDENTIFICATION

### 2.1. Classification of the substance or mixture

Aspiration toxicity	Category 1 (6.1E <sup>9</sup> )
Skin Corrosion/Irritation	Category 2 (6.3A)
Reproductive toxicity	Category 2 (6.8B)
STOT - Single Exposure	Category 3 (1)
Acute aquatic toxicity	Category 1 (9.1A)
Chronic aquatic toxicity	Category 1 (9.1A)
Flammable Liquids	Category 2 (3.1B)

Classification in parenthesis is applicable for New Zealand Hazard Classification

**ERMA Group** HSR002662

### 2.2. Label Elements



**Signal Word**

DANGER

#### Hazard statements

H304 - May be fatal if swallowed and enters airways  
 H315 - Causes skin irritation

# Safety Data Sheet

**BOSTIK NO 3 SOLVENT**  
Revision Number 1.01

Revision Date 27-May-2018  
Supersedes Date: 02-Jun-2017

H336 - May cause drowsiness or dizziness  
H361 - Suspected of damaging fertility or the unborn child  
H410 - Very toxic to aquatic life with long lasting effects  
H225 - Highly flammable liquid and vapor

## Precautionary Statements - Prevention

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P281 - Use personal protective equipment as required  
P264 - Wash face, hands and any exposed skin thoroughly after handling  
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray  
P271 - Use only outdoors or in a well-ventilated area  
P273 - Avoid release to the environment  
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical/ ventilating/ lighting/ equipment  
P242 - Use only non-sparking tools  
P243 - Take precautionary measures against static discharge  
P235 - Keep cool

## Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

### Inhalation

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

### Skin

P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower  
P363 - Wash contaminated clothing before reuse

### Ingestion

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician  
P331 - Do NOT induce vomiting

### Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish

### Spill

P391 - Collect spillage

## Precautionary Statements - Storage

P405 - Store locked up  
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

## Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## 2.3. Other Hazards

- May be harmful in contact with skin

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

### 3.2 Mixtures

Chemical Name	CAS No	Weight-%
Cyclohexane	110-82-7	20- <40
Methylcyclohexane	108-87-2	10 - <20
Hexane	110-54-3	5 - <10

\*\*\* Any remaining ingredients are not hazardous

## Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

# Safety Data Sheet

**BOSTIK NO 3 SOLVENT**  
Revision Number 1.01

**Revision Date** 27-May-2018  
**Supersedes Date:** 02-Jun-2017

<b>General Advice</b>	If medical advice is needed, have product container or label at hand.
<b>Inhalation</b>	Remove to fresh air.
<b>Skin Contact</b>	Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention.
<b>Eye contact</b>	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
<b>Ingestion</b>	If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
<b>Self-Protection of the First Aider</b>	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

## 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** None known.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 4.4. Reference to Other Sections

**Reference to other sections** See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## **Section 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing media

**Suitable Extinguishing Media** Use CO<sub>2</sub>, dry chemical, or foam.

**Unsuitable Extinguishing Media** No information available.

### 5.2. Special hazards arising from the substance or mixture

**Specific Hazards Arising from the Chemical** Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

### 5.3. Advice for firefighters

**Special Protective Equipment for Fire-fighters** Wear self contained breathing apparatus for fire fighting if necessary.

## **Section 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Remove all sources of ignition. Evacuate personnel to safe areas. Ensure adequate ventilation, especially in confined areas.

**Other Information** Water spray may reduce vapor; but may not prevent ignition in closed spaces.

**For emergency responders** Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

### 6.2. Environmental precautions

**Environmental Precautions** Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

# Safety Data Sheet

BOSTIK NO 3 SOLVENT  
Revision Number 1.01

Revision Date 27-May-2018  
Supersedes Date: 02-Jun-2017

## 6.3. Methods and material for containment and cleaning up

**Methods for Containment** Dike far ahead of spill; use dry sand to contain the flow of material. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Protect from moisture.

**Methods for cleaning up** Use clean non-sparking tools to collect absorbed material. Dike far ahead of spill for later disposal.

## 6.4. Reference to other sections

**Reference to other sections** See Section 12: ECOLOGICAL INFORMATION  
Section 7: HANDLING AND STORAGE  
Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## Section 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Take precautionary measures against static charges. Use explosion-proof electrical/ventilating/ lighting/ equipment.

### 7.2. Conditions for safe storage, including any incompatibilities

**General Hygiene Considerations** Do not eat, drink or smoke when using this product. Regular cleaning of equipment, work area and clothing is recommended.

**Storage Conditions** Keep only in the original container/package in a cool well-ventilated place. Protect from moisture. Protect from direct contact with water or excessive moisture.

**Incompatible Materials** Strong acids and bases

### 7.3. Specific end use(s)

**Other Information** No information available.

### 7.4. References to Other Sections

**Reference to other sections** See Section 12: ECOLOGICAL INFORMATION. Section 7: HANDLING AND STORAGE. Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure Limits

Chemical Name	New Zealand	Australia	European Union
Cyclohexane 110-82-7	TWA: 100 ppm TWA: 350 mg/m <sup>3</sup> STEL: 300 ppm STEL: 1050 mg/m <sup>3</sup>	100 ppm TWA 350 mg/m <sup>3</sup> TWA 300 ppm STEL 1050 mg/m <sup>3</sup> STEL	TWA: 200 ppm TWA: 700 mg/m <sup>3</sup>
Methylcyclohexane 108-87-2	TWA: 400 ppm TWA: 1610 mg/m <sup>3</sup>	400 ppm TWA 1610 mg/m <sup>3</sup> TWA	-
Hexane 110-54-3	TWA: 20 ppm TWA: 72 mg/m <sup>3</sup>	20 ppm TWA 72 mg/m <sup>3</sup> TWA	TWA: 20 ppm TWA: 72 mg/m <sup>3</sup>

Chemical Name	ACGIH TLV	NIOSH IDLH	OSHA PEL
Cyclohexane 110-82-7	TWA: 100 ppm	IDLH: 1300 ppm TWA: 300 ppm TWA: 1050 mg/m <sup>3</sup>	TWA: 300 ppm TWA: 1050 mg/m <sup>3</sup>
Methylcyclohexane 108-87-2	TWA: 400 ppm	IDLH: 1200 ppm TWA: 400 ppm	TWA: 500 ppm TWA: 2000 mg/m <sup>3</sup>

# Safety Data Sheet

**BOSTIK NO 3 SOLVENT**  
Revision Number 1.01

**Revision Date** 27-May-2018  
**Supersedes Date:** 02-Jun-2017

Hexane 110-54-3	TWA: 50 ppm S*	TWA: 1600 mg/m <sup>3</sup> IDLH: 1100 ppm TWA: 50 ppm TWA: 180 mg/m <sup>3</sup>	TWA: 500 ppm TWA: 1800 mg/m <sup>3</sup>
--------------------	-------------------	--	---

**Derived No Effect Level (DNEL)** No information available

**Predicted No Effect Concentration (PNEC)** No information available

**OTHER INFORMATION** No information available

## 8.2. Exposure controls

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

## **PPE - Personal Protection Equipment**

<b>Eye/Face Protection</b>	Wear safety glasses with side shields (or goggles).
<b>Skin and Body Protection</b>	Wear suitable protective clothing. No special technical protective measures are necessary under normal conditions.
<b>Hand Protection</b>	Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers.
<b>Respiratory Protection</b>	No protective equipment is needed under normal use conditions. Respiratory protection required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.
<b>General Hygiene Considerations</b>	Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse.

**Environmental Exposure Controls** Do not allow into any sewer, on the ground or into any body of water.

## **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Viscosity Liquid Low
<b>Color</b>	Clear, colorless
<b>Odor</b>	Solvent
<b>Odor Threshold</b>	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	approx 75 °C / 167 °F	
Flash Point	approx -15 °C / 5 °F	
Evaporation Rate	No information available	
Flammability (solid, gas)	No information available	Not applicable for liquids
Flammability Limit in Air		
Upper flammability limit:	7.5	
Lower flammability limit:	1.0	
Vapor Pressure	No information available	
Vapor Density	No information available	
Relative Density	No information available	
Water Solubility	Negligible	
Solubility in Other Solvents	No information available	
Partition Coefficient	No information available	
Autoignition Temperature	No information available	
Decomposition Temperature	No information available	
Kinematic Viscosity	No information available	
Dynamic Viscosity	No information available	
Explosive Properties	No information available	
Oxidizing Properties	No information available	

# Safety Data Sheet

BOSTIK NO 3 SOLVENT  
Revision Number 1.01

Revision Date 27-May-2018  
Supersedes Date: 02-Jun-2017

## 9.2. Other information

Softening Point	No information available
Molecular Weight	No information available
Solvent content (%)	No information available
Solid content (%)	0
Density	0.72 g/cm <sup>3</sup>
Bulk Density	No information available
VOC	720 g/L

## Section 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity Stable under recommended storage conditions.

### 10.2. Chemical stability

Stability Stable under recommended storage conditions

### 10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and flames. Protect from moisture.

### 10.5. Incompatible materials

Incompatible Materials Strong acids and bases.

### 10.6. Hazardous decomposition products

Hazardous decomposition products None under normal use conditions.

## Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

#### Acute Toxicity

Product Information	Product does not present an acute toxicity hazard based on known or supplied information.
Inhalation	No data available.
Eye contact	No data available.
Skin Contact	No data available.
Ingestion	No data available.

#### Numerical measures of toxicity

##### Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity  
0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity  
21 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)  
38 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)  
51 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Cyclohexane 110-82-7	= 12705 mg/kg ( Rat )	> 2000 mg/kg ( Rabbit )	> 9500 ppm ( Rat ) 4 h
Methylcyclohexane	> 3200 mg/kg ( Rat )	>2920 mg/Kg bw (rat) 24 hour	>23 mg/l (vapour) (Rat- OECD

# Safety Data Sheet

**BOSTIK NO 3 SOLVENT**  
Revision Number 1.01

Revision Date 27-May-2018  
Supersedes Date: 02-Jun-2017

108-87-2			403)
Hexane 110-54-3	= 25 g/kg ( Rat )	= 3000 mg/kg ( Rabbit )	= 48000 ppm ( Rat ) 4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin Corrosion/Irritation</b>	No information available.
<b>Serious Eye Damage/Eye Irritation</b>	No information available.
<b>Sensitization</b>	No information available.
<b>Germ Cell Mutagenicity</b>	No information available.
<b>Reproductive Toxicity</b>	No information available.
<b>STOT - Single Exposure</b>	No information available.
<b>STOT - Repeated Exposure</b>	No information available.
<b>Target Organ Effects</b>	Central nervous system, Eyes, Peripheral Nervous System (PNS), Respiratory system, Skin.
<b>Aspiration hazard</b>	No information available.
<b>Carcinogenicity</b>	No information available.

## **Section 12: ECOLOGICAL INFORMATION**

### 12.1. Toxicity

#### **Ecotoxicity**

#### **Product Information**

Very toxic to aquatic life with long lasting effects.

#### **Component Information**

Data obtained on the component(s) include

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Cyclohexane 110-82-7	EC50 72 h > 9.3 mg/L (Pseudokirchnerella subcapitata)	LC50 96 h 23.03 - 42.07 mg/L (Pimephales promelas static) LC50 96 h 48.87 - 68.76 mg/L (Poecilia reticulata static) LC50 96 h 3.96 - 5.18 mg/L (Pimephales promelas flow-through) LC50 96 h 24.99 - 44.69 mg/L (Lepomis macrochirus static)	EC50 24 h > 400 mg/L (Daphnia magna )
Methylcyclohexane 108-87-2	10 mg/l (Pseudokirchneriella subcapitata - OECD 201)	2.07 mg/l (Oryzias latipes )	3 mg/l (Daphnia magna - OECD 202)
Hexane 110-54-3	-	LC50 96 h 2.1 - 2.98 mg/L (Pimephales promelas flow-through)	EC50 24 h > 1000 mg/L (Daphnia magna )

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

### 12.6. Other adverse effects

No information available.

# Safety Data Sheet

BOSTIK NO 3 SOLVENT  
Revision Number 1.01

Revision Date 27-May-2018  
Supersedes Date: 02-Jun-2017

## Section 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated Packaging** Improper disposal or reuse of this container may be dangerous and illegal.

## Section 14: TRANSPORTATION INFORMATION

### IMDG

UN Number	UN1268
Proper Shipping Name	Petroleum distillates, n.o.s.
Transport hazard class(es)	3
Packing Group	II
EmS-No	F-E, S-E
Special Provisions	363
Limited Quantity (LQ)	1 L
Description	UN1268, Petroleum distillates, n.o.s., 3, II, (-15°C c.c.)

### IATA

UN/ID No	UN1268
Proper Shipping Name	Petroleum distillates, n.o.s.
Transport hazard class(es)	3
Packing Group	II
ERG Code	3H
Limited Quantity (LQ)	1 L
Special Provisions	A3
Description	UN1268, Petroleum distillates, n.o.s., 3, II

### ADR

UN/ID No	UN1268
Proper Shipping Name	Petroleum distillates, n.o.s., Environmentally Hazardous
Transport hazard class(es)	3
Labels	3
Packing Group	II
Description	UN1268, Petroleum distillates, n.o.s., Environmentally Hazardous, 3, II, (D/E)
Environmental Hazard	Yes
Limited Quantity (LQ)	1 L
Special Provisions	363, 640C, 664
Classification Code	F1
Tunnel Restriction Code	(D/E)

## Section 15: REGULATORY INFORMATION

### National Regulations

## Section 16: OTHER INFORMATION

### Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

### Key Literature References and Sources for Data

No information available

**Prepared By** Product Safety & Regulatory Affairs

**Revision Date** 27-May-2018



# Safety Data Sheet

**BOSTIK NO 3 SOLVENT**  
**Revision Number** 1.01

**Revision Date** 27-May-2018  
**Supersedes Date:** 02-Jun-2017

---

**Revision Note** Not applicable.

**Training Advice** Provide adequate information, instruction, and training for operator

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**