

GHSNOTICE

Chemwatch 4574-22



Company Contact No. +64 9 272 2700

CRC 8018, 8024 F22 (NZ)**INGREDIENTS**

toluene

acetone

CAS No

108-88-3

67-64-1

%

10-30

10-30

TWA

50 ppm

500 ppm

UN No :1133**Hazchem Code :*3YE****DG Class :3****Subsidiary Risk :None****Poisons Schedule :NZS3****PROPERTIES**

Liquid.

Does not mix with water.

HAZARD PHRASES**DANGER**

Determined by Chemwatch using GHS criteria:

H335 H336 H225 H302 H304 H361 H373 H401 H315
H319

May cause respiratory irritation

May cause drowsiness or dizziness

Highly flammable liquid and vapour

Harmful if swallowed

May be fatal if swallowed and enters airways

Suspected of damaging the unborn child

May cause damage to organs through prolonged or
repeated exposure by inhalation.

Toxic to aquatic life

Causes skin irritation

Causes serious eye irritation

FIRST AID**Swallowed:**

Contact doctor or Poisons Centre.

Give glass of water.

Eye:

Wash with running water (15 mins). Medical attention.

Skin:Remove contaminated clothing. Wash with water and
soap.**Inhaled:**Fresh air. Rest, keep warm. If breathing shallow, give
oxygen. Medical attention.**ADVICE TO DOCTOR**Evaluate for respiratory distress. Consider lavage with
cuffed tube. NO adrenalin.**SAFE STORAGE WITH OTHER CLASSIFIED
CHEMICALS**

+	X	X	X	X	+
<i>X: Must not be stored together</i> <i>O: May be stored together with specific preventions</i> <i>+: May be stored together</i>					

PRECAUTIONS FOR USE**Engineering Controls:**

General Exhaust Ventilation adequate.

Glasses:

Chemical goggles.

Gloves:

PVC chemical resistant type.

Respirator:

Type AX-P Filter of sufficient capacity

Flammability:

Highly flammable.

SAFE HANDLING INFORMATION**Storage & Transport:**

Keep container in a well ventilated place.

Keep away from food, drink and animal feeding stuffs.

Store in cool, dry, protected area.

Restrictions on Storage apply. Refer to Full Report.

Spills & Disposal:Spilled liquid has low temperature and evaporates
quickly.

Eliminate ignition sources.

Consider evacuation.

Prevent from entering drains.

Contain spillage by any means.

Control vapour with water spray/fog.

Absorb with dry agent.

Stop leak if safe to do so.

To clean the floor and all objects contaminated by this
material, use water and detergent.**Fire/Explosion Hazard:**

Highly flammable.

Fire Fighting:

Keep containers cool.

Foam.

Dry agent.

Issue Date: 19/6/2009 Print Date: 2/8/2010

Copyright ChemWatch +613 9572 4700.