



# X100 GREEN CURE SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107 v2a  
Date of Issue: 10 July 2018

## SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER

AUSTRALIAN SUPPLIER:	Oxtek Australia Pty Ltd
ACN:	164 792 036
ADDRESS:	3 - 174 Atlantic Drive Keysborough 3173 Australia.
POSTAL ADDRESS:	PO Box 4455 Dandenong South 3164 Australia.
TELEPHONE:	(+61 3) 9798 7534
FAX:	(+61 3) 9798 6250
AH EMERGENCY TELEPHONE:	13 11 26 (24 hours) – Australian National Poisons Centre.
WEB Page:	<a href="http://www.protectcrete.com.au">www.protectcrete.com.au</a>
NEW ZEALAND SUPPLIER:	Protect Crete NZ Ltd.
ADDRESS:	PO Box 10080, Rotorua Mail Centre, Rotorua 3046
TELEPHONE:	(Ph: +64 9 441 9003
<b>WEB Page:</b>	<a href="http://www.protectcretenz.co.nz">www.protectcretenz.co.nz</a>
AH EMERGENCY TELEPHONE:	0800 POISON (0800 764 766) (24 hours) – New Zealand National Poisons Centre
PRODUCT NAME:	OXTEK X100 GREEN CONCRETE CURE & HARDENER.
PROPER SHIPPING NAME:	Non Corrosive liquid, basic, organic.
PRODUCT USE:	Inorganic binder for concrete surface
MANUFACTURER'S PRODUCT CODE:	Not Applicable
CREATION DATE:	1 October 2018
REVISION DATE:	Before 1 October 2023

## SECTION 2 – HAZARDS IDENTIFICATION

AUSTRALIA:	This product is classified as a <b>NON-HAZARDOUS SUBSTANCE</b> according to the criteria of Safe Work Australia and in accordance with the GHS, and as a <b>NON-DANGEROUS GOOD</b> according to the Australian Dangerous Goods (ADG) Code.
Dangerous Goods:	Non- Dangerous.
Hazardous Classes & Categories:	Non-Hazardous, alkaline.
Physical:	Not Applicable
Health:	May cause slight skin irritation. May be slightly irritating to eyes.
Environmental:	Not Applicable.
Signal Word:	Not Applicable.
Hazard Statements:	Not Applicable.
Precautionary Statements:	Avoid personal contact, wear protective clothing. P264: Wash skin thoroughly after handling. P280: Wear eye protection/face protection.
Response:	P302 + P352: IF ON SKIN: Wash with plenty of soap and water P305 + P351: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332 + P313: If skin irritation occurs: Get medical advice/attention. P362: Take off contaminated clothing and wash before reuse.
Storage:	Not Applicable.
Disposal:	P501: Dispose of contents and container to appropriate waste site or reclaimer in accordance with local and national regulations.
Pictogram:	Not Applicable.



# X100 GREEN CURE SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107 v2a  
Date of Issue: 10 July 2018

## SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number	Proportion:
Silicates (Non-Hazardous)	Proprietary	10- <40% w/w
Other Ingredients (Non-Hazardous) Water	Proprietary	<10% w/w
Water	7732-18-5	to 100% w/w
Total		100% w/w

## SECTION 4 – FIRST AID MEASURES

Scheduled Poisons (AUSTRALIA):	Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons. (Phone Australia 13 11 26) or a doctor (at once).
Scheduled Poisons (NEW ZEALAND):	New Zealand National Poisons Centre can provide additional assistance for scheduled poisons. Phone 0800 POISON (or 0800 764 766) or a doctor (at once).
First Aid Facilities Required:	Eye wash fountains and a general washing facility should be easily accessible in the immediate work area.
Inhalation:	Remove victim immediately from source of exposure. Keep the affected person warm and at rest. Get prompt medical attention.
Ingestion (Swallowed):	If swallowed DO NOT induce vomiting. Immediately rinse out mouth with water. Never Give anything by mouth to an unconscious patient. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration into the lungs. Get to a doctor or hospital quickly.
Skin Contact:	Remove affected person from source of contamination. If skin or hair contact occurs, Remove contaminated clothing and flush skin and hair with running water. Get medical attention promptly if symptoms occur after washing.
Eye Contact:	Remove victim immediately from source of contamination. If in eyes, hold eyelids apart and flush the eye continuously with running water. Make sure to remove any contact lenses from the eyes before rinsing. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26 or New Zealand 0800 764 766) or a doctor, or for at least 15 minutes. Get medical attention immediately.
Advice to Doctor:	No specific antidote. Treat symptomatically. Poisons Information Centre in each Australian State capital city or New Zealand National Poisons Centre can provide additional assistance for scheduled poisons.

## SECTION 5 – FIRE FIGHTING MEASURES

Hazards from Combustion	
Products:	Product itself is not combustible.
Suitable Extinguishing Media:	Define extinguishing measures according to neighbouring conditions.
Precautions for Fire Fighting:	No Special protective equipment measures required.
Hazchem Code:	Not Applicable.
Flash Point:	Not Applicable.
Flammability:	Product is Non-flammable according to the Australian Code for the Transport of Dangerous Goods by Road and Rail and the New Zealand Standard NZS5433:2012 Transport of Dangerous Goods on Land. No special measures for fire and explosion protection. No dangerous decomposition products known.



# X100 GREEN CONCRETE CURE & HARDENER SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107  
Date of Issue: 10 July 2014

## SECTION 6 – ACCIDENTAL RELEASE MEASURES

Spills:	In case of spill, particular danger of slipping on leaked/spilled product. Isolate hazard area and deny entry.
Personal precautions:	Wear protective clothing as described in Section 8 of this safety data sheet.
Environmental Precautions:	Do not allow to enter drainage system, surface or ground water. In the event of product entering waters or drainage system, or polluting soil or plants contact the Environmental Protection Authority or your local Waste Management Authority.
Methods of cleaning up/of Removing:	DO NOT TOUCH SPILLED MATERIAL! Stop leak if possible without risk. Spilt material should be absorbed into dry, inert material (e.g. sand, vermiculite, diatomite, acid binders, universal binders, sawdust etc), which then can be put into appropriate labelled drums. The wasted material can be disposed of by incineration (preferably high temperature) by an approved agent according to State, territory and/or Local Government regulations.

## SECTION 7 – HANDLING AND STORAGE

Handling:	Avoid all personal contact, including skin and eye contact and contamination of clothing. Wear protective clothing when risk of exposure occurs. Avoid contact with incompatible materials. When handling DO NOT, eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use.
Information about Fire and Explosion Protection:	No special measures required.
Storage:	Store away from incompatible substances including acids and light alloys.
General:	Keep containers closed at all times.
Storage Class:	Corrosive Storage.
Requirements for Store Rooms And Receptacles:	Do not use light alloy receptacles.
Unsuitable Materials for Receptacles:	Aluminium, zinc, glass or ceramic.
Suitable Materials for Receptacles and Pipes:	Steel or stainless steel. Use polyolefin receptacles.
Storage Conditions:	Protect from frost.

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits (Australia):	National Occupational Exposure Limits, as published by Safe Work Australia:
Time weighted Average (TWA):	None established for product
Short Term Exposure Limit (STEL):	None established for product.
Exposure Limits (New Zealand):	Workplace Exposure Standards, as published by The Workplace Group of the Department of Labour New Zealand:
Time weighted Average (TWA):	None established for product
Short Term Exposure Limit (STEL):	None established for product.



# X100 GREEN CONCRETE CURE & HARDENER SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107  
Date of Issue: 10 July 2014

## SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION – continued

Engineering Controls:	Product is recommended to be applied using a spray apparatus. In outdoor application no special ventilation or breathing equipment is required. If applied indoors, extra mechanical ventilation may be required to facilitate more comfortable breathing and minimize the risk of inhalation of vapours.
Personal Protection:	<u>General protective &amp; hygiene measures:</u> DO NOT SMOKE IN WORK AREA! The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Avoid contact with the eyes and skin. When using do not eat, drink or smoke. Wash hands before break, at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.
Personal Protection:	<u>Respiratory protective equipment:</u> No specific recommendation made, but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists. <u>Eye protection:</u> The use of face shield protection is recommended to avoid airborne particles contacting eyes and skin during spraying. Otherwise, the use of chemical goggles or safety glasses with side shield protection is recommended. <u>Hand protection:</u> If risk of skin contact, alkaline resistant gloves (e.g. Butyl, Natural rubber latex with small amount of polychloroprene latex, polychloroprene, nitrile, polyvinyl chloride or PVC, polyvinyl alcohol or PVAL gloves complying with AS 2161 are recommended. <u>Clothing:</u> Suitable protective clothing to prevent any possibility of skin contact.

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Low viscosity greenish transparent liquid.
Odour:	Almost none.
Odour threshold:	Not available.
pH:	Ca. 11.3
Melting Point/Freezing Point:	Not available.
Initial Boiling Point/ Boiling Range:	>100°C @ 760 mm Hg.
Flashpoint:	Not applicable.
Evaporation Rate:	Not available.
Flammability (solid,gas):	Not applicable.
Upper/Lower Flammability or Explosive limits:	Not applicable.
Vapour Pressure:	Not available.
Vapour Density:	Not available.
Relative Density:	Ca. 1.08 @ 20°C
Solubility:	Fully miscible in water
Partition coefficient n-octanol/water:	Not available.
Auto-ignition Temperature:	Product is not self-igniting
Decomposition Temperatures:	Not applicable.
Viscosity:	Low.
Volatile Organic Compounds: (VOC) Content	>0.0% w/w
Per Cent Volatile:	Ca. 0% w/w



# X100 GREEN CONCRETE CURE & HARDENER SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107  
Date of Issue: 10 July 2014

## SECTION 10 – STABILITY AND REACTIVITY

Chemical Stability:	Stable at normal temperatures and pressure.
Thermal Decomposition:	No decomposition if used according to specifications.
Dangerous Reactions:	Strong exothermic reaction with acids. Reacts with light alloys to form Hydrogen
Conditions to Avoid:	Avoid contact with incompatible materials.
Materials to Avoid:	Acids, light alloys.
Hazardous Decomposition Products:	No dangerous decomposition products known.

## SECTION 11 – TOXICOLOGICAL INFORMATION

Health Effects:	
Acute:	
General:	Alkaline product.
Acute toxicity Data (Oral):	No data for product. On basis of ingredients, calculated acute toxicity for Product LD50 (oral, rat) > 2000 mg/kg
Acute toxicity Data (Dermal):	No data for product. On basis of ingredients, calculated acute toxicity for Product LD50 (dermal) > 2000 mg/kg
Acute toxicity Data (Inhalation):	No data for product.
Skin corrosion/irritation:	Irritating to eyes.
Respirator or skin sensitisation:	No sensitizing effects know.
Carcinogenicity:	No data for product.
Reproductive Toxicity:	No data for product.
Specific Target Organ Toxicity (STOT) – Single exposure:	No data for product.
Specific Target Organ Toxicity (STOT) – Repeated exposure:	No data for product.
Aspiration Hazard:	No data for product.
Chronic toxicity Data:	No data for product.

## SECTION 12 – ECOLOGICAL INFORMATION

Fish Toxicity:	None available for product.
Algae Toxicity:	None available for product.
Invertebrates Toxicity:	None available for product.
Toxicity to Microorganisms:	None available for product.
OECD Biological Degradation:	None available for product.
Information about Elimination (Persistence & degradability):	None available for product.
Bioaccumulative Potential:	No data available for product, on basis of ingredients not expected to be Bioaccumulative.
Behaviour in Sewage:	The product is an alkaline solution. Neutralization is normally necessary before waste water is discharged into sewage treatment plants.
General:	Not regarded as dangerous for the environment. Product is fully miscible with water.



# X100 GREEN CONCRETE CURE & HARDENER SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107  
Date of Issue: 10 July 2014

## SECTION 13 – DISPOSAL CONSIDERATIONS

Product:	Recommended that it can be disposed of with rubble after solidification following consultation with the waste disposal facility operator according to State, Territory and/or local government regulations, pertinent authorities and adhering to the necessary technical regulations.
Uncleaned Packaging:	Recommended to be disposed of according to official regulations. Recommended cleansing agent is water, if necessary with cleansing agents.

## SECTION 14 – TRANSPORT INFORMATION

General:	This material is a Non-Dangerous Good according to the Australian Code for The Transport of Dangerous Goods by Road and Rail and the Land Transport Rule: Non-Dangerous Goods 2005 (New Zealand).
UN Number:	Not Applicable.
UN Proper Shipping Name:	Not Applicable.
ADG Class:	Not Applicable.
Packing Group:	Not Applicable.
HAZCHEM Code:	Not Applicable.
IERG:	Not Applicable.

## SECTION 15 – REGULATORY INFORMATION

General:	No Poisons Schedule number allocated.
AICS:	All ingredients present on AICS.
HSNO:	This product is classified as NON-HAZARDOUS according to the New Zealand Hazardous Substances (Minimum Degrees of Hazard) Regulations 2001 with EPA (formally ERMA) Register Approval Number HSR002670 and HSNO Group Standard: Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2006.
NZIoC:	All ingredients present on NZIoC.

## SECTION 16 – OTHER INFORMATION

Acronyms and Comments:	
ADG Code:	Australian Code for the Transport of Dangerous Goods by Road and Rail.
AICS:	Australian Inventory of Chemical Substances.
CAS Number:	Chemical Abstracts Service Registry Number.
EPA:	The Environmental Protection Authority (EPA) in New Zealand is responsible for national environmental regulatory functions currently spread across government. It processes matters of national significance under the Resource Management Act, undertakes all functions under the HSNO Act, undertakes Permitting functions relating to the import and export of hazardous waste, and advises on the development of National Environmental Standards.
ERMA:	Environmental Risk Management Authority in New Zealand, now replaced by EPA.
HAZCHEM:	An emergency action code of numbers and letters which gives information to emergency services.



# X100 GREEN CONCRETE CURE & HARDENER SAFETY DATA SHEET

OXTEK AUSTRALIA PTY LTD  
Document Number 107  
Date of Issue: 10 July 2014

## SECTION 16 – OTHER INFORMATION continued

HSNO:	The Hazardous Substances and New Organisms Act in New Zealand is administered by the EPA and covers all Hazardous Substances and New Organisms.
IERG:	Dangerous Goods Initial Emergency Response Guide (SAA/SNZ HB 76:2010) Standards New Zealand handbook).
NZS:	New Zealand Standards which are available from SAI Global Limited, Information Services, GPO Box 5420, Sydney NSW 2001.
Safe Work Australia:	Safe Work Australia was formerly the Australian Safety and Compensation Council which included the National Occupational Health and Safety Commission (NOHSC).
SDS:	Safety Data Sheet.
STEL:	Exposure standard – Short term exposure limit, a 15 minute TWA exposure which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures and the STEL. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.
SUSMP:	Standard for the Uniform Scheduling of Medicines and Poisons.
TWA:	Exposure standard – time-weighted average, the average airborne concentration of a particular substance when calculated over a normal eight hour working day, for a five=day working week.
UN Number:	United Nations Number.
Issue Date:	10 July 2018
Supersedes Issue Date:	New Issue.
Revision Information:	New Issue.
Contact Point:	Regulatory Affairs Manager.
Telephone:	(+61 3) 9587 1377 (Australia)
Note:	Safety Data Sheets are updated frequently. Please ensure that you have a current Copy.
Disclaimer:	This SDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product and in particular how to safely handle and use this product in the workplace. Since Oxtek Australia Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace. This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.
Copyright Notice:	This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from OXTEK AUSTRALIA Pty Ltd TEL (61+ 3) 9587 1377. © Oxtek Australia Pty Ltd 2018 Issue Date: 10 July 2018, Print Date 10 July 2018.