Printing date 13.11.2009 Version No. 1 Revision: 13.11.2009

1 Identification of the substance/preparation and of the company/undertaking

· Product details

· Trade name: Magic Oil 2K Update (A)

· Application of the substance / the preparation

High-Solid 2-Component Parquet Oil

Component A

· Manufacturer/Supplier:

JP Coatings GmbH

Im Kreuz, 6

D-97076 Würzburg

Tel. +49 (0)931-27964-0

Fax + 49(0)931 - 27964 - 50

· Further information obtainable from:

Products Development Lab

 $E\hbox{-}Mail: msds.info@uzin\hbox{-}utz.com$

 $\cdot \textit{Information in case of emergency:} \\$

Medical emergencies: +49 30 30 686 790 Transportation emergencies: +49 621 60 43 333

2 Hazards identification

- · Hazard description: Not applicable.
- · Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

· Additional information:

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! (see chapt. 5, 6, 10, 13).

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components: Void

4 First-aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.

5 Fire-fighting measures

· Suitable extinguishing agents:

*CO*₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: No special measures required.
- · Additional information

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! Moisten cloths, pads etc. thoroughly with water and store or dispose of in tightly sealed containers.

Printing date 13.11.2009 Version No. 1 Revision: 13.11.2009

Trade name: Magic Oil 2K Update (A)

(Contd. of page 1)

6 Accidental release measures

- · Person-related safety precautions: Not required.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Additional information:

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! Moisten cloths, pads etc. thoroughly with water and store or dispose of in tightly sealed containers.

7 Handling and storage

- · Handling:
- · Information for safe handling:

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

· Information about fire - and explosion protection:

No special measures required.

However, observe danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! (see chapt. 5, 6, 10, 13).

- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



PVC or PE gloves

- · Material of gloves PVC or PE gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

· General Information

Form: Fluid

(Contd. on page 3)

Printing date 13.11.2009 Version No. 1 Revision: 13.11.2009

Trade name: Magic Oil 2K Update (A)

	(Contd. of page 2)	
Colour: Odour:	Different according to colouring Weak, characteristic	
Change in condition Melting point/Melting range: Boiling point/Boiling range:		
· Flash point:	> 100°C	
· Self-igniting:	Product is not selfigniting. However, observe danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! (see chapt. 5, 6, 7, 10, 13).	
· Danger of explosion:	Product does not present an explosion hazard.	
· Density at 20°C:	ca. 0.95 g/cm³	
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Dangerous reactions

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! Moisten cloths, pads etc. thoroughly with water and dispose of in tightly sealed containers.

· Dangerous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

12 Ecological information

· General notes: Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Danger of spontaneous combustion on contact of the product with pads, textile materials or polishing dust! Moisten cloths, pads etc. thoroughly with water and dispose of in tightly sealed containers.

Do not allow product to reach sewage system.

(Contd. on page 4)

Printing date 13.11.2009 Version No. 1 Revision: 13.11.2009

Trade name: Magic Oil 2K Update (A)

(Contd. of page 3)

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product is not subject to the labelling requirements under EU Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations).

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Product safety department
- · Contact:

Dr. M. Zieger, phone +49 (0)731 4097 207

E-Mail: msds.info@uzin-utz.com

GB

I Identification of the substance/preparation and of the company/undertaking

- · Product details
- · Trade name: Magic Oil 2K Update (B)
- · Application of the substance / the preparation

High-Solid 2-Component Parquet Oil

Component B

· Manufacturer/Supplier:

JP Coatings GmbH

Im Kreuz 6

D-97076 Würzburg

Tel. +49 (0)931-27964-0

Fax + 49(0)931 - 27964 - 50

· Further information obtainable from:

Products Development Lab

E-Mail: msds.info@uzin-utz.com

· Information in case of emergency:

Medical emergencies: +49 30 30 686 790 Transportation emergencies: +49 621 60 43 333

2 Hazards identification

· Hazard description:



Xi Irritant

· Information concerning particular hazards for human and environment:

R 43 May cause sensitisation by skin contact.

Contains isocyanates. See information supplied by the manufacturer

3 Composition/information on ingredients

- · Chemical characterization
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

28182-81-2 1,6-Hexamethylene diisocyanate homopolymer

Xi; R 43-52/53

75-100%

· Additional information: For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not induce vomiting; call for medical help immediately.

5 Fire-fighting measures

· Suitable extinguishing agents:

*CO*₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Protective equipment: Mouth respiratory protective device.

GB

Printing date 02.10.2009 Version No. 1 Revision: 02.10.2009

Trade name: Magic Oil 2K Update (B)

(Contd. of page 1)

6 Accidental release measures

- · Person-related safety precautions: Wear protective equipment. Keep unprotected persons away.
- · Measures for environmental protection: Do not allow to enter sewers/ surface or ground water.
- · Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

7 Handling and storage

- · Handling:
- · Information for safe handling:

Avoid contact with the eyes and skin.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

- · Information about fire and explosion protection: No special measures required.
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Personal protective equipment:
- · General protective and hygienic measures:

Avoid contact with the eyes and skin.

Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used.

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:



PVC or PE gloves

- · Material of gloves PVC or PE gloves
- · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

· General Inform	atıon
------------------	-------

Form: Fluid Colour: Yellowish

Odour: Weak, characteristic

(Contd. on page 3)

Trade name: Magic Oil 2K Update (B)

		(Contd. of page 2)
· Change in condition Melting point/Melting range: Boiling point/Boiling range:		
· Flash point:	180°C	
· Danger of explosion:	Product does not present an explosion hazard.	
· Vapour pressure at 50°C:	0.0001 hPa	
· Density at 20°C:	1.14 g/cm³	
· Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Viscosity: Kinematic at 20°C:	150 mPas	

10 Stability and reactivity

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Materials to be avoided: Uncontrolled exothermic reactions occur with amines and alcohols.
- · Dangerous reactions

May produce violent reactions with bases and numerous organic substances including alcohols and amines. The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.

· Dangerous decomposition products:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

11 Toxicological information

- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritant effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability.

12 Ecological information

· General notes: Do not allow product to reach ground water, water course or sewage system.

13 Disposal considerations

- . Product
- · Recommendation Do not allow product to reach sewage system.

(Contd. on page 4)

Printing date 02.10.2009 Version No. 1 Revision: 02.10.2009

Trade name: Magic Oil 2K Update (B)

(Contd. of page 3)

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14 Transport information

- · Land transport ADR/RID (cross-border)
- · ADR/RID class:
- · Maritime transport IMDG:
- · IMDG Class:
- · Marine pollutant: No
- · Air transport ICAO-TI and IATA-DGR:
- · ICAO/IATA Class: -
- · Transport/Additional information: Not dangerous according to the above specifications.

15 Regulatory information

· Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:

Xi Irritant

· Hazard-determining components of labelling:

1,6-Hexamethylene diisocyanate homopolymer

· Risk phrases:

43 May cause sensitisation by skin contact.

- · Safety phrases:
- 2 Keep out of the reach of children.
- 24/25 Avoid contact with skin and eyes.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- After contact with skin, wash immediately with plenty of soap and water.
- 37/39 Wear suitable gloves and eye/face protection.
- · Special labelling of certain preparations:

Contains isocyanates. See information supplied by the manufacturer

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant R-phrases
- 43 May cause sensitisation by skin contact.
- 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- · Department issuing MSDS: Product safety department
- · Contact:

Dr. M. Zieger, phone +49 (0)731 4097 207

E-Mail: msds.info@uzin-utz.com