
Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021



Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. A

(Contd. of page 1)

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 1344-09-8 EINECS: 215-687-4		🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	75-100%
CAS: 107-21-1 EINECS: 203-473-3	ethanediol	♦ Acute Tox. 4, H302	1-<3%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*
- *After swallowing:* Do not induce vomiting; call for medical help immediately.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- Also observe the safety data sheet of component B.

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- *CO₂* powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Wear suitable protective clothing, gloves and eye/face protection. Immediately remove all soiled and contaminated clothing

(Contd. on page 3)

NZ

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. A

(Contd. of page 2)

Avoid contact with the eyes and skin.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Also observe the safety data sheet of component B.

· Information about fire - and explosion protection: No special measures required.

· Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· Control parameters

Ingredients with limit values that require monitoring at the workplace: CAS: 107-21-1 ethanediol		
IOELV (EU)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin	

· Exposure controls

· Personal protective equipment:

- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin.

Wear suitable protective clothing, gloves and eye/face protection.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Also observe the safety data sheet of component B.

· Respiratory protection:

Not necessary. Ensure that room is well-ventilated during processing. Respiratory protection required in insufficiently ventilated working areas. An air-fed mask, or for short periods of work, a combination of charcoal filter and particulate filter is recommended (A2-P2).

· Protection of hands:



Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (EN 374)

· Material of gloves

Butyl rubber, BR Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.5 mm

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

NZ

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

(Contd. of page 3)

Trade name: UZIN KR 516 Comp. A

• Eye protection:



Tightly sealed goggles or face protection (EN 166)

9 Physical and chemical properties

· Information on basic physical and chem	ical properties
· General Information	
· Appearance:	
Form:	Fluid
Colour:	Colourless
· Odour:	Light
· Odour threshold:	Not determined.
· pH-value at 20 °C:	~11
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	: Undetermined.
· Flash point:	>100 °C
· Flammability (solid, gas):	Not applicable.
• Decomposition temperature:	Not determined.
• Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product does not present an explosion hazard.
• Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.48 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic at 20 °C:	270 mPas
Kinematic:	Not determined.
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 5)

NZ

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

(Contd. of page 4)

Trade name: UZIN KR 516 Comp. A

• Hazardous decomposition products: No dangerous decomposition products known.

• Additional information: Also observe the safety data sheet of component B.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 1344-09-8 Silicic acid, sodium salt

Oral LD50 3,400 mg/kg (rat)

Dermal LD50 5,000 mg/kg (rat)

· Primary irritant effect:

- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.

· Additional toxicological information: Also observe the safety data sheet of component B.

12 Ecological information

· Toxicity

• Aquatic toxicity:

CAS: 1344-09-8 Silicic acid, sodium salt

LC50/96h 1,108 mg/l (Danio rerio)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

• Additional ecological information:

· General notes: Do not allow product to reach ground water, water course or sewage system.

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Do not allow product to reach sewage system. Mix both product components, allow to harden, then dispose of as construction waste. Disposal should be in accordance with local, state or national legislation.

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

14 Transport information

· UN-Number

· ADR, ADN, IMDG, IATA

Void

(Contd. on page 6)

NZ

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. A

	(Contd. of page 5
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
· Environmental hazards: · Marine pollutant:	No
Special precautions for user	Not applicable.
• Transport in bulk according to Annex II og and the IBC Code	f Marpol Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• New Zealand Inventory of Chemicals

All ingredients are listed.

· HSNO Approval numbers

CAS: 107-21-1 ethanediol

• GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Warning

- Hazard statements
- Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 7)

NZ

HSR001534

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. A

(Contd. of page 6)

* Data compared to the previous version altered.	
<i>Eye Irrit. 2. Skin corroston/irritation – Category 2</i> <i>Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A</i>	
Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2	
PvB: very Persistent and very Bioaccumulative	
PBT: Persistent, Bioaccumulative and Toxic	
LD50: Lethal dose, 50 percent	
LC50: Lethal concentration, 50 percent	mour society)
ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Cher	mical Society)
EINECS: European Inventory of Existing Commercial Chemical	Substances
ATA: International Air Transport Association	
MDG: International Maritime Code for Dangerous Goods	
International Carriage of Dangerous Goods by Road)	
Abbreviations and acronyms: 4DR: Accord relatif au transport international des marchan	dises dangereuses par route (European Agreement Concerning th
E-Mail: walter.kuch@uzin-utz.com	
Mobile: +64 21 933 780	
Walter Kuch	
Contact:	
•	
H319 Causes serious eye irritation.	
H315 Causes skin irritation.	
H302 Harmful if swallowed.	
Relevant phrases	

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

1 Identification of the substance or mixture and of the supplier · Product identifier • Trade name: UZIN KR 516 Comp. B • Relevant identified uses of the substance or mixture and uses advised against No special requirements. · Sector of Use For professional use only. • Application of the substance / the mixture 2-Component Silicate Resin (component B) · Details of the supplier of the safety data sheet · Manufacturer/Supplier: Uzin Utz South Pacific Ltd. PO Box 426 Whangaparaoa 0943 New Zealand Telephone: +64 21 933780 Telefax: +64 94 281643 E-Mail: sp@uzin-utz.com • Further information obtainable from: Sales Department · Emergency telephone number: Poison Information Service: New Zealand: 0800 POISON (0800 764 766) **2** Hazards identification · Classification of the substance or mixture health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 2 H351 Suspected of causing cancer. STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure. Acute Tox. 4 H332 Harmful if inhaled. Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation. · Label elements GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). · Hazard pictograms GHS07 GHS08 · Signal word Danger · Hazard-determining components of labelling: Diphenylmethanediisocyanate, isomeres and homologues · Hazard statements Harmful if inhaled. Causes skin irritation. Causes serious eye irritation.

(Contd. on page 2)

NZ

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. B

(Contd. of page 1)
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause an allergic skin reaction.
Suspected of causing cancer.
May cause respiratory irritation.
May cause damage to organs through prolonged or repeated exposure.
Precautionary statements
Obtain special instructions before use.
Wear protective gloves / eye protection / face protection.
IF ON SKIN: Wash with plenty of soap and water.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to
do. Continue rinsing.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
Other hazards
Results of PBT and vPvB assessment
DPT. Not applicable

• *PBT:* Not applicable. • *vPvB:* Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:

CAS: 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335

75-100%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- *After swallowing:* Do not induce vomiting; call for medical help immediately.

• Information for doctor:

- · Most important symptoms and effects, both acute and delayed
- Allergic reactions
- Asthma attacks

• *Indication of any immediate medical attention and special treatment needed Also observe the safety data sheet of component A.*

(Contd. on page 3)

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. B

(Contd. of page 2)

5 Fire fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂ powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

- Wear suitable protective clothing, gloves and eye/face protection. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. Keep away from foodstuffs, beverages and feed. Persons with a history of asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this preparation is used. Wash hands before breaks and at the end of work. Information about fire - and explosion protection: No special measures required.
- Information about fire and explosion protection: No special measures req
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Keep container tightly sealed.

Protect from humidity and water.

- Once opened unfinished quantities must be stored in airtight packaging conditions.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

(Contd. on page 5)

NZ

Trade name: UZIN KR 516 Comp. B

Control parameters	(Contd. of page
	values that require monitoring at the workplace:
-	enylmethanediisocyanate, isomeres and homologues
WES (New Zealand) S	Short-term value: 0.07 mg/m ³
	Long-term value: 0.02 mg/m ³
C	us -NCO; vapours, mist, dust; dsen, rsen
Exposure controls	
Personal protective eq	uipment:
General protective an	
	Il soiled and contaminated clothing
Avoid contact with the	
	ve clothing, gloves and eye/face protection.
	tuffs, beverages and feed.
	of asthma, allergies, chronic or recurrent respiratory disease should not be employed
in any process in whic	h this preparation is used.
	eaks and at the end of work.
Respiratory protection	
	that room is well-ventilated during processing.
	n required in insufficiently ventilated working areas. An air-fed mask, or for sho
	ibination of charcoal filter and particulate filter is recommended (A2-P2).
Protection of hands:	
Use gloves 374)	of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability (E
	ss of the material: $\geq 0.5 \text{ mm}$
observed.	gh time has to be found out by the manufacturer of the protective gloves and has to b
Eye protection:	
Tightly sea	led goggles or face protection (EN 166)
Physical and chen	nical properties
Information on basic	physical and chemical properties
General Information	projecta una chemica properates
Appearance:	
Form:	Fluid
Colour:	Brown
Odour:	Light
Odour threshold:	Not determined.
pH-value:	Not determined.
-	
Change in condition Melting point/freezi	ng point: Undetermined.
	and boiling range $> 200 ^{\circ}C$

Initial boiling point and boiling range: >200 °C

· Flash point:

>100 °C

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. B

		(Contd. of page
Flammability (solid, gas):	Not applicable.	
Ignition temperature:	>400 °C	
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density at 20 °C:	1.1 g/cm ³	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic at 20 °C:	160 mPas	
Kinematic:	Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- From approx. 260° C, polymerization and separation of CO_2 .
- · Possibility of hazardous reactions

May produce violent reactions with bases and numerous organic substances including alcohols and amines. The product reacts slowly with water resulting in evolution of carbon dioxide. In closed containers, pressure build up could result in distortion, blowing and in extreme cases bursting of the container.

• Conditions to avoid Avoid heating to above 40°C and cooling to below 10°C.

• Incompatible materials:

Uncontrolled exothermic reactions occur with amines and alcohols.

- During storage, avoid moisture contamination.
- · Hazardous decomposition products:

In a fire, hazardous decomposition products such as smoke, carbon monoxide, carbon dioxide, oxides of nitrogen, hydrogen cyanide, monomer isocyanates, amines and alcohols may be produced.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

· LD/LC50 values relevant for classification:

CAS: 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

Dermal LD50 >9,000 mg/kg (rat) (OECD 404)

Inhalative LC50/4 h 0.49 mg/l (rat) (OECD 403)

(Contd. on page 6)

NZ

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. B

(Contd. of page 5)

• Primary irritant effect:

· Skin corrosion/irritation Irritant to skin and mucous membranes.

• Serious eye damage/irritation Irritating effect.

· Respiratory or skin sensitisation

Sensitisation possible through inhalation. Sensitisation possible through skin contact.

• Additional toxicological information:

Based on the properties of the isocyanate components and considering toxicological data on similar preparations, this preparation may cause acute irritation and/or sensitization of the respiratory system leading to an asthmatic condition, wheeziness and a tightness of the chest. Sensitized persons may subsequently show asthmatic symptoms when exposed to atmospheric concentrations well below the OEL. Repeated exposure may lead to permanent respiratory disability. Carcinogenic.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Diphenylmethane-diisocyanate, isomers and homologues

Carcinogenicity: May cause cancer by inhalation. On the basis of these data classification as carcinogenic is therefore required (H351).

Mutagenicity: In vitro and in vivo tests did not show mutagenic effects.

Teratogenicity: Did not show teratogenic effects in animal experiments.

Reproductive toxicity/Fertility: Based on available data, the classification criteria are not met.

Carc. 2

12 Ecological information

· Toxicity

- Aquatic toxicity:
- CAS: 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues
- LC50/96h >1,000 mg/l (Danio rerio)
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes: Do not allow product to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

- · Recommendation
- Do not allow product to reach sewage system.
- Mix both product components, allow to harden, then dispose of as construction waste. Disposal should be in accordance with local, state or national legislation.
- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 7)

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. B

(Contd. of page 6)

Transport information	
· UN-Number · ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· Packing group · ADR, IMDG, IATA	Void
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of and the IBC Code	f Marpol Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications. Avoid heating to above 40°C and cooling to belov 10°C.
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

· HSNO Approval numbers

CAS: 9016-87-9 Diphenylmethanediisocyanate, isomeres and homologues

HSR003222

· GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labelling: Diphenylmethanediisocyanate, isomeres and homologues
Hazard statements Harmful if inhaled. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Suspected of causing cancer. May cause respiratory irritation. May cause damage to organs through prolonged or repeated exposure.
Precautionary statements Obtain special instructions before use.

(Contd. on page 8)

Printing date 14.07.2021

Version No. 3

Revision: 14.07.2021

Trade name: UZIN KR 516 Comp. B

(Contd. of page 7) *Wear protective gloves / eye protection / face protection.* IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

· Recommended restriction of use For professional use only.

· Contact:

Walter Kuch Mobile: +64 21 933 780 E-Mail: walter.kuch@uzin-utz.com

· Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 *Eye Irrit. 2: Serious eye damage/eye irritation – Category 2* Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

• * Data compared to the previous version altered.