GILT EDGE INDUSTRIES LIMITE

ON THE FLOOR LATEST NEWS - NEW RELEASES - SPECIAL DEALS

<u> APRIL - JUNE 202</u>1

FROM THE DESK:

Dear Clients ,

We are pleased to announce the recent launch of our new website. Using a mobile phone user friendly platform the site has been designed with a more simple and interactive view of our product range including detailed descriptions, technical data as well as informative videos for a number of products. Information at your fingertips! We trust you'll find it easier to navigate and a benefit to you and your business. www.giltedge.co.nz

The April – June quarter contains some great promotional deals for our carpet layer and floor prep clients . We've been selling the Seamer Down for

13 years now, it has a loyal following amongst many carpet layers as a must have tool to help produce perfect carpet seams. New stock has just arrived and available from our eleven trade depots. Our S14 Dust Extractor price drops significantly with some useful add ons free of charge. Plus a free pair of our most popular knee pads with every purchase of a Crain Kneekicker or Iron.

We are also pleased to welcome Steve Robinson to our Auckland based sales team . Steve has significant experience in the flooring industry both at the sales and installation level having previously been with a competitor . Steve will be managing our large Auckland Commercial Client Accounts in addition to our Pallmann Timber Flooring client base.

Best regards Chris Dickey Managing Director

Congratulations to Dave, Emma and the team DC Flooring Services, Christchurch, winners of our Website Launch Celebration. Your champagne is on its way!!!

NEW UZIN NC182 RAPID SET REPAIR MORTAR

Uzin NC182 Rapid Set repair mortar has been a highly successful mainstay of the Uzin range in the global market. Through 2020, our technical department in Germany set out to refine the product further and provide advancements relating to usability and function.

Uzin NC182 "New" Rapid set repair mortar now allows the installer to re-activate by simply re-stirring thickened product in the pail with a power mixer to recreate it to the original thinner consistency. Additionally, Uzin NC182 "New" Rapid Set repair mortar has a greater tolerance to residual substrate moisture levels therefore allows for substrate patching to take place prior to the application of Uzin PE460 2-part epoxy moisture barrier.

Uzin NC182 "New" continues to be ready for covering after 60 minutes as per the original NC182 product.

Key features:

- Simpler consistency setting.
- Easier hand mixing of partial quantities.
- Easier application.
- Mixed product can be reactivated by restirring.
- Superior finishing properties when smoothing off.
- Resistant to elevated substrate moisture levels.

Product Packaging Identification: Old Packaging. New Packaging.







S14 DUST EXTRACTOR

The Holer S14 is a light and versatile dust extractor with one motor and HEPA filter. It can be connected straight to your hand-held grinder and is also suitable for general clean-up.



International dust standard H

[⊐]]]]

1 HEPA H 13 filter



1 motor / 1 switch 230 V | 5 A | 1260 W



220 mbar 210 m³/ h



Hose / cuff: ID38 mm



leler PE 8m 30 kg L x W x H: 420 x 680 x 1,100 mm

Normally \$1950.00 NOW ONLY \$1699.00

Receive FREE a Crain 375 Scraper and

Holer Tape Measure

CODE: HOERM-S14

Price is ex Gilt Edge Depot. Freight may apply if shipped. Please consult your Gilt Edge Rep.

CRAIN SUPER DEAL Buy a Crain 907 Iron or a Crain 505 Kneekicker

and receive a pair of 197 Knee Pads FREE!!!







SEAMER DOW



Sucks the thermoplastic up into the backing. Power stretch carpet immediately.

- Solution to carpet fibre blooming.
- Moisture instantly taken out of seam.

Wolff Undercut Door Case Saw



To cut door frames, door cases and skirting to size accurately. To cut parquet and laminate floor edges after laying.

- Simple continuous height and depth adjustment: Height 25mm, Depth 50mm
- 1.01 kW motor for more power
- Includes HM long life saw blade
- 6000 rpm

S2255.00

Code: W16927

IOW IN Powerful 2 HP motor OCK CODE:SDPROTOOL **COMMERCIAL PROJECT HIGHLIGHTS** Selwyn Heights Dementia Annex Project

Gilt Edge Protect Crete Concrete Treatment

Project: Protect Crete X263 Medi-Vet Repeller application.

Archimedia Architects required a robust and innovative concrete protective treatment for the new dementia annex to stop the build up of subfloor contamination odour. They chose a total all in one solution application from Protect Crete NZ which is easily applied at time of concrete pour (as soon as the concrete is trafficable.) Project team ASPEC employees were trained in correct application on site by Gilt Edge technical consultant Ian Williams.

X263 Medi-Vet[®] Repeller is a single pack one application spray on system that deeply penetrates new or existing clean concrete, permanently filling the concretes porosity, provides curing, waterproofing, and deep matrix resistance to bacteria, mould and fungi. X263 Medi-Vet[®] Repeller with SteriTouch[®] has independent antimicrobial testing showing complete protection against E.coli and Methicillin Resistant Staphylococcus aureus. The added X300 Repeller™ provides surface protection and ease of cleaning against acids, oils, water based stains, chemicals, body fluids, wine, grease and others. conforms to the moisture suppressant requirements as per NZAS1884-2013 and achieves the cure requirements of NZS 3109:1997 and NZS 3101:Part 1:2006.

X263 Medi-Vet® Repeller means that there is total subfloor protection during the build as well. This makes the project build easier and there is no need for topical water based membrane applications, required in assisted care environments, to protect the subfloor prior to top flooring category installation. This is a smarter way to build for all healthcare and aged care sector construction in New Zealand.

All Protect Crete Concrete Treatments can be specified using Gilt Edge Masterspec section:


3124GE GILT EDGE CONCRETE CURE, HARDENER, MOISTURE CONTROL & PROTECTION. For Technical assistance contact Ian Williams 0274 364 642.



NEW SIZE ADDED TO FLOATING FLOOR RANGE OF TRIMS

Designed for use with Laminate and Engineerer Timber Floors. Available in Matt Silver, Matt Black and Champagne. Trim length 2.5metre.

Floating Floor Box Edging




20mm

30mm

12.5mm

14.9mm

New Size 12.5mm SKU: 6106B12.5mm - Matt Black SKU: 6106C12.5mm - Champagne SKU: 6106S12.5mm - Matt Silver



All promotional pricing excludes GST and is nett of any further discounts. Some promotional items may have quantity limits. No refunds or credits accepted on end of line stock clearances and promotional deals .

