



ON THE FLOOR

LATEST NEWS - NEW RELEASES - SPECIAL DEALS

FEBRUARY-APRIL 2023

FROM THE DESK:

Dear Clients ,

Welcome to 2023 – we hope you’ve had a relaxing and enjoyable Christmas Holiday.

We’re thrilled to announce below, details on our new Hamilton Trade Depot which gives us greatly improved scope to service the Waikato market. It looks great thanks to a big effort from our team.

Our new Uzin Timber Flooring System is detailed on page 2. Please view TDS details on our website or discuss with your account manager.

We continue to listen to you and introduce on page 3 three new hybrid / timber trims. Pricing and availability will be confirmed imminently.

With several years of upward price pressure we continue to look for quality lower cost alternatives. Our C10-47 jamb saw blade was introduced last October with positive feedback and strong sales to date. See our page 4 promotion deal which offers even greater savings.

Best regards
Chris Dickey
Managing Director

GILT EDGE OPENS NEW HAMILTON DEPOT 59 KILLARNEY RD, FRANKTON.



- Better location
- More parking
- Bigger, brighter premises, stocking larger range and more products

MYSTERY PRIZE GIVEAWAYS

The first 12 clients to email fiona@giltedge.co.nz with the message "Please send me a free gift" and including their delivery address will receive a **MYSTERY FREE GIFT PLUS** go into the draw to win a quality Crain Tool to the value of \$300.

Terms - one entry per client.

THE ULTIMATE TIMBER FLOORING SYSTEM.

UZIN PE 414 Single component PU moisture barrier.
UZIN MK 95 PU Adhesive.

**SPEED,
STRENGTH,
DEPENDABILITY**



UZIN PE 414 BiTurbo - 1 Component PUR Rapid Primer

Fast and reliable priming

One-component reactive resin primer for wood flooring and floor covering work.

No mixing, fast, high coverage, reliable.

Applications:

- On dense or absorbent substrates
- On moisture sensitive substrates

Product code: UZ414



UZIN MK 95 1 Component PUR Wood Flooring Adhesive Hard-elastic reliable adhesion of wood flooring

Hard elastic, slightly foaming adhesive for large-format wood flooring with tongue and groove.

Applications:

- Solid wood and / or wood block flooring 15 -22mm, ready to traffic after approx. 12 hours

Product code UZMk95

THESE FLOATING FLOOR / TIMBER HYBRID TRIMS ARE PROVING EXTREMELY POPULAR

FLOATING FLOOR BOX EDGING

FLOATING FLOOR BOX EDGE 5.5mm – 2.5mtr length

6100B5.5mm	Matt Black
6100C5.5mm	Champagne
6100S5.5mm	Matt Silver

FLOATING FLOOR BOX EDGE 8mm – 2.5mtr length

6101B8.0mm	Matt Black
6101C8.0mm	Champagne
6101S8.0mm	Matt Silver

FLOATING FLOOR BOX EDGE 10mm – 2.5mtr length


6102B10.0mm	Matt Black
6102C10.0mm	Champagne
6102S10.0mm	Matt Silver

FLOATING FLOOR BOX EDGE 12.5mm – 2.5mtr length

6106B12.5mm	Matt Black
6106C12.5mm	Champagne
6106S12.5mm	Matt Silver

FLOATING FLOOR BOX EDGE 15mm – 2.5mtr length

6103B15.0mm	Matt Black
6103C15.0mm	Champagne
6103S15.0mm	Matt Silver



TIMBER ANGLE END

TIMBER ANGLE END 8mm – 2.5mtr length

6104B8mm	Matt Black
6104C8mm	Champagne
6104S8mm	Matt Silver

TIMBER ANGLE END 13mm – 2.5mtr length

6105B13mm	Matt Black
6105C13mm	Champagne
6105S13mm	Matt Silver

Reversible Timber Trim 15mm – 2.44mtr

4368	Silver
------	--------



HYBRID TRIMS

Hybrid Box Edge 6.5mm – 2.5mtr length


6300B6.5mm	Matt Black
6300C6.5mm	Champagne
6300S6.5mm	Silver

Hybrid Transition Profile 6.5mm – 2.5mtr length

6308C6.5mm	Champagne
6308S6.5mm	Silver

Hybrid Stair Nosing 6.5mm – 2.5mtr length

6307C6.5mm	Champagne
6307S6.5mm	Silver



NEW TRIMS ARRIVING SOON

Timber Angle End 8mm - 2.5mtr length


6392B8mm	Matt Black
6392C8mm	Champagne
6392S8mm	Silver

Hybrid Stair Noising 10mm - 2.5mtr length

6390B10mm	Matt Black
6390C10mm	Champagne
6390S10mm	Silver

Hybrid Stair Noising 15mm - 2.5mtr length

6391B15mm	Matt Black
6391C15mm	Champagne
6391S15mm	Silver



Uzin Foam Expansion Strip



UZIN. THE FLOOR BELONGS TO YOU.



The self adhesive base and integrated fleece backing which presses the strip to the wall in a "spring like" manner ensures clean mounting without any annoying adhesive residues on the wall.

Applications

For mechanical separation between floor and wall prior to levelling or thin screed work.

Properties

- Positively prevents acoustic bridges
- Perfect for thin screeds and smoothing compounds
- High adhesive strength
- Height 50 mm, thickness 5 mm

Product Code: 60378

Packaging. 5 x 20M Rolls per carton.

\$70.00

+ GST per 20m roll

NEW LOWER COST SAW BLADE FOR ROBERTS Q10-56 JAMB SAW

ONLY \$62.68

per blade (down from old price of \$78.80)



Code C10-47

**FEBRUARY
MARCH
DEAL**

Buy x 5 at \$62.68 and receive the sixth one FREE!

All promotional pricing excludes GST and is nett of any further discounts. Some promotional items may have quantity limits. No refunds or credits accepted on end of line stock clearances and promotional deals.

Auckland 37 Fairfax Avenue Penrose Ph 09 579 7067 Fax 09 579 7064	Auckland 3/7 Colway Place Glenfield Ph 09 443 7067 Fax 09 444 0510	Whangarei 34 Porowini Ave Ph 0274 364 005	Hamilton 59 Killarney Road Frankton Ph 07 847 6452 Fax 07 847 6924	Tauranga Unit 3 33 Burrows Street Ph 07 571 8244 Fax 07 847 6924	Palmerston North Unit A, 65 Taonui Street Ph 06 825 6519 Fax 07 847 6924	Wellington 50 Fitzherbert Street Petone Ph 04 569 7067 Fax 04 569 7066	Nelson 8b Tokomaru Place Ph 0274 387 266	Christchurch 110 Antigua Street Addington Ph 03 379 7067 Fax 0800 103 649	Timaru 41 Bank Street Ph 03 684 4049	Dunedin 15 Turakina Road Ph 03 455 7067 Fax 03 455 7069
--	---	--	---	---	---	---	---	--	---	---

TO ORDER EMAIL: help@giltedge.co.nz

or FREE PHONE: 0800 445 833

www.giltedge.co.nz



Every Flooring Installation Deserves the "GILT EDGE" Finish