GILT EDGE INDUSTRIES LIMITE

MAY - JULY 2022

Ecoglo Photoluminescent (High Temperature Cured)

ON THE FLOOR LATEST NEWS - NEW RELEASES - SPECIAL DEALS

FROM THE DESK:

Dear Clients,

Welcome to the May – July Edition. We're pleased to launch Guardboard - a quality Australian made hard flooring protector suitable for commercial/ domestic environments (available now), together with the RO-2 Heavy Duty Stripper of which several are in transit from Europe due late June. We have a demo machine available – please contact your Gilt Edge Rep. to discuss.

Finally, please see page 3 where our Architectural Technical Consultant, Ian Williams details support we offer concerning the Building Code E3/AS1 Alternative Solution Options (effective from 5/11/21), relating to changes around the type of floor finishes to be used in kitchens, laundries, bathrooms and toilets that need council consent.


Best regards Chris Dickey Managing Director

GILTGRIP ECOGLO STAIR NOSINGS

The benefits of Giltgrip Ecoglo (photoluminescent) Stair Nosings are clear when compared to other alternatives. Giltgrip Ecoglo Stair Nosings are cost effective, sustainable, durable and failsafe.

- Utilise ambient light in most cases meaning little or no power usage
- No replacement parts ie no batteries or lamps, so no hazardous waste
- Extremely durable warranted for 30 years indoors and 15 years outdoors
- Operate instantly each time the power fails

Available Profiles




Photoluminescent Step Edge Contrast

The Ecoglo PL Step Edge Contrast is designed to ensure visability of steps in escape routes to meet NZBC Clause F6 "Visability in Escape Routes". The Step Edge contrast will be effective in all light conditions including failure of the main lighting.



Ask your Gilt Edge Sales Consultant for further information and pricing.

STRIPPER RO-2 . R



Transport

The ROLLSTRIPPER RO2 can be separated into 2 parts Additional air tires included.

Made in Germany

Development and production in Sonnenbühl

Use in noise sensitive areas

Low vibration and noise level

Effortlessly working

Stepless joystick control back and forth

- No slipping of the wheels Through hightraction chain wheels with large contact
- Less tool wear

Through hardened and resharpenable tools

BLADES SUPPLIED WITH UNIT



Stripper tool 250x80x2mm flat (type 12)

Stripper tool 250x80x2mm U shape A, (type 42)

Contact your Gilt Edge Representative to arrange a demonstration

Striking mechanism

An adjustable stroke of the stripper tool (3 levels) enables individual settings depending on the floor covering.

Compact stripper machine with chain drive for professional removal of glued floor coverings such as parquet, carpeting, linoleum, PVC and vinyl.

Special features:

- powerful industrial motors
- innovative drive technology
- innovative tool technology
- joystick operation · low vibration and noise level
- easy to transport

Areas of application:

- Removal of parquet
- · Removal of elastic floor coverings · Removal of textile floor coverings
- · Removal of PVC floor coverings

Technical specifications:

Drive engine: Torque: Stroke engine: Blow count: Stroke length: Working width: Dimensions: Weight:

1,5 kW, 230 volts with worm gear 327 Nm 1,1 kW, 230 volts 2500 beats per minute (bpm) adjustable in 3 levels up to 350 mm 380 x 760 x 1100 mm 195 kg

Included in delivery: Stripper tool 250mm flat Stripper tool 250mm Ushape 10m industrial extension cable Tool kit Carrying handles Personal protective equipment Transport wheels with pneumatic tires



Gilt Edge Train and Support Flooring Contractors with Sound E3 Building Integrity Subfloor Preparation and Flooring Installation Systems.

By Ian Williams- Gilt Edge Architectural Technical Consultant

NZBC Clause E3 Internal Moisture is now in the spotlight: 3 to 6 story Medium Density Housing has become the new normal. Healthcare and Education projects are demanding Total Systems Solutions incorporating BRANZ Appraised Waterproof Membrane Systems. If left unmanaged there are E3 Building Integrity project demands by local authorities such as PS3 producer Statements, and lack of Systems Training, that can have a negative impact on the flooring contactor's ability to supply E3 Building Integrity Solutions in these times of change.

Solution to New NZBC Clause E3-AS1 Internal Moisture 4.11.21: Gilt Edge Architectural have developed specifications for Luxury Vinyl Tile (LVT) and Laminate Overlay Wet Rooms Containment and Watersplash Installation Systems used in kitchens, laundries, bathrooms, and toilet areas where a building consent for new or refurbished work is required to comply with E3/AS1 building code.

E3/AS1 Seamless Flooring Systems Links: Specifications -E3/AS1 - Gilt Edge (SCAN QR CODE)

Training and Project Support: Gilt Edge staff can train flooring contractors to become Certified Applicators of the BRANZ Appraised Flexi-Seal PUD Waterproof Membrane System. An applicator gets a Certification Number and registers on the RLA Bondlast Website. They can then supply a PS3 to meet Clause E3 Internal Moisture securing a Fifteen Year Product Warranty. Integrated into both our Second Line of Defence Sheet Vinyl, and E3/AS1 Systems, Flexi-Seal PUD Certification enables flooring contractors to secure E3 Projects.

Project Example - Second Line of Defence Sheet Vinyl:

Wairau Valley Special School Disabled Access Wet Room installation. Council required a BRANZ Appraised Waterproof Membrane System and PS3 sign off by the flooring installer. Being a Flexi-Seal PUD Certified Applicator flooring installer Sonny's Flooring was able to supply a PS3 to project head Niche Flooring to meet Council requirements. Gilt Edge supplied Certified Applicator Training, Technical Specifications, and site assistance. A quality E3 Building Integrity installation was achieved ensuring long term building performance.



Project Example- E3-AS1 Containment System for Laminate:

A new architecturally designed family home in Auckland chose Laminate flooring installation throughout including upstairs wet rooms bathroom, ensuite and toilet. Council required a BRANZ Appraised Waterproof Membrane System and PS3 sign off by the flooring installer. This new E3/AS1 Clause definitions is

Containment. Yet again flooring installer Sonny's Flooring was able to supply a PS3 for the project to meet Council regulations where containment is required.

Gilt Edge Architectural have developed fully warranted E3 Building Integrity Systems, Training and Support to help flooring contractors nationwide: *For enauiries contact:*

Ian Williams 0274 364 642 ian@giltedge.co.nz Craig Kennelly 0274 387 266 craig@giltedge.co.nz Duncan McDonnell 027 223 4147 duncan@giltedge.co.nz Tony Wicksteed 0274 364 646 tony@giltedge.co.nz Martin McCarron 027 248 2770 martin@giltedge.co.nz





Premium Heavy Duty Surface Protection









900mm wide x 50m long (45m²) **PRODUCT CODE** GUARD50M

To protect timber, vinyl, polished concrete and ceramic/porcelain tiles.

All promotional pricing excludes GST and is nett of any further discounts. Some promotional items may have quantity limits. No refunds or credits accepted on end of line stock clearances and promotional deals .

Auckland 37 Fairfax Avenue Penrose Ph 09 579 7067 Fax 09 579 7064

Auckland Whangarei 3/7 Colway Place Glenfield Ph 09 443 7067 Fax 09 444 0510

Hamilton 10a Haig Street 34 Porowini Ave Ph 0274 364 005 Frankton Ph 07 847 6452

Palmerston North Tauranga Unit 3 Unit A, 33 Burrows Street Ph 07 571 8244 Fax 07 847 6924 Fax 07 847 6924

65 Taonui Street Petone Ph 06 825 6519 Ph 04 569 7067 Fax 07 847 6924 Fax 04 569 7066

Wellington Nelson 50 Fitzherbert Street

Christchurch 8b Tokomaru Place Ph 0274 387 266 Addington Ph 03 379 7067 Fax 0800 103 649



TO ORDER EMAIL: help@giltedge.co.nz or FREE PHONE: 0800 445 833 www.giltedge.co.nz

Every Flooring Installation Deserves the "GILT **EDGE**" Finish