Gilt Edge Industries Ltd®

Customer Services
CHC : 03 379 7067 or AKL: 09 443 7067
Email: help@giltedge.co.nz

Technical & Sales Assistance
Email: sales@giltedge.co.nz
www.giltedge.co.nz

PRODUCT DATA SHEET

PVCCRED20 PVC Carpet Reducer

A heavy duty PVC ramping profile designed to transit carpet to a level finished surface.

Product Attributes

Base Width 50mm. Top Width 35mm. ID at opening : 6mm

Material: PVC   Colour: Black   Length:20mtr coil

Specification

Manufacturer: Gilt Edge Industries 110 Antigua Street, Addington Christchurch 8240 P O Box 7515 Sydenham

Phone: 0800 445 833 Fax: 0800 103 649

Email: help@giltedge.co.nz

Reference Code : PVCCRED20

P.O.Box 7515,
Sydenham, Christchurch 8240
Free Fax: 0800 103 649
Email: help@giltedge.co.nz
www.giltedge.co.nz

Installation

1. It should be ensured that all surfaces to which the profile is to be fixed are dry, flat and free from any contaminants.

2. Cut the profile to the size required.

3. Apply a proprietary contact adhesive (Ados F22) to the underside of the profile and the floor

4. Allow the adhesive to become touch dry.

Install the carpet up to the back of the profile ensuring the carpet is sealed if necessary

Maintenance

Preventative Maintenance Programme

A regular scheduled maintenance programme prevents build up of dirt and grease, which will reduce the anti-slip properties of the profile and detract from the overall appearance of the product.

Daily Cleaning

Brush down the profiles using a soft bristled brush and remove dust particles from the profile by wiping with a damp cloth.

Twice Weekly

Brush down the profiles using a soft bristled brush. With clean warm water, apply a small amount of a mild detergent to a wet green scotch pad and gently clean the surface of the profile along its width. During the clean, the water must be changed on a regular basis. Do not over wet the profile. Once the profile has been cleaned thoroughly dry with a dry lint free cloth.

NB. The use of an aggressive detergent could result in colour fade within the PVC profiles.

Floor sealants, polishes or such coating should not under any circumstances be applied to PVC profiles.