



YOUR FLOOR. OUR PROMISE.

# PRODUCT DATA BOOK

## 2025

### NEW ZEALAND



Every Flooring Installation Deserves the “**GILT EDGE**” Finish



## WELCOME TO THE UZIN PRODUCT DATA BOOK

This product data book provides a quick and easy overview of UZIN professional substrate preparation and floor covering installation products available in New Zealand.

From primers to levelling compounds and adhesives, you'll find trusted solutions designed to meet the highest standards of performance, reliability, and environmental safety.

### OUR DISTRIBUTION PARTNER

All UZIN products listed in this catalogue are distributed exclusively in New Zealand by Gilt Edge Industries. For product availability, pricing, or ordering support, please contact your local Gilt Edge representative.

### HOW TO USE THIS DATA BOOK

Browse the book to find what you are interested in, you can click on any product image to access the latest technical data sheet.






For additional advice, system recommendations, or project-specific support, contact Gilt Edge or the UZIN Technical Support Team

We're here to help ensure your next project is completed with confidence and clarity.

# SUBFLOOR PREPARATION PRIMERS

Distributed by








Product	Description	Pack Size	Consumption
<b>UZIN PE260</b> 	UZIN PE 260 is dispersion-based primer which can be diluted. For use on dense and absorbent substrates, mainly used 3:1 water to primer ratio for priming concrete and other porous substrates.	5kg	Approx. <b>125m<sup>2</sup></b> per <b>5kg</b> bottle
<b>UZIN PE280</b> 	Superfast dispersion-based primer for non-absorbent substrates. Its carbon fibre technology creates a gritted surface ideal for the subsequent installation of levelling compounds over low porosity substrates. Interior use.	5kg	Approx. <b>50m<sup>2</sup></b> per <b>5kg</b> tub
<b>UZIN PE414</b> 	1-Component PU Rapid Moisture Barrier Primer, ready mixed polyurethane primer, most commonly used on 'green' slabs, as a moisture barrier up to 95%RH, and for moisture sensitive floor coverings. Interior use.	6kg	Approx. <b>40 – 75 m<sup>2</sup></b> per <b>6 kg</b> bottle (1 or 2 coat)
<b>UZIN PE460</b> 	2-Component Epoxy Moisture Barrier Primer for damp or weak substrates. Mainly used as a moisture barrier on concrete up to 98% RH. Low odour, fast drying, interior/external use. Combine with silica sand as an epoxy mortar.	5kg 10kg	Approx. <b>16–40 m<sup>2</sup></b> per <b>8kg</b> Bucket (1 or 2 coat)
<b>UZIN PE650</b> 	1-Component Rapid Dry trowel-applied cementitious primer for existing substrates such as ceramic tiles or T&G Flooring. Due to its "semi-flexible" properties the primer can accommodate movement in the substrate. Interior use.	16kg	Approx. <b>5 m<sup>2</sup></b> per <b>kg</b>

# SUBFLOOR PREPARATION LEVELLING COMPOUNDS



Distributed by



Product	Description	Pack Size	Consumption
<b>UZIN NC157 SP</b> 	<p>Self-smoothing levelling compound with deep fill capabilities, for the subsequent installation of most floor coverings including engineered wood flooring systems. For thicknesses from 3 - 50mm (with aggregates up to 70 mm)</p>	20kg	<p>1.7 kg/m<sup>2</sup>/mm thickness 3.9 m<sup>2</sup> per bag @ 3 mm</p>
<b>UZIN NC164 SP</b> 	<p>Economical self-smoothing levelling compound. Substrates incl. screeds, cementitious, ceramics. Very good flow, pumpable. For textile, resilient, ceramics, and engineered timber floor coverings. For thicknesses 1 – 10mm</p>	20kg	<p>1.5 kg/m<sup>2</sup>/mm thickness 4.4 m<sup>2</sup> per bag @ 3 mm</p>
<b>UZIN NC168 SP</b> 	<p>High performance self-smoothing levelling compound with excellent flow characteristics. For all types of floor coverings. 3mm thickness applications ready for covering in 20 hours. For thicknesses from 1 - 25mm</p>	20kg	<p>1.5 kg/m<sup>2</sup>/mm thickness 4.4 m<sup>2</sup> per bag @ 3 mm</p>
<b>UZIN NC181</b> 	<p>Patching, repair, filling and ramping for most substrates prior to levelling and installation works. Efficient forming of high strength, smooth and absorbent installation substrates in rapid time. For thicknesses 1 - 100mm</p>	20kg	<p>1.5 kg/m<sup>2</sup>/mm thickness 0.4 m<sup>2</sup> per bag @ 30 mm</p>
<b>UZIN NC888S</b> 	<p>Ultra-fine, trowel-applied smoothing/skim coat for repairing imperfections. No primer required, rapid drying, and suitable for residential, commercial, and industrial use, including underfloor heating and castor wheel exposure. For thicknesses 0 – 4mm</p>	4.5kg	<p>1.1 kg/m<sup>2</sup>/mm thickness 2 m<sup>2</sup> per bag @ 2mm</p>

# SUBFLOOR PREPARATION LEVELLING COMPOUNDS

## INDENT ONLY

Product	Description	Pack Size	Consumption
<b>UZIN NC160</b> 	Self-smoothing levelling compound for standard work on most substrates. For the subsequent installation of textile and resilient floor coverings as well as solid wood flooring. For thicknesses 0 – 20mm For interior use.	20kg	1.5 kg/m <sup>2</sup> /mm thickness  4.4 m <sup>2</sup> per bag @ 3 mm
<b>UZIN NC170</b> 	High-performance self-smoothing levelling compound with excellent flow properties. It is fast drying, even with unfavourable climatic conditions. Many types of floor coverings can be installed after 6 hours. For interior use.	20kg	1.5 kg/m <sup>2</sup> /mm thickness  4.4 m <sup>2</sup> per bag @ 3 mm

SINCE THE INTRODUCTION OF THE UZIN SP LEVELLERS RANGE IN 2025, OUR LEGACY LEVELLERS UZIN NC160 & NC170 ARE NOW ONLY AVAILABLE AS INDENT ORDERS FOR PROJECTS.

UZIN ALSO MANUFACTURE A WHOLE RANGE OF INNOVATIVE PRODUCTS WHICH CAN BE ORDERED FOR SPECIFIC PROJECTS, WITH A SHIPPING TIME OF APPROX. 16 WEEKS.







FOR MORE INFORMATION ON OUR INDENT PRODUCTS, PLEASE CONTACT GILT EDGE INDUSTRIES.

FIND YOUR LOCAL GILT EDGE CONTACTS ON THE FINAL PAGE OF THIS DATA BOOK.

# FLOOR COVERING ADHESIVES

Distributed by



Product	Description	Pack Size	Consumption
<b>UZIN KE2000S</b> 	Universal Acrylic Adhesive for all common resilient coverings, textile coverings, wall coverings and UZIN insulation/installation underlays	14kg	2.6–5.6 m <sup>2</sup> per kg 37–78 m <sup>2</sup> per bucket.
<b>UZIN KE2000 SL</b> 	Fibre-reinforced adhesive for electro conductive installations of PVC, rubber, linoleum, and textile coverings. Suitable for castor wheel exposure.	14kg	1.7–4.0 m <sup>2</sup> per kg 23–56 m <sup>2</sup> per bucket
<b>UZIN KE66</b> 	Fibre-reinforced adhesive for PVC luxury flooring and rubber. Short open time, excellent adhesion. Highly shear resistant, reduces formation of pressure marks on floor covering. For interior use.	14kg	3.8–5.9 m <sup>2</sup> per kg 54–82 m <sup>2</sup> per bucket
<b>UZIN KE68T</b> 	1-Comp. hybrid adhesive for floor and wall applications. Very low emissions. Resistant against heavy loads, high temperatures (up to 50°C). Interior use.	11kg	0.37–4.0 m <sup>2</sup> per kg 4.1–44 m <sup>2</sup> per bucket
<b>UZIN KR430</b> 	Heavy Duty 2-Component PUR adhesive for resilient floor coverings incl. LVT, rubber, linoleum, and sports flooring. Ideal for extremely high loads, industrial and commercial.	3kg 8kg	1.7–4.0 m <sup>2</sup> per kg 13–32 m <sup>2</sup> per 8 kg bucket
<b>UZIN UZ57</b> 	Universal wet-bed adhesive for carpet tiles and textile floor coverings. Suitable in commercial and residential areas. Easy to apply, high initial tack, long open time. Excellent adhesive transfer and dimensional stability.. Interior use only.	14kg	1.8–3.3 m <sup>2</sup> per kg 25–47 m <sup>2</sup> per 14 kg bucket

# CONTACT INFORMATION – GILT EDGE

## **Auckland – Glenfield**

Chris Dickey  
Fiona Carter  
Steve Mulcahy

3/7 Colway Place, Glenfield  
Managing Director  
Admin  
Depot Manager

Main: 09 443 7067  
Chris: 0274 355 891

[glenfield@giltedge.co.nz](mailto:glenfield@giltedge.co.nz)  
[chris@giltedge.co.nz](mailto:chris@giltedge.co.nz)  
[fiona@giltedge.co.nz](mailto:fiona@giltedge.co.nz)

## **Auckland – Penrose**

Nick Richardson  
Martino Rosandi  
Ben Tualevao  
Eric Slegers  
Larissa Huia  
Jaco Malan

37 Fairfax Avenue, Penrose  
General Manager  
Nat. Supply Chain Manager  
Depot Manager  
Sales Consultant  
Sales Consultant  
Technical Sales Manager

Main: 09 579 7067  
Nick: 027 268 9300  
Martino: 027 468 8551  
Main: 09 579 7067  
Eric: 0274 364 642  
Larissa: 0274 364 005  
Jaco: 027 779 9337

[penrose@giltedge.co.nz](mailto:penrose@giltedge.co.nz)  
[nick@giltedge.co.nz](mailto:nick@giltedge.co.nz)  
[martino@giltedge.co.nz](mailto:martino@giltedge.co.nz)  
[penrose@giltedge.co.nz](mailto:penrose@giltedge.co.nz)  
[eric@giltedge.co.nz](mailto:eric@giltedge.co.nz)  
[larissa@giltedge.co.nz](mailto:larissa@giltedge.co.nz)  
[jaco@giltedge.co.nz](mailto:jaco@giltedge.co.nz)

## **Christchurch (Head Office)**

Chris Campbell  
Alex Cudworth  
Craig Kennelly

110 Antigua Street, Addington  
Office Manager  
Depot Manager  
South Island Sales Manager

Main: 03 379 7067  
Chris: 03 379 7067  
Alex: 027 664 9944  
Craig: 0274 387 266

[help@giltedge.co.nz](mailto:help@giltedge.co.nz)  
[alex@giltedge.co.nz](mailto:alex@giltedge.co.nz)  
[craig@giltedge.co.nz](mailto:craig@giltedge.co.nz)

## **Dunedin**

Steve Chester  
Martin McCarron

15 Turakina Street, South  
Dunedin  
Depot Manager  
Lower South Island Sales  
Consultant

Main: 03 455 7067  
Martin: 027 248 2770

[dunedin@giltedge.co.nz](mailto:dunedin@giltedge.co.nz)  
[martin@giltedge.co.nz](mailto:martin@giltedge.co.nz)

## **Hamilton**

Jason Bone  
Duncan McDonnell

59 Killarney Road, Frankton  
Depot Manager  
Regional Sales Manager

Main: 07 847 6452  
Jason: 027 261 2800  
Duncan: 027 223 4147

[hamilton@giltedge.co.nz](mailto:hamilton@giltedge.co.nz)  
[duncan@giltedge.co.nz](mailto:duncan@giltedge.co.nz)

## **Nelson**

Dave Coltman  
Craig Kennelly

8b Tokomaru Place, Nelson  
Depot Manager  
South Island Sales Manager

Dave: 03 544 5778  
Craig: 0274 387 266

[nelson@giltedge.co.nz](mailto:nelson@giltedge.co.nz)  
[craig@giltedge.co.nz](mailto:craig@giltedge.co.nz)

## **New Plymouth**

Jo Birrell  
Tony Wicksteed

1 Davidson Street, New Ply.  
Depot Manager  
Sales Consultant

Main: 06 968 0070  
Tony: 0274 364 646

[newplymouth@giltedge.co.nz](mailto:newplymouth@giltedge.co.nz)  
[tony@giltedge.co.nz](mailto:tony@giltedge.co.nz)

## **Palmerston North**

John Biberstein  
Tony Wicksteed

Unit A, 65 Taonui Street,  
Palmerston North  
Depot Manager  
Sales Consultant

Main: 06 825 6519  
John: 06 825 6519  
Tony: 0274 364 646

[palmerstonnorth@giltedge.co.nz](mailto:palmerstonnorth@giltedge.co.nz)  
[tony@giltedge.co.nz](mailto:tony@giltedge.co.nz)

## **Tauranga**

Alan French  
Duncan McDonnell

Unit 3, 33 Burrows Street,  
Tauranga  
Depot Manager  
Regional Sales Manager

Main: 07 571 8244  
Alan: 027 213 7209  
Duncan: 027 223 4147

[tauranga@giltedge.co.nz](mailto:tauranga@giltedge.co.nz)  
[duncan@giltedge.co.nz](mailto:duncan@giltedge.co.nz)

## **Wellington**

Shane Driscoll  
Tony Wicksteed

50 Fitzherbert Street, Petone  
Depot Manager  
Sales Consultant

Main: 04 569 7067  
Tony: 0274 364 646

[wellington@giltedge.co.nz](mailto:wellington@giltedge.co.nz)  
[tony@giltedge.co.nz](mailto:tony@giltedge.co.nz)

## **Timaru**

Craig Kennelly

Dores for Floors, 41 Bank Street,  
Timaru  
South Island Sales Manager

Craig: 0274 387 266

[craig@giltedge.co.nz](mailto:craig@giltedge.co.nz)